

Copyright notice

The information below was supplied in response to a Freedom of Information Act request. It is the copyright of MHRA and/or a third party or parties, and is made available for personal use only. You may not sell, resell or otherwise use any information made available via the MHRA FOI Disclosure Log without prior agreement from the copyright holder. For full details on our copyright policy please visit:

http://www.mhra.gov.uk/home/Idcplg?IdcService=SS_GET_PAGE&nodeId=412

Or contact the MHRA Information Centre on 020 7084 2000

08/319

Request

Original request:

-----Original Message-----

From: FOI_Website_Request@mhra.gsi.gov.uk [mailto:FOI_Website_Request@mhra.gsi.gov.uk]
Sent: 04 September 2008 14:18
To: FOI_request
Subject: FOI Website Request Thu Sep 04 14:17:36 BST 2008

Details of information required:

I would like all information you hold with regards to SSRI anti-depressants, especially citalopram and escitalopram with regards to withdrawal effects, irritability, aggression, hostility, violence, akathisia, agitation, and all forms of other abnormal behaviour. This should include yellow card reports and all other material on file.

I would also like all information on the above with regards to dosage changes, withdrawal (including the known and reported effects), and ongoing treatment over long term (excess of 2 years).

All information should be made available online on your website.

I also notice that information recently available at

http://www.mhra.gov.uk/home/groups/public/documents/sentineldocuments/dap_1216914733689.pdf

has been removed. I would like to see this made available again.

Follow up, dealt with as continuation:

-----Original Message-----

From: <Redacted under section 40 of the FOIA>
Sent: 21 September 2008 13:07
To: <Redacted under section 40? of the FOIA>

Subject: Re: FOI 08/319

Thank you for your reply to my request for data to be released under the Freedom of Information Act.

I notice the yellow card data for escitalopram has been updated to include July and part of August 2008 and is again available on the Medicines and Health products Regulatory Agency website at http://www.mhra.gov.uk/home/groups/public/documents/sentineldocuments/dap_1219843604684.pdf.

I have also received the 222 page paper copy of the 'Report of the Committee on Safety of Medicines Expert Working Group on the Safety of Selective Serotonin Reuptake Inhibitor Antidepressants' you posted to me which is also available at <http://www.mhra.gov.uk/home/groups/plp/documents/drugsafetymessage/con019472.pdf>. Thank you.

I notice on your website that H. Lundbeck was granted a licence to market escitalopram from 10th June 2002, and the Marketing Authorisation was published in August 2002.

I would now like the following information:

I would also like confirmation that under the Medicines act 1968 it was required for a person conducting a trial to report adverse effects although it was not a criminal offence to not report those adverse effects.

I would also like you to confirm that UK law changed on February 28 2002 to reflect EU legislation to force the drug companies to report adverse effects discovered during clinical trials and that not to report them becomes a criminal offence from this date.

I would like to know the exact start and finish dates for clinical trials for citalopram and especially the escitalopram. What happens in between these dates with regards to further data finding/reporting/questioning?

I also wish to have copies of all reports of both all side effects and all withdrawal effects for citalopram and escitalopram during clinical trials.

I also wish to see a full list of withdrawal effects as opposed to side effects post marketing and how many individual occurrences (as opposed to individual reports) have been documented, i.e. if two people say they have had 2 suicide attempts each, this will equate to 4 occurrences not two cases. This is how I cannot understand why your drug analysis prints (DAP) only reports 8 suicide attempts for the entire time span that the yellow card covers for escitalopram when I myself have reported that my partner alone has had in excess of 10 hospitalisations (medical records will prove it). The figures are not transparent. Please explain how you obtain the figures listed in the drug analysis print.

I shall consider the reply then decide which further information I require.

I require all of this information to be published on your website for ease of use by several people.

MHRA Reply

16 September 2008

Dear <Redacted under section 40 of the FOIA>

FOI 08 319

Thank you for your email of 4 September under the Freedom of Information Act (FOIA). You asked for the following information:

all information you hold with regards to SSRI anti-depressants, especially citalopram and escitalopram with regards to withdrawal effects, irritability, aggression, hostility, violence, akathisia, agitation, and all forms of other abnormal behaviour. This should include yellow card reports and all other material on file.

I would also like all information on the above with regards to dosage changes, withdrawal (including the known and reported effects), and ongoing treatment over long term (excess of 2 years).

All information should be made available online on your website.

I also notice that information recently available at http://www.mhra.gov.uk/home/groups/public/documents/sentinel/documents/dap_1216914733689.pdf has been removed. I would like to see this made available again.

Dealing first with the Yellow Card data you have requested, I believe the information you looked for on the website but could not find is now available again at www.mhra.gov.uk/daps.

You also asked for Yellow Card data on SSRIs. In 2004 Dr Jeremy Metters conducted an Independent Review of Access to the Yellow Card Scheme. Following that review, and the implementation in 2005 of

the FOIA, MHRA categorised Yellow Card data into two types – category I that are releasable under the FOIA and category II which are exempt. Category I is further subdivided into Ia and Ib.

Category I(a) data

These data are the drug analysis prints (DAPs) that list all reported reactions for a drug. These are on the MHRA website at www.mhra.gov.uk/daps.

Category I(b) data

Under FOIA, a limited data set is available. The following data fields can be released.

- Patient age categories
- Patient gender
- Suspect drug(s)
- Dose of suspect drug
- Route of administration
- Duration of treatment
- Suspected adverse drug reaction(s)

Provision of these data will depend on the number of cases held by the Agency. The MHRA will not release any data subset in which there are five or fewer cases per cell. This is necessary to prevent identification of patients and/or reporters. Where there are less than five cases per cell the data will be aggregated with adjacent cells. Any aggregation will be clearly marked on the dataset.

Type II

Anything further than type Ib is considered potentially identifiable and therefore exempt under Section 40 FOIA (personal data). These data would only be released following approval by the Independent Scientific Advisory Committee for MHRA database research (ISAC). The MHRA can charge for provision of these data. They are usually only released for public health research.

I will be able to provide you with 1(b) data for SSRIs and I have asked for this to be prepared and I will write to you again with this by the deadline for this case which is 2 October.

In relation to the other information you have requested, it would help us to supply the information you have asked for if you could be a little more specific, please.

MHRA records are usually filed by drug substance and date, and it is not clear before going through files what types of information they contain. MHRA will hold information on withdrawal, dosage changes and ongoing treatment over long term for the entire period SSRIs have been marketed (and before marketing authorisations were granted). Therefore, to identify all information that we hold on these issues would involve going through a very large volume of files. As your request is worded it would include looking through paper files (on or off site) and on electronic databases, as well as correspondence held in personal records of members of staff.

Although under the FOIA the reasons why people want information do not impact on our decision to release it, if we know why someone wants information we can provide that which is more helpful for their requirements. For example, information such as committee papers and assessment reports which review data may be more useful to some people than raw clinical trial data. Meeting minutes or correspondence can also provide insight into how a decision was reached.

Much of the information on SSRIs is already be in the public domain. Final versions of SPCs, PILs and dear doctor letters are published. Information on withdrawal of SSRIs was included in Chapter 8 of the 2003 Report of the Committee on Safety of Medicines Expert Working Group on the safety of SSRIs. The outcomes of discussions we had with the companies at the time of the report are in the report. The report is on the MHRA website at

<http://www.mhra.gov.uk/home/groups/pl-p/documents/drugsafetymessage/con019472.pdf>

and I have posted you a hard copy. This report may provide the information on withdrawal that you require, or on reading it you may be able to identify what further information you would like us to provide. There have been few changes to the safety profile for SSRIs since the report was published. Where there have been changes, we have communicated these to prescribers and placed information on the MHRA website.

In addition, the MHRA has already released a significant amount of information on SSRIs under the FOIA and copies of this information could be sent to you. For example, we have previously released minutes and papers of the Expert Working Group on SSRI. Copies of replies sent out from 2006 onwards are on the MHRA FOI disclosure log on the MHRA website at

<http://www.mhra.gov.uk/Aboutus/Freedomofinformationanddataprotection/Freedomofinformation/MHRInformationdisclosuresundertheFOIAAct>.

It is possible to search this section using keywords such as "paroxetine." There is also a monthly updated PDF in the FOI disclosure area, which lists all requests answered, along with the subject of the request. This is searchable, and provides more information than a search of requests that have actually been published to date.

Under section 1(3) of the Freedom of Information Act a public authority need not comply with a request unless any further information reasonably required to locate the information is supplied. If a request is too broad or general in nature (for example, seeking information on a topic over many years), public authorities have a duty to provide advice and assistance to the applicant in order to focus the request. It would be helpful if you could narrow your request to documents MHRA holds on up to two SSRI products over any three month period, or if you could be more specific about the type of document you require. Please let me know if you would like to discuss this by telephone.

The Act also provides for public authorities to refuse requests for information where the cost of dealing with them would exceed the appropriate limit, £600 for central government. Your request falls into this category but, if you are able to refine it to bring it below the limit, the information will be provided free of charge. Please remember to quote the reference number above in any future communications. If I do not hear from you by 2 October I will assume that you do not wish to proceed with your request.

Yours sincerely

=====

2 October 2008

Dear <Redacted under section 40 of the FOIA>

FOI 08 319

Thank you for your further email of 21 September under the Freedom of Information Act (FOIA) clarifying what you require. You asked for the following information:

1. *I would also like confirmation that under the Medicines act 1968 it was required for a person conducting a trial to report adverse effects although it was not a criminal offence to not report those adverse effects.*

The Medicines Act 1968 and the associated Statutory Instruments (SI 1981 No 164 from 1981-1995 and SI 1995 No 2808 from 1995-2004) had provisions for the reporting of adverse reactions in clinical trials.

From 1981-1995, clinical trials conducted under the Clinical Trial Exemption (CTX) scheme had a requirement for the supplier of the product to give an undertaking to the licensing authority that he would advise it of any adverse reactions or events associated with the administration of the medicinal product

From 1995-2004, this undertaking was revised and required only the reporting of adverse reactions associated with the administration of the medicinal product that were both serious and unexpected.

I can confirm that in accordance with this legislation there was no criminal offence in not reporting.

2. *I would also like you to confirm that UK law changed on February 28 2002 to reflect EU legislation to force the drug companies to report adverse effects discovered during clinical trials and that not to report them becomes a criminal offence from this date.*

There is now an EU Directive governing the conduct of clinical trials that came into force in the UK on 1 May 2004. This introduced a criminal offence for the failure to report adverse reactions occurring in clinical trials.

The Medicines (Codification Amendments Etc) Regulations 2002 relate to information submitted to MHRA as part of a Marketing Authorisation application, not reporting during individual trials. An applicant for a Marketing Authorisation has a statutory duty to report all data relevant to the application, whether favourable or otherwise.

3. *I would like to know the exact start and finish dates for clinical trials for citalopram and especially the escitalopram. What happens in between these dates with regards to further data finding/reporting/questioning?*

The MHRA does not hold information on start/stop dates of clinical trials. Companies send MHRA serious unexpected adverse drug reactions during trials and the Agency add these to our adverse drug reaction database. These will also be recorded in Periodic Safety update Reports (PSURs) that we receive. If we have questions about any of the reactions then we can ask the company to carry out further assessment or provide us with more information.

4. *I also wish to have copies of all reports of both all side effects and all withdrawal effects for citalopram and escitalopram during clinical trials.*

We have located some information that we hold in relation to this question. In accordance with the *Guidance on how the MHRA and the Veterinary Medicines Directorate will deal with requests for information under the Freedom of Information Act*, we are contacting a third party about release of this information. More information about the guidance is on the MHRA website at <http://www.mhra.gov.uk/NewsCentre/CON2033022>.

I hope to be able to write to you again within two weeks with an answer to this question. You may also be interested to know that Lundbeck has published some information on recent clinical trials for Escitalopram on its clinical trial registry www.lundbecktrials.com.

5. *I also wish to see a full list of withdrawal effects as opposed to side effects post marketing and how many individual occurrences (as opposed to individual reports) have been documented, i.e. if two people say they have had 2 suicide attempts each, this will equate to 4 occurrences not two cases. This is how I cannot understand why your drug analysis prints (DAP) only reports 8 suicide attempts for the entire time span that the yellow card covers for escitalopram when I myself have reported that my partner alone has had in excess of 10 hospitalisations (medical records will prove it). The figures are not transparent. Please explain how you obtain the figures listed in the drug analysis print.*

The MHRA updates DAPs to the website on a monthly basis, one month in arrears. A time lag has been built into the publication of this information to enable the MHRA to investigate any safety concerns that arise from Yellow Card Scheme data, and take necessary action. [REDACTED]

[REDACTED] I can confirm that the 8 cases currently shown on the DAP relate to 8 suicide attempts in separate patients, and there is no evidence of recurrence of the event in those cases.

[REDACTED under section 40 of the FOIA]

As I said in my email of 16 September, I am attaching 1(b) data that you requested. Please note that data I can provide under the FOIA does not include some of the details you requested such as dosage changes and ongoing treatment over long term (excess of 2 years). However I am able to provide you with the following details:

Patient age categories (<18, 18-24, 25-34, 35-44, 45-54, 55-64, 65-74, 75- 84, >85 years)

Patient gender (number of female and male patients)

Suspect drug (s)

Dose of suspect drug

Route of administration

Duration of treatment

Suspected adverse drug reaction(s)

Please see the attached data for the SSRI drugs fluoxetine, paroxetine, citalopram, escitalopram, fluvoxamine and sertraline. Also I have attached the same data for the SNRI group of medicines (venlafaxine and duloxetine) as these have similar indications and mechanisms of action that may be of interest to you. The sheet has several tabs along the bottom that are labelled with the drug name that they represent.

Please be aware, the inclusion of a particular reaction does not necessarily mean that it has been caused by the drug. Many factors have to be taken into account in assessing causal relationships including temporal association, the possible contribution of concomitant medication, and the underlying disease.

Furthermore, the number of reports received should not be used as a basis for determining incidence of a reaction as neither the total number of reactions occurring, nor the number of patients using the drug is known.

We will publish the information we have sent you on the MHRA website shortly and I will inform you when this has been done.

If you require any further information we will log it as a new FOI case.

I hope this information is helpful.

Yours sincerely

No	Drug	Route	Dose	Treatment duration (days)	Reaction
1	CITALOPRAM	ORAL USE	DOSE: 20-40 MG	125	Aggression, Suicide attempt
2	CITALOPRAM	ORAL USE	DOSE: 20MG		Withdrawal syndrome, Paranoia
3	CIPRAMIL	ORAL USE	DOSE: 20MG		Agitation, Irritability, Somnolence
4	CITALOPRAM, MONTELUKAST	ORAL USE, ORAL USE	DOSE: 20 MG, DOSE: 10 MG	36	Drug interaction, Agitation, Anxiety, Panic attack
5	CIPRAMIL	ORAL USE	DOSE: 20MG	5	Agitation, Anorexia, Restlessness
6	CITALOPRAM	ORAL USE	DOSE: 20MG	28	Violence-related symptom
7	CIPRAMIL	ORAL USE	DOSE: 20 MG inc 40 MG	35	Nausea, Aggression, Diarrhoea, Tension, Headache
8	CIPRAMIL	ORAL USE	DOSE: 20MG		Orthostatic hypotension, Hyperhidrosis, Pyrexia, Agitation, Tremor
9	CIPRAMIL	ORAL USE	DOSE: 20MG		Panic reaction, Chest pain, Hypervigilance, Akathisia, Nausea
10	CIPRAMIL	ORAL USE	DOSE: 20MG	5	Insomnia, Chest pain, Tremor, Agitation
11	CIPRAMIL	ORAL USE	DOSE: 20MG	5	Insomnia, Tremor, Agitation, Dysgeusia
12	CIPRAMIL	ORAL USE	DOSE: 20MG	1	Agitation
13	CITALOPRAM	ORAL USE	DOSE: 20MG	28	Akathisia
14	CIPRAMIL	ORAL USE	DOSE: 20MG	2	Paranoia
15	CITALOPRAM	ORAL USE	DOSE: 10-20 MG	59	Paranoia, Hallucination, auditory, Nightmare
16	CITALOPRAM	ORAL USE	DOSE: 20 MG OD	42	Aggression
17	CITALOPRAM	ORAL USE	DOSE: 20 MG OD	1	Akathisia
18	CIPRAMIL	ORAL USE	DOSE: 20MG	28	Agitation
19	CITALOPRAM	ORAL USE	DOSE: 10MG OD	11	Agitation, Disorientation, Abnormal behaviour
20	CIPRAMIL	ORAL USE	DOSE: 20MG		Tremor, Agitation
21	CITALOPRAM	ORAL USE	DOSE: 10MG	1	Panic attack, Insomnia, Agitation
22	CITALOPRAM	ORAL USE	DOSE: 20-40 MG	32	Restlessness, Aggression
23	CIPRAMIL	ORAL USE	DOSE: 60 MG		Withdrawal syndrome, Agitation, Anxiety, Restlessness
24	CIPRAMIL	ORAL USE	DOSE: 60 MG		Agitation, Anxiety
25	CIPRAMIL	ORAL USE	DOSE: 20MG	1	Agitation
26	CIPRAMIL	ORAL USE	DOSE: 20MG	23	Aggression
27	CIPRAMIL	ORAL USE	DOSE: 20MG	850	Pruritus generalised, Panic reaction, Nausea, Abdominal pain upper, Withdrawal syndrome, Diarrhoea, Asthenia, Dizziness, Syncope, Agitation
28	CIPRAMIL	ORAL USE	DOSE: 20MG		Agitation, Insomnia
29	CIPRAMIL, CITALOPRAM	ORAL USE	DOSE: 10MG OD		Aggression, Amnesia
30	CITALOPRAM	ORAL USE	DOSE: 20MG		Suicidal ideation, Condition aggravated, Homicidal ideation
31	CIPRAMIL	ORAL USE	DOSE: 20MG		Withdrawal syndrome, Aggression, Tension, Dizziness, Hallucination
32	OXYTETRACYCLINE, CITALOPRAM	ORAL USE, ORAL USE	DOSE: 250 MG, DOSE: 20 MG	7	Aggression
33	CITALOPRAM	ORAL USE	DOSE: 20MG	26	Anorgasmia, Fatigue, Agitation, Agitation, Insomnia, Muscle twitching
34	CIPRAMIL	ORAL USE	DOSE: 40 MG/DAY	36	Agitation, Insomnia
35	CIPRAMIL	ORAL USE	DOSE: 70 MG		Speech disorder, Inappropriate affect, Abnormal behaviour, Paranoia, Hypomania, Psychomotor hyperactivity
36	CITALOPRAM	ORAL USE	DOSE: 20MG		Agitation, Suicidal ideation
37	CIPRAMIL	ORAL USE	DOSE: 40 -> 5 MG		Drug withdrawal syndrome
38	CIPRAMIL	ORAL USE	DOSE: 20MG	2	Confusional state, Aggression
39	CITALOPRAM	ORAL USE	DOSE: 20MG	29	Insomnia, Derealisation, Paranoia, Hallucination, Fatigue
40	CIPRAMIL	ORAL USE	DOSE: 20MG	84	Drug withdrawal syndrome
41	CIPRAMIL	ORAL USE	DOSE: 20MG		Drug withdrawal syndrome, Rash, Paraesthesia
42	CIPRAMIL	ORAL USE	DOSE: 10MG D	7	Agitation, Nausea, Insomnia
43	CITALOPRAM	UNKNOWN	DOSE: 20MG		Aggression, Amnesia, Alcohol interaction, Paraesthesia, Withdrawal syndrome
44	CITALOPRAM	ORAL USE	DOSE: 20MG		Malaise, Agitation
45	CITALOPRAM	ORAL USE	DOSE: 20MG		Suicidal ideation, Abnormal behaviour
46	CITALOPRAM, OLANZAPINE, BENDROFLUAZIDE	ORAL USE, ORAL USE, UNKNOWN	DOSE: 10 MG OD, DOSE: 5 MG 2 DOSES, DOSE: 2.5 MG OD		Electrolyte imbalance, Agitation, Circulatory collapse Dehydration
47	CITALOPRAM	ORAL USE	DOSE: 10MG	5	Hallucination, Paranoia
48	CITALOPRAM	ORAL USE	DOSE: 20MG	14	Condition aggravated, Intentional self-injury, Suicidal ideation, Depersonalisation, Aggression
49	CIPRAMIL	ORAL USE	DOSE: 20MG	31	Akathisia
50	CIPRAMIL	ORAL USE	DOSE: 40 MG	49	Hypomania, Agitation
51	CITALOPRAM	ORAL USE	DOSE: 20MG	2	Aggression
52	CITALOPRAM	ORAL USE	DOSE: 50 MG		Electric shock, Drug withdrawal syndrome, Confusional state
53	THYROXINE, CITALOPRAM, THIORIDAZINE	UNKNOWN			Agitation, Inappropriate antidiuretic hormone secretion, Depression
54	CIPRAMIL	ORAL USE	DOSE: 20MG	51	Agitation, Somnambulism, Enuresis
55	CIPRAMIL	ORAL USE	DOSE: 20MG	15	Suicidal ideation, Self-injurious ideation, Agitation
56	CITALOPRAM	ORAL USE	DOSE: 20 MG + 10MG TAKEN FOR 1 WEEK		Agitation, Fatigue, Depression

57	CIPRAMIL	ORAL USE	DOSE: 20MG	14	Confusional state, Hyponatraemia, Agitation
58	CIPRAMIL	ORAL USE	DOSE: 20MG	1	Dry mouth, Agitation, Insomnia, Vomiting, Panic attack
59	CITALOPRAM	ORAL USE	DOSE: 20MG		Convulsion, Confusional state, Hypokalaemia, Hyponatraemia, Agitation
60	CIPRAMIL	ORAL USE	DOSE: 20MG	3	Agitation, Tremor, Muscle rigidity, Nausea, Chest discomfort
61	CIPRAMIL	ORAL USE	DOSE: 20MG	6	Hyperventilation, Agitation
62	CITALOPRAM HYDROBROMIDE	ORAL USE	DOSE: one to be taken daily	296	Irritability, Withdrawal syndrome, Headache, Aggression
63	CIPRAMIL	ORAL USE	DOSE: 20MG	7	Tremor, Palpitations, Dry mouth, Paranoia
64	CITALOPRAM	ORAL USE	DOSE: 20MG	10	Fatigue, Hyperhidrosis, Agitation
65	CIPRAMIL	ORAL USE	DOSE: 20MG	6	Akathisia
66	CITALOPRAM	ORAL USE	DOSE: 20MG		Agitation, Completed suicide
67	CIPRAMIL	ORAL USE	DOSE: 20MG	9	Erectile dysfunction, Agitation
68	CIPRAMIL	ORAL USE	DOSE: 20MG		Agitation, Yawning, Confusional state, Muscle spasms
69	CIPRAMIL	ORAL USE	DOSE: 10-40 MG		Akathisia
70	CIPRAMIL	ORAL USE	DOSE: 20MG		Agitation, Yawning, Tremor
71	CIPRAMIL	ORAL USE	DOSE: 20MG	7	Agitation, Tremor, Hyperhidrosis
72	CIPRAMIL	ORAL USE	DOSE: 20MG	1	Panic attack, Tachycardia, Personality change
73	CITALOPRAM	ORAL USE	DOSE: 40MG TAB	2	Nausea, Agitation
74	CITALOPRAM	ORAL USE	DOSE: 20MG OD		Electric shock, Drug withdrawal syndrome
75	CIPRAMIL	ORAL USE	DOSE: 20MG	5	Agitation
76	CIPRAMIL	ORAL USE	DOSE: 20MG	9	Tremor, Fear, Decreased appetite, Syncope, Agitation
77	CITALOPRAM	ORAL USE	DOSE: 40 MG		Aggression
78	EFEXOR, CITALOPRAM HYDROBROMIDE	ORAL USE, ORAL USE	DOSE: 37.5mg BD, DOSE: 20mg OD	6	Serotonin syndrome, Chronic fatigue syndrome, Headache, Myoclonus, Tinnitus, Drug withdrawal syndrome, Suicidal ideation
79	CIPRAMIL	ORAL USE	DOSE: 20MG	2	Agitation, Muscle spasms, Hyperhidrosis, Tremor
80	CIPRAMIL	ORAL USE	DOSE: 10MG	17	Agitation, Suicidal ideation
81	CITALOPRAM	ORAL USE	DOSE: 20-40 MG	105	Homicidal ideation
82	CITALOPRAM	ORAL USE	DOSE: 20MG	3	Akathisia, Extrapyrarnidal disorder
83	CIPRAMIL	ORAL USE	DOSE: 20MG		Paraesthesia, Drug withdrawal syndrome, Vertigo
84	CIPRAMIL	ORAL USE	DOSE: 20MG	1	Restlessness, Intentional self-injury, Agitation
85	CITALOPRAM, ABILIFY	ORAL USE, ORAL USE	DOSE: 20MG, DOSE: 15MG	22	Muscle twitching, Drug interaction, Akathisia
86	CITALOPRAM	ORAL USE	DOSE: 10MG	4	Homicidal ideation, Suicidal ideation
87	CITALOPRAM	ORAL USE	DOSE: 40 -> 20 MG		Drug withdrawal syndrome, Panic reaction, Abdominal pain upper
88	CITALOPRAM	ORAL USE	DOSE: 20MG		Hallucination, Agitation
89	CITALOPRAM	ORAL USE	DOSE: 20MG	1	Vomiting, Cognitive disorder, Agitation
90	CIPRAMIL	ORAL USE	DOSE: 20MG		Nausea, Dizziness, Somnolence, Agitation, Hyperhidrosis
91	CIPRAMIL	ORAL USE	DOSE: 20MG	2	Feeling abnormal, Paranoia, Anxiety, Somnolence, Visual disturbance
92	CITALOPRAM	ORAL USE	DOSE: 20 - 40 MG	24	Agoraphobia, Panic attack, Agitation
93	CITALOPRAM	ORAL USE	DOSE: 10MG	3	Fear, Agitation, Burning sensation, Hot flush
94	CITALOPRAM	ORAL USE	DOSE: 20MG	23	Aggression
95	QUETIAPINE, ZAPONEX, CITALOPRAM	ORAL USE, ORAL USE, ORAL USE	DOSE: 800 MG OD, , DOSE: 20 MG OD	3	Nausea, Heart rate increased, Agitation
96	CITALOPRAM	ORAL USE	DOSE: 50 MG		Intentional self-injury, Agitation
97	CITALOPRAM	ORAL USE	DOSE: 10MG	2	Agitation
98	CITALOPRAM	ORAL USE	DOSE: 20MG	11	Agitation, Anxiety
99	CIPRAMIL	UNKNOWN	DOSE: 10 -> 20 MG TABLET 1 DAILY		Anxiety, Eating disorder, Personality change, Mood altered
100	CITALOPRAM	ORAL USE			Homicidal ideation, Hallucination, visual, Hallucination, auditory
101	PROZAC, SEROXAT, CITALOPRAM	ORAL USE, ORAL USE, ORAL USE	DOSE: 20MG, DOSE: 20MG, DOSE: 20 MG	349	Weight increased, Insomnia, Self-injurious ideation, Fornication, Aggression, Anxiety, Completed suicide, Palpitations, Suicidal ideation, Paranoia, Obsessive-compulsive disorder, Panic attack, Depression, Headache
102	CITALOPRAM	ORAL USE	DOSE: 20MG	2	Agitation
103	CITALOPRAM	ORAL USE			Nausea, Malaise, Agitation, Suicidal ideation, Anxiety
104	CITALOPRAM	ORAL USE	DOSE: 20MG		Confusional state, Agitation, Anxiety
105	CIPRAMIL	ORAL USE	DOSE: 20 MG OD		Hostility, Psychotic disorder, Insomnia, Irritability, Hallucination
106	CITALOPRAM	ORAL USE	DOSE: 20MG	33	Dry mouth, Sexual dysfunction, Panic attack, Apathy, Anger, Agitation, Heart rate increased, Mood swings, Suicide attempt, Somnolence, Tremor, Anxiety, Nervousness
107	CIPRAMIL, SEROXAT	ORAL USE, ORAL USE			Withdrawal syndrome, Thinking abnormal, Tardive dyskinesia, Impulsive behaviour, Agitation, Aggression
108	CITALOPRAM	ORAL USE	DOSE: 20 MG A DAY FOR 4-5 WEEKS	28	Anorexia, Sleep disorder, Panic attack, Constipation, Agitation, Feeling cold, Malaise
109	CITALOPRAM	ORAL USE	reducing dose		Dizziness, Mood altered, Drug withdrawal syndrome

110	CITALOPRAM, CITALOPRAM		For 2 months, For 2 months	Citalopram 97	Dysgeusia, Chills, Headache, Paraesthesia oral, Paraesthesia, Pyrexia, Agitation, Hypoaesthesia, Chest discomfort, Confusional state, Tremor, Neck pain, Musculoskeletal stiffness, Bruxism, Gait disturbance, Heart rate increased, Headache
111	CIPRAMIL	ORAL USE	Dose was increased to 60 mg 2 weeks prior to event		Convulsion, Drug withdrawal syndrome
112	CITALOPRAM	ORAL USE			Violence-related symptom, Morbid thoughts, Self-injurious ideation
113	CIPRAMIL	ORAL USE			Drug withdrawal syndrome, Paraesthesia, Skin odour abnormal, Nausea, Disturbance in attention, Thinking abnormal, Dysgeusia, Headache, Anorexia, Headache
114	CIPRAMIL, ZISPIN, VENLAFAXINE	ORAL USE, ,		17.5	Headache, Insomnia, Personality change, Feeling of body temperature change, Confusional state, Paraesthesia, Hallucination, Anosmia, Diarrhoea, Abnormal dreams, Agitation, Anhidrosis, Back pain, Somnolence, Serotonin syndrome, Affect lability, Dizziness, Feeling abnormal, Anorexia, Emotional disorder, Hypoaesthesia, Visual acuity reduced, Influenza like illness, Muscle spasms, Malaise, Ageusia
115	CITALOPRAM, CITALOPRAM	ORAL USE, ORAL USE	started at 20 mg, dropped to 10 mg, DOSE: started at 20 mg reduced to 10 mg		Palpitations, Eye pain, Headache, Anxiety, Mood swings, Arthralgia, Influenza like illness, Fatigue, Drug withdrawal syndrome, Speech disorder, Hyperhidrosis, Myalgia
116	CIPRAMIL, QUETIAPINE, QUETIAPINE	ORAL USE, ORAL USE, ORAL USE	, Normal dose 800mg (frequency unknown), took an extra 200mg in the morning.,		Muscle rigidity, Impaired driving ability, Headache, Drug interaction, Urinary incontinence, Agitation, Delirium, Blood creatine phosphokinase increased, Dehydration, Hyperreflexia, Serotonin syndrome
117	CITALOPRAM				Dry mouth, Dizziness, Vision blurred, Panic attack, Anxiety, Dizziness, Heart rate increased, Agitation, Tremor, Paraesthesia, Dyspnoea
118	CITALOPRAM	ORAL USE		14	Vision blurred, Dizziness, Dysmorphism, Asthenia, Dizziness, Insomnia, Disturbance in attention, Amnesia, Confusional state, Agitation, Anxiety, Tremor, Depression, Muscle rigidity, Pyrexia, Panic attack, Ageusia
119	CITALOPRAM	ORAL USE		17	Disturbance in attention, Amnesia, Abnormal behaviour
120	CITALOPRAM	ORAL USE		1	Abnormal behaviour, Disorientation, Speech disorder, Depression, Aggression, Hallucination, Heart rate increased
121	CITALOPRAM, ARIPIRAZOLE	ORAL USE, ORAL USE	dose has been reduced to 20 mg,	232	Akathisia
122	CITALOPRAM, CITALOPRAM				Depression, Agitation, Morbid thoughts, Suicidal ideation, Mood swings
123	ARIPIRAZOLE, CIPRAMIL				Dysphagia, Akathisia, Dysarthria
124	CITALOPRAM				Aggression, Suicidal ideation, Early morning awakening, Sleep disorder, Disorientation, Confusional state, Lethargy, Muscle spasms, Libido disorder, Aggression, Nightmare, Anxiety
125	CITALOPRAM	ORAL USE		3	Grand mal convulsion, Agitation, Anxiety
126	CITALOPRAM		3 weeks ago dose increased to 20 mg		Anxiety, Restlessness, Agitation
127	CITALOPRAM, SEROXAT	UNKNOWN			Completed suicide, Tearfulness, Overdose, Apathy, Weight fluctuation, Emotional distress, Appetite disorder, Drug withdrawal syndrome, Abortion induced, Irritability
128	CITALOPRAM	UNKNOWN			Hyperhidrosis, Sleep disorder, Dyspnoea, Psychomotor hyperactivity, Tremor, Personality change, Insomnia, Appetite disorder, Dry mouth, Libido increased
129	CLOZAPINE, CITALOPRAM, RISPERIDONE, STELAZINE	ORAL USE, ORAL USE, ORAL USE, ORAL USE			Suicidal ideation, Paranoia, Tremor, Anxiety, Hyperhidrosis
130	CITALOPRAM	ORAL USE		20	Chest pain, Verbal abuse, Vision blurred, Hypoaesthesia, Asthenia, Thirst, Hypoaesthesia, Aggression
131	CITALOPRAM	ORAL USE		3	Suicidal behaviour, Agitation, Suicide attempt
132	CITALOPRAM	ORAL USE		14	Anxiety, Insomnia, Hyperhidrosis, Agitation, Emotional distress, Irritability, Bruxism, Suicidal ideation, Diarrhoea, Dizziness, Confusional state
133	CITALOPRAM	ORAL USE			Epilepsy, Suicidal ideation, Drug withdrawal syndrome, Suicide attempt, Tooth injury, Jaw fracture
134	HYPERICUM PERFORATUM, CITALOPRAM	, ORAL USE		21	Hyperhidrosis, Agitation, Blood pressure fluctuation, Nausea, Serotonin syndrome, Drug interaction, Suicidal ideation, Abdominal discomfort, Tachycardia

135	CITALOPRAM		Citalopram		Dizziness, Diarrhoea, Fatigue, Insomnia, Agitation, Anxiety, Asthenia, Nervousness
136	CIPRAMIL	ORAL USE			Aggression
137	CITALOPRAM	ORAL USE	10 or 20mg. Break of four days when stopped between 17th and 22nd July	9	Insomnia, Visual disturbance, Headache, Disorientation, Feeling abnormal, Agitation
138	CIPRAMIL	ORAL USE			Agitation, Restlessness, Intentional self-injury, Anorgasmia
139	CITALOPRAM				Mood swings, Confusional state, Fatigue, Paraesthesia, Dizziness, Tunnel vision, Nausea, Drug withdrawal syndrome
140	LOSARTAN, CITALOPRAM	ORAL USE, ORAL USE		7	Agitation, Confusional state
141	TRAMADOL, CITALOPRAM	ORAL USE, ORAL USE	Dose: four times per day as necessary,	16	Agitation, Muscle twitching, Serotonin syndrome
142	CITALOPRAM				Poor quality sleep, Nausea, Weight increased, Irritability, Drug withdrawal syndrome, Stress, Abdominal pain upper, Paraesthesia, Crying, Blood pressure increased, Panic attack, Suicidal ideation
143	CITALOPRAM	ORAL USE	dose: 10, 20 and 30 mg	48	Panic attack, Insomnia, Suicidal ideation, Anxiety, Depressed mood, Hyperacusis, Anorexia, Antisocial behaviour, Withdrawal syndrome
144	CITALOPRAM	ORAL USE			Myalgia, Oedema peripheral, Agitation, Hyperthyroidism
145	CITALOPRAM, ESCITALOPRAM	ORAL USE, ORAL USE		12	Hallucination, visual, Fear, Agitation
146	CITALOPRAM				Agitation, Male sexual dysfunction, Dizziness, Abdominal discomfort, Insomnia, Anger, Vision blurred, Tinnitus, Malaise, Night sweats, Diarrhoea
147	CITALOPRAM				Panic attack, Paranoia, Insomnia, Tremor
148	CITALOPRAM	ORAL USE	Drug was withdrawn but then re-started on an unknown date(s), variable dosage		Muscle spasms, Insomnia, Influenza like illness, Drug withdrawal syndrome, Hyperhidrosis, Retching, Nausea, Paraesthesia
149	CITALOPRAM		20 - 30 mg per day		Paraesthesia, Electric shock, Flight of ideas, Drug withdrawal syndrome
150	CITALOPRAM, CHAMPIX	ORAL USE, ORAL USE			Drug interaction, Mania, Hypomania, Aggression
151	CITALOPRAM	ORAL USE		12	Aggression, Tremor, Thinking abnormal, Paranoia, Delusion, Screaming, Hyperhidrosis, Hallucination, auditory, Agitation
152	CITALOPRAM			384	Akathisia, Sexual dysfunction, Hypomania
153	CITALOPRAM			2	Menorrhagia, Anxiety, Panic reaction, Tremor, Memory impairment, Disturbance in attention, Night sweats, Vision blurred, Dyspepsia, Feeling abnormal, Fatigue, Dizziness, Dyspepsia, Ocular hyperaemia, Yawning, Dizziness, Violence-related symptom, Bruxism
154	CITALOPRAM	UNKNOWN		111	Agitation, Suicidal ideation, Insomnia, Intentional overdose, Depression
155	CITALOPRAM			182	Dizziness, Paraesthesia, Nausea, Appetite disorder, Diarrhoea, Memory impairment, Dizziness, Disturbance in attention, Drug withdrawal syndrome
156	CODEINE PHOSPHATE, OMEPRAZOLE, CO-DYDRAMOL, TRAMADOL, SODIUM VALPROATE, CITALOPRAM, CO-DYDRAMOL		Start prior Mar 2007., , Start prior Mar 2007. , , , Start prior Mar 2007.		Burning sensation, Drug withdrawal syndrome, Photosensitivity reaction, Diarrhoea, Rash, Nausea, Restlessness
157	CITALOPRAM	ORAL USE			Derealisation, Memory impairment, Aggression, Agitation, Confusional state, Panic reaction, Alcohol interaction
158	CITALOPRAM, CITALOPRAM			389	Hypervigilance, Dizziness, Nausea, Agitation, Nervousness, Malaise, Withdrawal syndrome
159	CITALOPRAM, SERTRALINE				Libido decreased, Nausea, Suicidal ideation, Violence-related symptom
160	CITALOPRAM				Asthenia, Confusional state, Fatigue, Somnolence, Dissociation, Paranoia
161	CITALOPRAM, FENTANYL				Chills, Hallucination, Agitation, Hyperhidrosis, Anxiety, Drug withdrawal syndrome, Weight decreased, Nausea, Anorexia, Fatigue
162	CITALOPRAM	ORAL USE		15	Anxiety, Psychotic disorder, Palpitations, Paranoia, Vomiting
163	CITALOPRAM	ORAL USE			Dizziness, Drug withdrawal syndrome, Eye movement disorder
164	CITALOPRAM, TRYPTOPHAN	ORAL USE ORAL USE	dose reduced to 10mg,		Irritability, Confusional state, Agitation
165	MIRTAZAPINE, CITALOPRAM				Personality disorder, Irritability, Anxiety, Dizziness, Drug withdrawal syndrome, Nausea

166	PAROXETINE HYDROCHLORIDE, PARACETAMOL, ALCOHOL, PENICILLIN, ASPIRIN, NUROFEN, PROPRANOLOL, FLUOXETINE, CITALOPRAM		Citalopram , 25TAB per day, , 10TAB per day, , , , ,		Drug withdrawal syndrome, Judgement impaired, Intentional overdose, Dizziness, Hyperhidrosis, Insomnia, Balance disorder, Nightmare, Disturbance in attention, Intentional self-injury, Intentional overdose, Headache, Nausea, Agitation, Fatigue, Nausea, Tremor, Intentional overdose, Vomiting
167	CITALOPRAM		10 mg for one week, then 20mg daily.		Hallucination, auditory, Sleep disorder, Agitation
168	CITALOPRAM				Mental disorder, Influenza like illness, Suicide attempt, Nausea, Drug withdrawal headache, Drug withdrawal syndrome, Intentional self-injury
169	CITALOPRAM	ORAL USE		2	Eating disorder, Emotional distress, Agitation, Dizziness, Diarrhoea, Colour blindness
170	CITALOPRAM HYDROBROMIDE	ORAL USE		3	Paranoia, Panic reaction, Tremor, Nausea, Paraesthesia

CITALOPRAM	
Patient characteristics	
AGE RANGE	Number of reports
<18	4
18-24	14
25-34	38
35-44	39
45-54	27
55-64	15
65-74	9
75-84	7
>85	2
Unspecified	15
TOTAL	170
GENDER	
Male	75
Female	89
Unspecified	6
TOTAL	170

No	Drug	Route	Dose	Treatment duration (days)	Reaction
1	CIPRALEX	ORAL USE	DOSE: 10MG	15	Abnormal behaviour, Confusional state
2	CIPRALEX, TRAZODONE	ORAL USE, ORAL USE	DOSE: 5 MG DOSE: 300 MG, REDUCING		Drug tolerance decreased, Tension, Agitation
3	CIPRALEX	ORAL USE	DOSE: 10MG	2	Fear, Vomiting, Agitation, Muscle spasms
4	CIPRALEX	ORAL USE	DOSE: 10MG	2	Physical assault, Aggression
5	CIPRALEX	ORAL USE	DOSE: 10 MG		Agitation, Insomnia, Palpitations
6	CIPRALEX	ORAL USE	DOSE: 10MG	20	Anorexia, Insomnia, Hallucination, visual, Agitation
7	CIPRALEX	ORAL USE	DOSE: 10MG	4	Suicidal ideation, Agitation
8	ESCITALOPRAM	ORAL USE	DOSE: 10MG	3	Panic reaction, Hyperventilation, Agitation
9	CIPRALEX	ORAL USE			Homicidal ideation
10	VITAMIN B COMPLEX, CIPRALEX, VITAMIN B COMPLEX, GINKGO BILOBA, ECHINACEA	UNKNOWN, ORAL USE, UNKNOWN, UNKNOWN, UNKNOWN	DOSE: 5 MG OD		Chills, Drug interaction, Agitation, Dry throat, Pruritus
11	CIPRALEX	ORAL USE			Suicidal ideation, Aggression
12	ESCITALOPRAM	ORAL USE	DOSE: 1 DAILY	339	Aggression
13	CIPRALEX	ORAL USE	DOSE: 10MG	7	Agitation, Depression, Malaise, Insomnia
14	ESCITALOPRAM	ORAL USE	DOSE: 5MG	7	Dyspnoea, Agitation, Anxiety
15	CIPRALEX	ORAL USE	DOSE: 10MG	3	Agitation, Hallucination, auditory
16	CIPRALEX	ORAL USE	Continuing		Aversion, Food aversion
17	ESCITALOPRAM	ORAL USE	DOSE: 10MG	29	Anger, Agitation, Paranoia
18	CIPRALEX	ORAL USE	DOSE: 10MG	20	Abnormal behaviour, Compulsions, Restlessness
19	CIPRALEX	ORAL USE	DOSE: 10 MG alt days		Drug withdrawal syndrome, Nephrotic syndrome
20	ESCITALOPRAM	ORAL USE	DOSE: 10MG	5	Agitation, Skin burning sensation, Nausea, Obsessive thoughts
21	ESCITALOPRAM	ORAL USE	DOSE: 10MG	2	Gait disturbance, Paranoia, Vision blurred
22	CIPRALEX	ORAL USE	DOSE: 10MG	22	Depressed mood, Negativism, Self-injurious ideation, Mental disorder
23	CIPRALEX	ORAL USE	DOSE: 10MG ONCE DAY		Motor dysfunction, Aggression, Self-injurious ideation
24	CIPRALEX	UNKNOWN	DOSE: 10MG		Akathisia, Hyperreflexia, Blood creatine phosphokinase increased, Myoclonus, Circulatory collapse, Muscle rigidity, Muscle twitching
25	CIPRALEX	ORAL USE	DOSE: 10MG	2	Joint swelling, Anxiety, Agitation
26	CIPRALEX, BENDROFLUAZIDE	ORAL USE, ORAL USE	DOSE: 10MG, DOSE: 2.5 MG	10	Hyponatraemia, Hallucinations, mixed, Confusional state, Paranoia
27	CIPRALEX	ORAL USE	DOSE: 10MG	91	Akathisia, Ataxia, Restlessness, Phantom pain, Hyperreflexia, Headache, Muscle rigidity, Restless legs syndrome, Fatigue, Myoclonus
28	ESCITALOPRAM	ORAL USE	DOSE: 10-20MG		Dissociative fugue, Agitation
29	CIPRALEX	ORAL USE	DOSE: 10MG	375	Dizziness, Drug withdrawal syndrome
30	CIPRALEX	ORAL USE	DOSE: 5 MG	2	Violence-related symptom, Suicidal ideation
31	CIPRALEX	ORAL USE	DOSE: 20 MG		Irritability, Suicidal ideation, Agitation
32	CIPRALEX, EVENING PRIMROSE OIL	ORAL USE, ORAL USE			Agoraphobia, Irritability, Paranoia, Condition aggravated
33	CIPRALEX	ORAL USE			Drug withdrawal syndrome, Physical assault, Aggression
34	ESCITALOPRAM	ORAL USE			Dyskinesia, Intentional overdose, Restlessness, Agitation
35	ESCITALOPRAM	ORAL USE	DOSE: 10MG		Tremor, Nightmare, Hyperhidrosis, Drug withdrawal syndrome
36	CIPRALEX	ORAL USE	DOSE: 30 MG		Brain injury, Parkinsonism, Tardive dyskinesia, Overdose, Homicidal ideation, Cognitive disorder
37	CIPRALEX				Panic attack, Headache, Malaise, Sleep disorder, Drug withdrawal syndrome, Pyrexia, Indifference
38	CIPRALEX				Withdrawal syndrome, Tardive dyskinesia, Mania, Suicide attempt, Aggression, Loss of employment, Agitation, Thinking abnormal, Impulsive behaviour, Homicidal ideation, Suicidal ideation
39	ESCITALOPRAM	ORAL USE	DOSE: 5 MG		Tremor, Nausea, Myoclonus, Agitation
40	ESCITALOPRAM	ORAL USE		1	Confusional state, Aggression
41	ESCITALOPRAM, ESCITALOPRAM	ORAL USE, ORAL USE			Intentional self-injury, Anxiety, Agitation, Suicidal ideation
42	ESCITALOPRAM	ORAL USE			Confusional state, Paranoia, Drug withdrawal syndrome, Anxiety
43	CIPRALEX	ORAL USE		2	Delusional disorder, persecutory type, Diarrhoea, Amnesia, Fatigue, Aggression, Depersonalisation, Mania, Mood swings, Confusional state, Delusion
44	SERTRALINE, PAROXETINE, FLUOXETINE, CIPRALEX, PAROXETINE	, ORAL USE, , , ORAL USE			Migraine, Self-injurious ideation, Drug withdrawal syndrome, Nausea, Intentional overdose, Aggression, Headache, Suicidal ideation, Dizziness, Nausea, Irritability, Eye disorder, Mood altered, Anxiety, Tearfulness
45	CIPRALEX				Withdrawal syndrome, Dyspnoea, Hypoaesthesia, Pain in extremity, Vision blurred, Euphoric mood, Hyperhidrosis, Chest pain, Anorexia, Intentional self-injury, Electrocardiogram QRS complex prolonged, Suicidal behaviour, Aggression, Diarrhoea, Mood altered, Extrasystoles, Dizziness, Palpitations, Pulse pressure decreased, Heart rate decreased, Headache, Musculoskeletal stiffness, Nausea, Dizziness, Muscular weakness, Abdominal pain upper

46	CIPRALEX, PAROXETINE		Escitalopram		Panic attack, Headache, Nausea, Suicidal ideation, Agitation Restlessness, Anxiety, Depression
47	ESCITALOPRAM, CITALOPRAM	ORAL USE, ORAL USE		5	Agitation, Fear, Hallucination, visual
48	CIPRALEX				Panic attack, Tremor, Insomnia, Paranoia
49	ESCITALOPRAM			182	Tinnitus, Electric shock, Drug withdrawal syndrome
50	ESCITALOPRAM	ORAL USE			Logorrhoea, Drug withdrawal syndrome, Disinhibition, Agitation
51	CIPRALEX, CIPRALEX, MIRTAZAPINE, CIPRALEX	ORAL USE, ORAL USE, ORAL USE, ORAL USE		90	Mood swings, Mania, Diarrhoea, Visual disturbance, Aggression, Aggression, Social problem, Drug interaction, Abnormal behaviour
52	ESCITALOPRAM, ESCITALOPRAM	ORAL USE,			Paraesthesia, Affect lability, Suicidal ideation, Suicide attempt, Drug withdrawal syndrome, Mood swings, Overdose
53	ESCITALOPRAM	ORAL USE			Mania, Aggression, Paraesthesia, Aggression, Drug withdrawal syndrome, Irritability, Palpitations, Palpitations, Mood swings, Dizziness

ESCITALOPRAM	
Patient characteristics	
AGE RANGE	Number of reports
<18	1
18-24	2
25-34	8
35-44	14
45-54	6
55-64	10
65-74	3
75-84	2
>85	0
Unspecified	7
TOTAL	53
GENDER	Number of reports
Male	25
Female	25
Unspecified	3
TOTAL	53

No	Drug	Route	Dose	Treatment duration (days)	Reaction
1	SEROXAT	ORAL USE	DOSE: 20 MG	5	Feeling abnormal, Agitation, Tremor
2	SEROXAT	ORAL USE	DOSE: 20 MG	6	Condition aggravated, Vomiting, Serotonin syndrome, Insomnia, Suicidal ideation, Akathisia, Dyskinesia, Tremor
3	SEROXAT	ORAL USE	DOSE: 20 MG OD	94	Aggression, Nightmare
4	SEROXAT	ORAL USE			Agitation, Withdrawal syndrome, Psychomotor hyperactivity
5	SEROXAT	ORAL USE	DOSE: 20 MG	275	Hypomania, Paranoia
6	SEROXAT	ORAL USE	DOSE: 20 MG	2	Nausea, Agitation, Anxiety, Restlessness
7	SEROXAT	ORAL USE	DOSE: 20 MG	313	Palpitations, Dizziness, Agitation, Withdrawal syndrome
8	SEROXAT	ORAL USE	DOSE: 20 MG		Agitation, Tachycardia, Restlessness, Dyskinesia, Panic attack
9	SEROXAT	ORAL USE	DOSE: 20 MG	6	Sleep disorder, Agitation
10	SEROXAT	UNKNOWN		10	Agitation
11	PAROXETINE	ORAL USE	DOSE: 20 MG	998	Drug dependence, Agitation, Nausea, Disorientation, Diarrhoea, Withdrawal syndrome, Ataxia
12	SEROXAT	ORAL USE	DOSE: 20 MG	6	Tearfulness, Drug interaction, Agitation, Depression
13	SEROXAT	ORAL USE	DOSE: 20 MG	8	Hallucination, Delusional disorder, persecutory type, Agitation
14	PAROXETINE	ORAL USE	DOSE: 20MG	14	Agitation
15	SEROXAT	ORAL USE		12	Aggression
16	SEROXAT	ORAL USE	DOSE: 20 MG	7	Agitation, Tremor
17	SEROXAT	ORAL USE	DOSE: 20 MG		Anxiety, Agitation, Flushing, Withdrawal syndrome, Tremor
18	SEROXAT	ORAL USE	DOSE: 20 MG		Vomiting, Headache, Agitation, Diarrhoea, Withdrawal syndrome
19	SEROXAT	ORAL USE	DOSE: 20 MG	34	Hypomania, Restlessness, Akathisia
20	SEROXAT	ORAL USE	DOSE: 20 MG	296	Anxiety, Drug withdrawal syndrome, Palpitations, Dry mouth
21	SEROXAT	ORAL USE	DOSE: 40 -> 20 MG		Palpitations, Vomiting, Irritability, Agitation, Withdrawal syndrome
22	SEROXAT	ORAL USE	DOSE: 20 MG	193	Diarrhoea, Agitation, Hyperhidrosis, Hallucination, Nausea, Feeling abnormal, Dizziness, Withdrawal syndrome
23	SEROXAT	ORAL USE	DOSE: 20 MG	27	Eyelid retraction, Agitation
24	SEROXAT	ORAL USE	DOSE: 10 MG	2	Agitation, Anxiety, Insomnia
25	SEROXAT	ORAL USE	DOSE: 20 MG	46	Anxiety, Agitation, Insomnia, Withdrawal syndrome
26	SEROXAT	ORAL USE	DOSE: 20 MG		Hypomania, Agitation
27	PAROXETINE	ORAL USE	DOSE: 20 MG	1	Restlessness, Nausea, Anxiety, Agitation, Diarrhoea, Insomnia
28	SEROXAT	ORAL USE	DOSE: 20 MG	5	Nausea, Abnormal behaviour
29	SEROXAT	ORAL USE	DOSE: 26 TABS Overdose.		Agitation, Tremor
30	SEROXAT	ORAL USE	DOSE: 20MG	4	Agitation
31	SEROXAT	ORAL USE	DOSE: 20 MG	4	Agitation
32	SEROXAT	ORAL USE	DOSE: 10 MG		Anxiety, Somnolence, Agitation, Nausea, Hyperhidrosis, Dry mouth, Tremor
33	SEROXAT	UNKNOWN		28	Aggression, Pain, Abdominal distension, Breast tenderness, Nausea, Rash, Disturbance in attention, Withdrawal syndrome
34	SEROXAT	ORAL USE	DOSE: 20		Alcohol interaction, Aggression
35	SEROXAT	ORAL USE	DOSE: 20 MG	1	Aggression, Suicide attempt, Agitation
36	SEROXAT	ORAL USE	DOSE: 20 MG	8	Rash pruritic, Agitation, Sleep disorder, Vaginal discharge, Vulvovaginal pruritus
37	SEROXAT	ORAL USE	DOSE: 20 MG		Agitation
38	PAROXETINE	ORAL USE	DOSE: 10-7.5 ML/DAY STRENGTH UNIT: MG/5ML		Nausea, Agitation, Headache, Insomnia, Withdrawal syndrome
39	SEROXAT	ORAL USE	DOSE: 20 MG		Aggression, Mania
40	SEROXAT	ORAL USE	DOSE: 20MG	2	Insomnia, Abdominal pain, Oral discomfort, Agitation, Tremor
41	SEROXAT	ORAL USE	DOSE: 20 MG OD	1	Agitation, Tremor
42	SEROXAT	ORAL USE	DOSE: 20 MG	9	Abnormal behaviour, Fall
43	CO-TENIDONE, PAROXETINE, CO-TENIDONE	ORAL USE, ORAL USE, ORAL USE	DOSE: 100/25 ONE OD, DOSE: 20 MG OD, DOSE: 100/25 ONE OD		Vomiting, Convulsion, Hyponatraemia, Agitation
44	SEROXAT	ORAL USE	DOSE: 20 MG	3	Apallic syndrome, Abnormal behaviour, Somnambulism
45	SEROXAT	ORAL USE	DOSE: 10-20 MGS		Agitation, Confusional state, Hallucination, Disturbance in attention, Amnesia, Withdrawal syndrome
46	SEROXAT	ORAL USE	DOSE: 20 MG		Rash erythematous, Fatigue, Irritability, Aggression, Poor quality sleep
47	SEROXAT	ORAL USE	DOSE: 20 MG		Aggression
48	SEROXAT	ORAL USE	DOSE: 20 MG	239	Photopsia, Dizziness, Depression, Insomnia, Agitation, Withdrawal syndrome
49	SEROXAT	ORAL USE	DOSE: 20 MG	7	Insomnia, Anxiety, Agitation, Gastrointestinal disorder
50	SEROXAT	ORAL USE	DOSE: 20 MG		Hyperhidrosis, Agitation, Withdrawal syndrome
51	SEROXAT	ORAL USE	DOSE: 20 MG		Dizziness, Hyperhidrosis, Palpitations, Agitation
52	SEROXAT	ORAL USE	DOSE: 20 MG		Hepatic enzyme increased, Agitation, Convulsion, Amnesia
53	SEROXAT	ORAL USE	DOSE: 20 MG DEC 10 MG	131	Agitation, Nausea, Arthralgia, Fatigue, Conversion disorder, Withdrawal syndrome
54	SEROXAT	ORAL USE	DOSE: 20 MG	27	Agitation, Euphoric mood, Confusional state, Tension
55	SEROXAT	ORAL USE	DOSE: 20 MG	1	Agitation, Hyperhidrosis, Nightmare
56	SEROXAT	ORAL USE	DOSE: 20 MG		Hyperhidrosis, Anxiety, Ejaculation failure, Nausea, Agitation, Restlessness, Dry mouth
57	SEROXAT	ORAL USE	DOSE: 20MG	3	Agitation, Confusional state, Tremor
58	SEROXAT	ORAL USE	DOSE: 20 MG		Tension headache, Agitation
59	SEROXAT	ORAL USE	DOSE: 1 TAB	106	Irritability, Fatigue, Aggression
60	SEROXAT	ORAL USE	DOSE: 20 MG		Somnolence, Insomnia, Agitation
61	SEROXAT	ORAL USE			Agitation
62	PAROXETINE	ORAL USE	DOSE: 20 MG	1	Agitation, Muscle twitching
63	SEROXAT	TRANSMAMMARY	DOSE: 20 MG OD	4	Agitation, Hyperhidrosis
64	PAROXETINE	UNKNOWN	DOSE: 20 MG		Suicidal ideation, Anxiety, Akathisia
65	SEROXAT	ORAL USE	DOSE: 20 MG	4	Insomnia, Nausea, Agitation, Hyperhidrosis
66	SEROXAT	ORAL USE	DOSE: 20 MG	3	Agitation, Nausea, Anxiety, Vomiting
67	SEROXAT	ORAL USE	DOSE: 40 MG DEC 20 MG	3	Aggression, Acute psychosis, Intentional overdose
68	PAROXETINE	ORAL USE	DOSE: 20 MG Daily		Agitation, Dystonia
69	SEROXAT	ORAL USE	DOSE: 20 MG		Fatigue, Aggression, Withdrawal syndrome
70	SEROXAT	ORAL USE	DOSE: 20 MG STRENGTH UNIT: MG		Agitation
71	SEROXAT	ORAL USE	DOSE: 20 MG	1	Paranoia, Psychomotor hyperactivity
72	SEROXAT	ORAL USE	DOSE: 20 MG	452	Influenza like illness, Aggression, Withdrawal syndrome
73	SEROXAT	ORAL USE	DOSE: 20 MG	28	Insomnia, Hypomania, Grandiosity, Agitation
74	SEROXAT	ORAL USE	DOSE: 20 MG		Euphoric mood, Aggression
75	SEROXAT	ORAL USE	DOSE: 20 MG	18	Tachycardia, Agitation, Palpitations
76	SEROXAT	ORAL USE	DOSE: 20 MG-30 MG	58	Aggression

77	SEROXAT	ORAL USE	DOSE: 10-20 MG		Dizziness, Agitation, Withdrawal syndrome
78	SEROXAT	ORAL USE	DOSE: 20 MG	Paroxetine	Hyperhidrosis, Pyrexia, Nausea, Vomiting, Agitation
79	SEROXAT	ORAL USE	DOSE: 20 MG		Abnormal behaviour, Nausea, Withdrawal syndrome
80	SEROXAT	ORAL USE	DOSE: 20 MG	7	Insomnia, Agitation
81	SEROXAT	ORAL USE	DOSE: 20 MG	5	Agitation, Dizziness
82	ZOPICLONE, PAROXETINE	ORAL USE, ORAL USE	DOSE: 7.5 MG, DOSE: 20 MG		Anorgasmia, Abnormal behaviour
83	SEROXAT	ORAL USE	DOSE: 20 MG	56	Aggression
84	PAROXETINE	ORAL USE	DOSE: 20 MG	2	Agitation, Hyperhidrosis, Insomnia, Tremor
85	SEROXAT	ORAL USE	DOSE: 20 MG	13	Diarrhoea, Agitation, Nausea, Abdominal pain upper
86	PAROXETINE	ORAL USE	DOSE: 15 MG		Withdrawal syndrome, Akathisia
87	SEROXAT	ORAL USE	DOSE: 20 MG OD		Aggression
88	SEROXAT	ORAL USE	DOSE: 20 MG	10	Insomnia, Muscle twitching, Agitation
89	SEROXAT	ORAL USE	DOSE: 20 MG	3	Agitation, Anxiety
90	SEROXAT	ORAL USE	DOSE: 20 MG	8	Agitation
91	SEROXAT	ORAL USE	DOSE: 20 MG	7	Agitation, Hyperhidrosis, Palpitations, Nausea
92	PAROXETINE	ORAL USE	DOSE: 20 MG	8	Aggression, Nausea, Vomiting
93	SEROXAT	ORAL USE	DOSE: 20 MG - 30 MG		Disturbance in attention, Dizziness, Aggression, Anxiety, Balance disorder, Mood swings, Paraesthesia, Hypoaesthesia, Withdrawal syndrome
94	SEROXAT	ORAL USE	DOSE: 20 MG	3	Agitation
95	SEROXAT	ORAL USE	DOSE: 150 MG		Aggression, Aggression
96	SEROXAT	ORAL USE	DOSE: 20 MG	182	Aggression
97	SEROXAT	ORAL USE	DOSE: 30 MG	112	Agitation
98	SEROXAT	ORAL USE	DOSE: 20 MG	23	Agitation
99	SEROXAT	ORAL USE	DOSE: 20 MG OD	4	Agitation
100	SEROXAT, CHLOROQUINE	ORAL USE, ORAL USE	DOSE: 20 MG,	5	Agitation, Tremor
101	SEROXAT	ORAL USE	DOSE: 20 MG	3	Agitation, Somnolence, Insomnia, Vomiting, Tremor
102	PAROXETINE	ORAL USE	DOSE: 20 MG		Night sweats, Paraesthesia, Agitation, Hypoaesthesia, Withdrawal syndrome
103	SEROXAT	ORAL USE	DOSE: 20 MG	3	Retching, Hyperhidrosis, Nausea, Dizziness, Agitation, Tremor
104	SEROXAT	ORAL USE	DOSE: 20 MG BD	9	Restlessness, Nausea, Agitation, Akathisia, Tremor
105	SEROXAT	ORAL USE	DOSE: 20 MG		Aggression
106	SEROXAT	ORAL USE	DOSE: 20 MG		Anxiety, Agitation
107	SEROXAT	ORAL USE	DOSE: 14-16 MG		Lethargy, Drug withdrawal syndrome, Tearfulness
108	SEROXAT	ORAL USE	DOSE: 20 MG		Hyperhidrosis, Agitation, Anxiety, Withdrawal syndrome, Tremor
109	SEROXAT	ORAL USE	DOSE: 20 MG		Irritability, Aggression, Dizziness, Withdrawal syndrome
110	SEROXAT, PROZAC	ORAL USE, ORAL USE		36	Agitation, Abdominal pain, Vomiting
111	SEROXAT	ORAL USE	DOSE: 20 MG		Somnolence, Retching, Muscle twitching, Aggression, Paraesthesia
112	SEROXAT	ORAL USE	DOSE: 20 MG		Loss of libido, Headache, Agitation, Hyperhidrosis, Nausea
113	PAROXETINE	ORAL USE	DOSE: 20 MG		Hallucination, visual, Pruritus, Aggression, Confusional state
114	SEROXAT	ORAL USE	DOSE: 20 MG	101	Agitation, Psychotic disorder, Restlessness, Hallucination, visual
115	PAROXETINE	ORAL USE	DOSE: 30 MG		Erythema, Agitation, Dysarthria, Dystonia
116	SEROXAT	ORAL USE	DOSE: 20 MG	9	Agitation, Insomnia
117	SEROXAT	ORAL USE	DOSE: 20 MG	57	Aggression, Amnesia
118	SEROXAT, ASILONE, ASILONE, ASILONE, ASILONE, ASILONE	ORAL USE, ORAL USE, ORAL USE, ORAL USE, ORAL USE, ORAL USE	DOSE: 20 MG, DOSE: PRN, DOSE: PRN, DOSE: PRN, DOSE: PRN, DOSE: PRN	4	Agitation
119	SEROXAT	ORAL USE	DOSE: 20 MG	3	Agitation
120	SEROXAT	ORAL USE	DOSE: 20 MG NOCTE	9	Agitation, Insomnia
121	SEROXAT	UNKNOWN			Aggression
122	SEROXAT	ORAL USE	DOSE: 20 -> 40 MG	56	Face oedema, Agitation, Purpura, Tremor
123	SEROXAT	ORAL USE	DOSE: 1TAB	2	Vomiting, Nausea, Agitation, Diarrhoea
124	SEROXAT	ORAL USE			Dysarthria, Dizziness, Nausea, Depression, Vision blurred, Agitation, Palpitations, Photophobia, Hyperacusis, Tremor, Withdrawal syndrome
125	SEROXAT	ORAL USE	DOSE: 20 MG	76	Aggression, Abnormal dreams, Mood swings
126	SEROXAT	ORAL USE	DOSE: 20 MG	23	Sexual dysfunction, Disturbance in attention, Agitation, Sedation
127	SEROXAT	ORAL USE	DOSE: 20 MG	74	Malaise, Diarrhoea, Agitation, Withdrawal syndrome
128	SEROXAT	ORAL USE	DOSE: 20 MG	4	Flushing, Dizziness, Agitation
129	SEROXAT	ORAL USE	DOSE: 20 MG	2	Agitation, Disorientation
130	SEROXAT	ORAL USE	DOSE: 20 MG	10	Agitation, Insomnia, Nausea
131	SEROXAT	ORAL USE	DOSE: 20MG		Aggression
132	SEROXAT	ORAL USE	DOSE: 20MG OD	3	Agitation, Nausea
133	SEROXAT	ORAL USE	DOSE: 20 MG	89	Agitation, Nausea, Headache, Insomnia, Anorexia, Withdrawal syndrome
134	SEROXAT	ORAL USE	DOSE: 20 MG		Agitation, Dizziness, Confusional state, Nausea, Diarrhoea, Withdrawal syndrome
135	SEROXAT	ORAL USE	DOSE: 20 MG	3	Vomiting, Agitation, Diarrhoea, Insomnia, Tremor
136	SEROXAT	ORAL USE	DOSE: 20MG	1	Agitation, Nervousness, Tremor
137	DICLOFENAC, SEROXAT	UNKNOWN, ORAL USE	, DOSE: 40 MG		Drug interaction, Aggression
138	SEROXAT	ORAL USE	DOSE: 20 MG	29	Agitation, Completed suicide
139	PAROXETINE	ORAL USE	DOSE: 20 MG OD	362	Depressed mood, Paranoia, Withdrawal syndrome
140	SEROXAT	ORAL USE	DOSE: 20 MG -> 40 MG	41	Hallucination, visual, Delusional disorder, persecutory type, Agitation
141	PAROXETINE	UNKNOWN		5	Restlessness, Insomnia, Agitation, Tongue spasm
142	PAROXETINE	ORAL USE	DOSE: 20 MG	3	Insomnia, Panic reaction, Akathisia
143	PAROXETINE	ORAL USE	DOSE: 10 MG		Tearfulness, Aggression, Withdrawal syndrome
144	PAROXETINE	ORAL USE	DOSE: 20 MG	1	Migraine, Nausea, Somnolence, Agitation
145	SEROXAT	ORAL USE	DOSE: 20 MG OD	16	Facial pain, Muscle tightness, Drug withdrawal syndrome, Dystonia
146	SEROXAT	ORAL USE	DOSE: 20 MG		Aggression, Irritability, Anxiety, Withdrawal syndrome
147	SEROXAT	ORAL USE			Mania, Disinhibition
148	SEROXAT	ORAL USE	DOSE: 20 MG		Mood swings, Aggression
149	SEROXAT	ORAL USE	DOSE: 30 MG		Agitation, Anxiety, Hyperhidrosis, Withdrawal syndrome
150	SEROXAT	ORAL USE	DOSE: 30 MG	7	Constipation, Agitation, Insomnia, Vomiting, Tremor
151	SEROXAT	ORAL USE		22	Paranoia
152	SEROXAT	ORAL USE	DOSE: 20 MG	3	Feeling abnormal, Agitation
153	SEROXAT	ORAL USE	DOSE: 20 MG	1	Insomnia, Agitation, Restless legs syndrome
154	PAROXETINE	ORAL USE	DOSE: 20-10 MG	209	Agitation, Tremor, Withdrawal syndrome
155	PAROXETINE	ORAL USE	DOSE: 20 MG	7	Irritability, Aggression, Intentional self-injury, Hypomania
156	SEROXAT	ORAL USE		5	Confusional state, Agitation, Hepatic function abnormal
157	PAROXETINE	UNKNOWN		77	Nightmare, Photopsia, Headache, Drug withdrawal syndrome
158	SEROXAT	ORAL USE	DOSE: 20 MG	3	Throat irritation, Dysphagia, Agitation
159	SEROXAT	ORAL USE	DOSE: (SYRUP) 10 - 20 MG		Irritability, Aggression

160	SEROXAT	ORAL USE	DOSE: 20 MG	14	Akathisia
161	SEROXAT	ORAL USE	DOSE: 20 MG	Paroxetine	Agitation, Hyperhidrosis, Tremor
162	SEROXAT	ORAL USE	DOSE: 20 MG	266	Drug withdrawal syndrome
163	SEROXAT	ORAL USE	DOSE: 10 MG		Grandiosity, Hallucination, auditory
164	PAROXETINE	ORAL USE	DOSE: 20 MG	28	Agitation, Alopecia
165	SEROXAT	ORAL USE	DOSE: 20 MG	184	Decreased appetite, Headache, Nausea, Diarrhoea, Drug withdrawal syndrome
166	SEROXAT	ORAL USE	DOSE: 20 MG DAILY	154	Dysphoria, Disinhibition, Dizziness, Euphoric mood
167	SEROXAT	ORAL USE	DOSE: 20 MG DAILY		Insomnia, Hyperhidrosis, Drug withdrawal syndrome, Hypoaesthesia
168	SEROXAT	ORAL USE	DOSE: 20 MG	3	Agitation
169	SEROXAT	ORAL USE	DOSE: 20 MG		Drug withdrawal syndrome, Akathisia
170	SEROXAT	ORAL USE	DOSE: 20 MG	14	Aggression
171	SEROXAT	ORAL USE	DOSE: 40 MG		Hyperacusis, Anxiety, Agitation, Withdrawal syndrome
172	SEROXAT	ORAL USE	DOSE: 20 MG		Agitation, Vomiting, Diarrhoea
173	PAROXETINE	ORAL USE	DOSE: 40 MG - 20 MG		Aggression, Nightmare, Withdrawal syndrome
174	PAROXETINE	ORAL USE	DOSE: 20 MG	18	Sleep disorder, Agitation, Nausea
175	SEROXAT	ORAL USE			Personality change, Convulsion, Dysphasia, Altered state of consciousness
176	SEROXAT	ORAL USE	DOSE: 160 MG		Restlessness, Overdose, Agitation, Tremor
177	SEROXAT	ORAL USE	DOSE: 20 MG	77	Aggression, Nausea, Dizziness, Anxiety, Feeling of body temperature change, Withdrawal syndrome
178	SEROXAT	ORAL USE	DOSE: 20 MG		Fall, Aggression, Agitation, Withdrawal syndrome
179	PAROXETINE	ORAL USE	DOSE: 30 MG	26	Agitation, Aggression, Withdrawal syndrome, Fear
180	PAROXETINE	ORAL USE	DOSE: 40 MG		Agitation, Tremor
181	SEROXAT	ORAL USE	DOSE: 20 MG OD	9	Agitation, Nervousness
182	PLAQUENIL, PAROXETINE	UNKNOWN, ORAL USE	DOSE: 40MG		Abnormal behaviour, Withdrawal syndrome
183	SEROXAT	ORAL USE	DOSE: 20 MG	9	Akathisia
184	PAROXETINE	ORAL USE	DOSE: 20 MG		Insomnia, Agitation, Disturbance in attention
185	SEROXAT	ORAL USE	DOSE: 30 MG BD	323	Depression, Tension, Agitation
186	ROFECOXIB, PAROXETINE	ORAL USE, ORAL USE	DOSE: 12.5 MG, DOSE: 20 MG OD	3	Drug interaction, Agitation
187	SEROXAT	ORAL USE	DOSE: 20 MG	6	Emotional disorder, Automatism, Personality change
188	PAROXETINE	ORAL USE	DOSE: 20 MG	5	Muscle spasms, Pyrexia, Paranoia, Amnesia
189	PAROXETINE	TRANSPLACENTAL	DOSE: 20 MG DAILY		Decreased appetite, Drug withdrawal syndrome
190	SEROXAT	ORAL USE	DOSE: 20 MG	210	Vomiting, Aggression, Vertigo, Withdrawal syndrome
191	SEROXAT	ORAL USE	DOSE: 20 MG	2	Agitation, Dizziness, Nervousness
192	PAROXETINE	ORAL USE	DOSE: 20 MG		Agitation, Dysaesthesia, Withdrawal syndrome
193	SEROXAT	ORAL USE	DOSE: 20 MG	20	Aggression
194	SEROXAT	ORAL USE	DOSE: 20 MG	202	Agitation, Dizziness, Insomnia, Tremor
195	SEROXAT	UNKNOWN			Aggression, Muscle spasms, Confusional state, Movement disorder, Panic attack
196	SEROXAT	ORAL USE	DOSE: 30 MG		Nightmare, Paranoia, Withdrawal syndrome
197	SEROXAT	ORAL USE	DOSE: 20 MG	1	Vomiting, Mydriasis, Restlessness, Confusional state, Agitation
198	PAROXETINE	ORAL USE	DOSE: 20 MG	2	Staring, Feeling abnormal
199	SEROXAT	ORAL USE	DOSE: 20 MG	231	Dizziness, Agitation, Anxiety, Withdrawal syndrome
200	SEROXAT	ORAL USE	DOSE: 10-20 MG		Dysaesthesia, Agitation, Withdrawal syndrome
201	SEROXAT	ORAL USE	DOSE: 30MG		Poor quality sleep, Aggression
202	SEROXAT	ORAL USE			Aggression
203	SEROXAT	ORAL USE	DOSE: 20 MG		Agitation
204	SEROXAT	ORAL USE	DOSE: 20 MG DAILY	3	Somnolence, Agitation
205	SEROXAT	ORAL USE			Mania, Drug withdrawal syndrome, Hallucination
206	SEROXAT	ORAL USE	DOSE: 20MG DAILY		Euphoric mood, Agitation
207	SEROXAT	ORAL USE	DOSE: 20 MG		Agitation, Euphoric mood
208	SEROXAT	ORAL USE	DOSE: 20 MG		Euphoric mood, Agitation
209	SEROXAT	ORAL USE	DOSE: 20 MG		Agitation
210	SEROXAT	ORAL USE			Erectile dysfunction, Drug withdrawal syndrome, Balance disorder, Anxiety, Dizziness, Tremor
211	SEROXAT	ORAL USE	DOSE: 20 MG		Dizziness, Anxiety, Malaise, Drug withdrawal syndrome
212	SEROXAT	ORAL USE	DOSE: 20 MG	62	Drug withdrawal syndrome, Syncope, Nightmare
213	SEROXAT	ORAL USE	DOSE: 20MG		Anxiety, Tinnitus, Drug withdrawal syndrome, Hyperhidrosis
214	SEROXAT	ORAL USE	DOSE: 20MG	61	Anxiety, Restlessness, Drug withdrawal syndrome, Insomnia, Tremor
215	SEROXAT	ORAL USE	DOSE: 20 MG	63	Agitation, Restlessness, Insomnia
216	PAROXETINE	ORAL USE	DOSE: 10 MG	2	Anxiety, Agitation
217	SEROXAT	ORAL USE			Euphoric mood, Intentional overdose, Abnormal behaviour, Hypomania, Drug abuse
218	SEROXAT	ORAL USE	DOSE: 20 MG	4	Suicidal ideation, Agitation
219	SEROXAT	ORAL USE	DOSE: 30 MG	5	Abnormal behaviour, Somnolence
220	SEROXAT	ORAL USE	DOSE: 10-20-30-50 MG OD		Aggression, Paranoia, Emotional distress
221	SEROXAT	ORAL USE	DOSE: 20-60 MG	78	Vomiting, Drug withdrawal syndrome, Hyperhidrosis, Diarrhoea, Insomnia, Brief psychotic disorder with marked stressors, Paranoia, Hysterical psychosis, Aggression, Dizziness, Palpitations, Disturbance in attention
222	DOTHIPEIN, SEROXAT	ORAL USE, ORAL USE	DOSE: 150 MG,	9	Paranoia, Palpitations, Insomnia, Tremor
223	PAROXETINE	ORAL USE	DOSE: 20 MG	61	Malaise, Hyperhidrosis, Mood swings, Feeling abnormal, Dizziness, Feeling abnormal, Agitation, Withdrawal syndrome
224	PAROXETINE	UNKNOWN			Aggression
225	PAROXETINE	ORAL USE	DOSE: 20 MG		Drug withdrawal syndrome
226	SEROXAT	UNKNOWN			Aggression
227	SEROXAT	ORAL USE	DOSE: 40 MG THEN 20 MG		Nausea, Confusional state, Insomnia, Malaise, Agitation, Withdrawal syndrome
228	SEROXAT	ORAL USE	DOSE: 20 MG		Agitation, Tardive dyskinesia
229	PAROXETINE	ORAL USE	DOSE: 20 MG	4	Circulatory collapse, Loss of consciousness, Agitation
230	SEROXAT	ORAL USE	DOSE: 20MG DAILY	169	Headache, Nausea, Drug withdrawal syndrome
231	SEROXAT	ORAL USE	DOSE: 40 MG/DAY		Aggression, Irritability
232	SEROXAT	ORAL USE	DOSE: 20 MG	283	Crying, Agitation, Dizziness, Paraesthesia, Vomiting, Sleep disorder, Withdrawal syndrome
233	SEROXAT	ORAL USE	DOSE: 20 MG	131	Aggression, Impulsive behaviour
234	SEROXAT	ORAL USE		17	Malaise, Anxiety, Nausea, Drug withdrawal syndrome, Depression
235	SEROXAT	ORAL USE	DOSE: 20 MG	5	Agitation, Insomnia, Vision blurred
236	SEROXAT, NEURONTIN	UNKNOWN, UNKNOWN	DOSE: 100 MG TDS		Withdrawal syndrome, Agitation, Depression, Hallucination, Renal failure, Cognitive disorder, Confusional state
237	SEROXAT	ORAL USE	DOSE: 20 MG	1656	Agitation, Anxiety, Hyperhidrosis, Tremor, Withdrawal syndrome, Dystonia
238	SEROXAT	ORAL USE	DOSE: 20 MG		Confusional state, Agitation, Diarrhoea, Anxiety, Hallucination
239	PAROXETINE, DONEPEZIL	ORAL USE, ORAL USE	DOSE: 10 MG, DOSE: 10 MG	78	Abnormal behaviour
240	PAROXETINE	ORAL USE	DOSE: 20 MG		Hot flush, Anxiety, Paranoia, Hallucination

241	SEROXAT	ORAL USE			Nausea, Drug withdrawal syndrome, Dizziness
242	SEROXAT	ORAL USE	DOSE: ONE DAILY	106	Agitation, Mood altered
243	SEROXAT	ORAL USE	DOSE: 20 MG OD	4	Anxiety, Paranoia, Obsessive-compulsive disorder, Insomnia
244	PAROXETINE	ORAL USE	DOSE: 40 MG	43	Nightmare, Anxiety, Sleep disorder, Agitation, Palpitations, Withdrawal syndrome, Violence-related symptom
245	SEROXAT	ORAL USE	DOSE: 20 MG	23	Conversion disorder, Memory impairment, Agitation
246	PAROXETINE	ORAL USE			Overdose, Agitation, Disturbance in attention, Inappropriate affect, Hyperkinesia
247	PAROXETINE	ORAL USE	DOSE: 20 MG	7	Nausea, Agitation, Tremor
248	PAROXETINE	ORAL USE	DOSE: 30 MG	148	Hyperhidrosis, Agitation, Pain, Dizziness
249	SEROXAT	ORAL USE	DOSE: 40 MG		Drug withdrawal syndrome, Muscle twitching, Weight decreased, Night sweats, Nausea, Dizziness, Circulatory collapse
250	PAROXETINE	ORAL USE	DOSE: 20 MG		Disturbance in attention, Dry mouth, Disorientation, Mood swings, Hallucination, Aggression, Withdrawal syndrome
251	PAROXETINE, SERDOLECT	ORAL USE, ORAL USE	DOSE: 20 MG		Hyperhidrosis, Drug withdrawal syndrome, Agitation, Nausea, Insomnia
252	SEROXAT	ORAL USE	DOSE: 20 MG		Alcohol interaction, Abnormal behaviour, Amnesia
253	SEROXAT	ORAL USE	DOSE: 10-20 MG		Drug withdrawal syndrome, Anxiety, Ataxia
254	PAROXETINE	ORAL USE	DOSE: 20 MG	1	Dizziness, Agitation, Insomnia, Vomiting, Paraesthesia, Hyperhidrosis, Abdominal pain, Nausea, Hypoaesthesia facial
255	PAROXETINE	ORAL USE	DOSE: 20 - 30 MG	44	Personality change, Suicide attempt
256	RISPERIDONE, PAROXETINE	ORAL USE, UNKNOWN	DOSE: 0.5 MG BD, DOSE: 20 MG OD		Anxiety, Suicidal ideation, Akathisia
257	SEROXAT	ORAL USE	DOSE: 10 MG OD		Drug withdrawal syndrome, Paraesthesia
258	SEROXAT	ORAL USE	DOSE: 40 MG		Dizziness, Diarrhoea, Insomnia, Drug withdrawal syndrome, Paraesthesia
259	SEROXAT	ORAL USE			Nightmare, Hyperhidrosis, Convulsion, Nausea, Restless legs syndrome, Screaming, Amnesia, Agitation, Anorexia, Malaise, Gait disturbance, Dyskinesia, Dyskinesia, Withdrawal syndrome
260	SEROXAT	ORAL USE	DOSE: 20-30 MG	129	Sleep disorder, Pain, Agitation, Withdrawal syndrome
261	SEROXAT	ORAL USE	DOSE: 20 MG		Muscle twitching, Agitation, Insomnia, Diarrhoea
262	SEROXAT	ORAL USE	DOSE: 30 MG		Hallucinations, mixed, Aggression, Withdrawal syndrome
263	SEROXAT	ORAL USE	DOSE: 20 MG MANE	9	Paranoia, Glossodynia, Insomnia, Agitation, Panic attack
264	SEROXAT	ORAL USE	DOSE: 20 MG	182	Agitation, Tearfulness, Withdrawal syndrome
265	PAROXETINE	ORAL USE	DOSE: 20 MG		Agitation, Overdose, Suicidal ideation
266	SEROXAT	ORAL USE	DOSE: 30 MG		Agitation, Dyskinesia
267	SEROXAT	ORAL USE	DOSE: 20 MG	6	Anxiety, Agitation
268	SEROXAT	ORAL USE	DOSE: 20 MG	139	Depression, Agitation
269	PAROXETINE	ORAL USE	DOSE: 30 MG		Insomnia, Akathisia
270	SEROXAT, REDUCTIL	ORAL USE, UNKNOWN	DOSE: 50-20MG, DOSE: 10 MG	10	Tearfulness, Drug withdrawal syndrome, Drug interaction, Hyperventilation, Anxiety, Panic attack, Tremor
271	SEROXAT	ORAL USE	DOSE: 30-10MG		Nausea, Drug withdrawal syndrome, Fatigue, Irritability, Poor quality sleep
272	SEROXAT	ORAL USE	DOSE: 30-20-10MG		Malaise, Drug withdrawal syndrome, Dizziness
273	PAROXETINE	ORAL USE	DOSE: 20 MG inc to 40 MG		Personality change
274	SEROXAT	ORAL USE	DOSE: 20 MG DAILY		Agitation, Nervousness, Hallucination, auditory
275	SEROXAT	ORAL USE	DOSE: 20 MG		Drug withdrawal syndrome, Nausea, Mood swings
276	SEROXAT	ORAL USE	DOSE: 20 MG	3	Muscle twitching, Agitation
277	SEROXAT	ORAL USE	DOSE: 20 MG DAILY		Nausea, Mood swings, Drug withdrawal syndrome
278	SEROXAT	ORAL USE	DOSE: 40-20 MG		Drug withdrawal syndrome
279	SEROXAT	ORAL USE	DOSE: 20 MG		Drug withdrawal syndrome, Dizziness, Nausea, Headache
280	PAROXETINE	ORAL USE	DOSE: 20 MG	56	Malaise, Agitation, Dizziness, Withdrawal syndrome
281	SEROXAT	ORAL USE	DOSE: VARIABLE		Stress, Headache, Dizziness, Drug withdrawal syndrome, Tremor
282	SEROXAT	ORAL USE	DOSE: VARIABLE DOSE		Galactorrhoea, Loss of libido, Drug withdrawal syndrome
283	SEROXAT	ORAL USE	DOSE: 20 ->10 MG ->UNKNOWN		Drug withdrawal syndrome
284	SEROXAT	UNKNOWN			Drug withdrawal syndrome, Vertigo
285	SEROXAT	ORAL USE	DOSE: 20-2.5 MG		Paraesthesia, Drug withdrawal syndrome, Tinnitus, Nausea, Dizziness, Nightmare, Agitation
286	SEROXAT	ORAL USE	DOSE: 20 MG		Dizziness, Drug withdrawal syndrome, Nausea, Anxiety, Paraesthesia, Hyperhidrosis, Panic attack
287	SEROXAT	TRANSPLACENTAL			
288	PAROXETINE	ORAL USE	DOSE: 20 MGS DOSE: 30-40 MG	1614	Grand mal convulsion, White blood cell count increased, Agitation
289	SEROXAT	ORAL USE	DOSE: 20-30 MG DAILY		Akathisia, Dyskinesia
290	SEROXAT	ORAL USE	DOSE: 20-30 MG DAILY		Aggression, Emotional disorder
291	SEROXAT, STEMETIL	ORAL USE, UNKNOWN	DOSE: 20 MG, DOSE: 5 MG TDS	15	Drug interaction, Aggression, Circulatory collapse, Unresponsive to stimuli
292	PAROXETINE HYDROCHLORIDE	ORAL USE	DOSE: 20-10 MG		Irritability, Anxiety, Agitation, Withdrawal syndrome
293	SEROXAT	ORAL USE	DOSE: variable		Paraesthesia, Nausea, Anxiety, Fatigue, Vision blurred, Drug withdrawal syndrome, Abdominal pain, Palpitations
294	SEROXAT	ORAL USE		128	Hyperhidrosis, Dizziness, Crying, Vomiting, Drug withdrawal syndrome, Tremor
295	SEROXAT	ORAL USE			Drug withdrawal syndrome
296	PAROXETINE	ORAL USE			Drug withdrawal syndrome, Agitation
297	SEROXAT	ORAL USE	DOSE: 40 MG	234	Aggression, Dizziness, Vomiting, Irritability, Drug withdrawal syndrome
298	SEROXAT	ORAL USE	DOSE: VARIABLE		Overdose, Paraesthesia, Aggression, Suicide attempt, Withdrawal syndrome
299	PAROXETINE	UNKNOWN	DOSE: 20/10MG		Paraesthesia, Drug withdrawal syndrome, Dizziness
300	SEROXAT	ORAL USE	DOSE: 20MG BD	16	Drug withdrawal syndrome
301	SEROXAT	ORAL USE	DOSE: VARIABLE DOSE		Aggression, Chills, Hyperhidrosis, Headache, Suicidal ideation, Panic reaction
302	SEROXAT	ORAL USE	DOSE: 40mg		Nausea, Affect lability, Dizziness, Drug withdrawal syndrome
303	SEROXAT	ORAL USE			Depressed mood, Nightmare, Drug withdrawal syndrome, Suicidal ideation
304	PAROXETINE	ORAL USE	DOSE: 20 MG	336	Suicidal ideation, Nausea, Increased appetite, Abnormal dreams, Depression, Diarrhoea, Drug withdrawal syndrome, Tremor
305	SEROXAT	UNKNOWN	DOSE: 20-30 MG DAILY		Paraesthesia, Anxiety, Agitation, Dizziness, Confusional state, Nausea, Withdrawal syndrome, Tremor
306	SEROXAT	ORAL USE	DOSE: 20 MG	23	Dizziness, Hyperhidrosis, Petechiae, Drug withdrawal syndrome, Anaemia, Nightmare, Haematuria, Vasculitis, Anorexia, Vasculitis cerebral, Chills, Peripheral coldness, Dyskinesia, Dyskinesia
307	PAROXETINE	ORAL USE	DOSE: 20 MG OD	551	Aggression
308	PAROXETINE	TRANSPLACENTAL			Agitation, Withdrawal syndrome
309	SEROXAT	ORAL USE	DOSE: 30MG	1720	Hypertonia, Agitation
310	SEROXAT	ORAL USE	DOSE: 20 MG	2	Diplopia, Orthopnoea, Headache, Insomnia, Akathisia, Tremor
311	PAROXETINE	ORAL USE	DOSE: 20 MG	16	Abnormal behaviour, Speech disorder
312	SEROXAT	ORAL USE	DOSE: 20- 10MG OD		Aggression, Paranoia
					Dyspnoea, Drug withdrawal syndrome, Gait disturbance, Nausea

313	SEROXAT, STELAZINE	ORAL USE, ORAL USE	DOSE: 50 MG,	Paroxetine	Suicidal ideation, Aggression
314	PAROXETINE HYDROCHLORIDE	ORAL USE	DOSE: 30 MG		Tic, Staring, Anxiety, Miosis, Muscle twitching, Tremor
315	SEROXAT	ORAL USE	DOSE: 20 MG OD	648	Aggression, Weight increased, Irritability, Thinking abnormal, Insomnia
316	SEROXAT	ORAL USE	DOSE: 40 MG		Mood swings, Drug withdrawal syndrome, Hallucination, auditory, Migraine, Amnesia, Paranoia, Suicidal ideation, Psychotic disorder, Agoraphobia
317	SEROXAT	ORAL USE	DOSE: 20-30 MG	97	Insomnia, Hypervigilance, Restlessness, Agitation, Withdrawal syndrome
318	SEROXAT	ORAL USE	DOSE: 20 MG	1	Agitation, Confusional state
319	SEROXAT	UNKNOWN	DOSE: VARIABLE		Drug withdrawal syndrome
320	SEROXAT	ORAL USE	DOSE: VARIABLE DOSE		Mood swings, Drug withdrawal syndrome
321	SEROXAT	ORAL USE	DOSE: 20 -> 10 MG		Loss of control of legs, Coordination abnormal, Feeling hot, Drug withdrawal syndrome, Paraesthesia, Dissociation
322	PAROXETINE HYDROCHLORIDE	ORAL USE	DOSE: 20-40 MG DAILY		Irritability, Drug withdrawal syndrome
323	PAROXETINE	ORAL USE	DOSE: 20-30 MG		Agitation, Akathisia
324	SEROXAT	ORAL USE			Back pain, Malaise, Dyspnoea, Drug withdrawal syndrome, Asthenia, Dizziness
325	SEROXAT	ORAL USE			Headache, Nausea, Anxiety, Feeling abnormal, Drug withdrawal syndrome
326	SEROXAT	ORAL USE	DOSE: VARIABLE DOSE		Drug withdrawal syndrome, Nightmare, Nausea, Dizziness
327	SEROXAT	ORAL USE			Visual disturbance, Nausea, Anxiety, Back pain, Drug withdrawal syndrome
328	SEROXAT	ORAL USE	DOSE: 40-10 MG		Malaise, Drug withdrawal syndrome, Nausea
329	PAROXETINE, METOCLOPRAMIDE	ORAL USE, ORAL USE	DOSE: 20 MG, DOSE: 10 MG	1	Hyperventilation, Facial spasm, Facial palsy, Agitation, Tetany
330	SEROXAT	ORAL USE	DOSE: variable dose		Drug withdrawal syndrome
331	SEROXAT	ORAL USE	DOSE: 40 MG		Grand mal convulsion, Agitation, Overdose
332	SEROXAT	ORAL USE	DOSE: 40 MG		Dizziness, Vaginal haemorrhage, Aggression, Insomnia, Nausea, Rectal haemorrhage, Suicidal ideation, Coordination abnormal, Crying, Speech disorder, Confusional state, Anorexia, Withdrawal syndrome
333	SEROXAT	ORAL USE	DOSE: 20 MG	5	Diplopia, Eye disorder, Agitation, Tremor
334	SEROXAT	ORAL USE			Headache, Drug withdrawal syndrome, Affect lability, Dizziness
335	PAROXETINE HYDROCHLORIDE	ORAL USE			Drug withdrawal syndrome
336	SEROXAT	ORAL USE	DOSE: 60 MG		Drug withdrawal syndrome
337	SEROXAT	ORAL USE	DOSE: 20-40 MG		Headache, Nausea, Abnormal behaviour
338	SEROXAT	ORAL USE	DOSE: VARIABLE DOSE		Disturbance in attention, Drug withdrawal syndrome, Insomnia, Sensory disturbance, Loss of libido, Paraesthesia
339	PAROXETINE	ORAL USE	DOSE: 20MG		Aggression, Fatigue
340	SEROXAT	ORAL USE	DOSE: 10MG		Pruritus, Nightmare, Insomnia, Drug withdrawal syndrome, Anxiety
341	SEROXAT	ORAL USE	DOSE: 30-20mg		Paraesthesia, Drug withdrawal syndrome
342	PAROXETINE	ORAL USE	DOSE: 20-40MG	65	Intentional self-injury, Aggression
343	SEROXAT	ORAL USE	DOSE: VARIABLE DOSE		Agitation, Insomnia, Gastrointestinal disorder, Drug withdrawal syndrome
344	PAROXETINE HYDROCHLORIDE	ORAL USE			Drug withdrawal syndrome, Fatigue
345	PAROXETINE HYDROCHLORIDE	UNKNOWN			Aggression
346	PAROXETINE	ORAL USE	DOSE: 20 MG	13	Agitation
347	PAROXETINE	ORAL USE	DOSE: 30 MG	10	Agitation, Insomnia
348	SEROXAT	ORAL USE	DOSE: ONE	21	Hyperhidrosis, Aggression, Fatigue, Apathy
349	SEROXAT	ORAL USE	DOSE: 20 MG		Polydipsia, Diarrhoea, Hallucination, Pyrexia, Agitation
350	PAROXETINE	ORAL USE	DOSE: 40MG		Dizziness, Hyperhidrosis, Agitation, Nightmare, Drug withdrawal syndrome, Nausea
351	PAROXETINE HYDROCHLORIDE LITHIUM	ORAL USE, ORAL USE	DOSE: 40MG, DOSE: 1.2		Drug interaction, Dysphasia, Akathisia
352	SEROXAT	ORAL USE	DOSE: 20 MG	197	Insomnia, Anxiety, Agitation, Withdrawal syndrome, Panic attack
353	SEROXAT	ORAL USE	DOSE: 20-10 mg		Nausea, Disturbance in attention, Drug withdrawal syndrome, Dizziness, Paraesthesia
354	PAROXETINE, FLUOXETINE	ORAL USE, ORAL USE	DOSE: 20 MG/DAY, DOSE: 20 MG/DAY	1	Akathisia, Dyskinesia, Dystonia
355	SEROXAT	ORAL USE	DOSE: 20 MG		Nightmare, Aggression, Withdrawal syndrome
356	SEROXAT	ORAL USE			Alcohol interaction, Aggression, Abnormal behaviour
357	PAROXETINE	ORAL USE	DOSE: 20 MG		Weight decreased, Alcohol interaction, Paraesthesia, Abnormal behaviour, Circulatory collapse
358	PAROXETINE	ORAL USE	DOSE: 20 MG inc to 50 MG		Personality change, Affect lability, Aggression, Liver function test abnormal
359	PAROXETINE	ORAL USE	DOSE: 40 MG	57	Muscle twitching, Hyperhidrosis, Agitation, Vomiting, Syncope, Dizziness, Tremor
360	SEROXAT	ORAL USE	DOSE: 20-40 MG/DAY		Agitation, Aggression, Tension, Homicide, Suicidal ideation, Dyspepsia, Irritability, Withdrawal syndrome
361	SEROXAT	ORAL USE			Aggression, Withdrawal syndrome
362	SEROXAT	ORAL USE			Aggression, Completed suicide
363	SEROXAT	ORAL USE	DOSE: -> 10 MG		Agitation, Aggression, Withdrawal syndrome
364	PAROXETINE HYDROCHLORIDE	ORAL USE			Alcohol interaction, Aggression
365	SEROXAT	ORAL USE	DOSE: 20-10 MG	252	Drug withdrawal syndrome
366	SEROXAT	ORAL USE	DOSE: 20 MG		Nightmare, Suicidal ideation, Headache, Paranoia, Hypoaesthesia, Withdrawal syndrome
367	SEROXAT	ORAL USE	DOSE: 20 MG		Social avoidant behaviour, Muscle twitching, Lethargy, Cerebrovascular accident, Suicidal ideation, Withdrawal syndrome, Tremor
368	PAROXETINE	ORAL USE	DOSE: 30 MG		Nausea, Agitation, Dizziness, Withdrawal syndrome
369	PAROXETINE	ORAL USE			Partial seizures, Aggression, Psychotic disorder, Hallucination, visual, Paraesthesia, Withdrawal syndrome
370	PAROXETINE	ORAL USE	DOSE: 20 MG		Paranoia, Withdrawal syndrome
371	SEROXAT	ORAL USE	DOSE: 30 MG	35	Agitation, Suicidal ideation, Panic attack
372	SEROXAT	ORAL USE	DOSE: 20MG	20	Nausea, Drug withdrawal syndrome, Insomnia, Psychomotor hyperactivity
373	SEROXAT	ORAL USE	DOSE: 20 MG	10	Aggression
374	SEROXAT	ORAL USE	DOSE: 20 MG		Agitation, Abnormal sensation in eye, Nausea, Withdrawal syndrome
375	SEROXAT	ORAL USE	DOSE: 20MG	9	Aggression, Muscle spasms
376	SEROXAT	ORAL USE	DOSE: 20 MG		Agitation, Depression, Withdrawal syndrome
377	SEROXAT	ORAL USE	DOSE: 40 MG		Hallucination, Agitation, Nocturia, Disturbance in attention
378	SEROXAT	ORAL USE	DOSE: 30 MG/DAY		Psychotic disorder, Delusion, Alcohol interaction, Aggression
379	SEROXAT	ORAL USE	DOSE: 30 MG		Nightmare, Hypersensitivity, Paranoia, Disturbance in attention
380	PAROXETINE	ORAL USE	DOSE: 50 MG		Aggression, Agitation, Irritability, Withdrawal syndrome
381	SEROXAT	ORAL USE	DOSE: 30 MG/DAILY		Suicidal ideation, Agitation, Amnesia, Visual disturbance, Anxiety, Alcohol intolerance, Withdrawal syndrome
382	PAROXETINE	ORAL USE	DOSE: 60 MG	488	Diarrhoea, Nausea, Hyperhidrosis, Abnormal dreams, Agitation, Withdrawal syndrome
383	SEROXAT	ORAL USE	DOSE: 20 MG		Drug withdrawal syndrome, Dizziness, Vomiting
384	SEROXAT	ORAL USE	DOSE: 20 MG	9	Anxiety, Nausea, Agitation, Completed suicide, Panic attack
385	PAROXETINE	ORAL USE	DOSE: 20 MG		Nausea, Personality change, Poor quality sleep
386	SEROXAT	ORAL USE	DOSE: 20 MG	7	Agitation

387	SEROXAT	ORAL USE	DOSE: 20-30-40MG	Paroxetine	Dizziness, Fall, Headache, Loss of consciousness, Drug withdrawal syndrome, Paraesthesia
388	PAROXETINE	ORAL USE	DOSE: 20 MG	48	Headache, Agitation, Insomnia, Withdrawal syndrome
389	PAROXETINE	ORAL USE	DOSE: 10 MG	157	Agitation, Headache, Thinking abnormal, Mood swings, Hallucination, visual, Self-injurious ideation
390	PAROXETINE	ORAL USE	DOSE: 20 MG	485	Suicidal ideation, Abnormal dreams, Galactorrhoea, Agitation, Dyskinesia, Withdrawal syndrome
391	PAROXETINE	ORAL USE	DOSE: 20 MG		Paraesthesia, Hyperhidrosis, Agitation, Restless legs syndrome, Withdrawal syndrome
392	SEROXAT	ORAL USE	DOSE: 20MG		Aggression, Confusional state, Drug withdrawal syndrome
393	SEROXAT	ORAL USE	DOSE: 10 MG		Confusional state, Dizziness, Insomnia, Coordination abnormal, Agitation
394	PAROXETINE	ORAL USE	DOSE: 20 MG		Agitation, Nausea, Personality disorder, Sleep disorder, Hyperhidrosis, Withdrawal syndrome
395	SEROXAT	ORAL USE			Pallor, Insomnia, Photosensitivity reaction, Hyperaesthesia, Aggression, Drug withdrawal syndrome, Stress, Dizziness, Irritability, Paraesthesia
396	SEROXAT	ORAL USE	DOSE: 20 MG	5	Hallucination, Akathisia
397	SEROXAT	ORAL USE	DOSE: 30 MG	116	Aggression
398	PAROXETINE, DOLMATIL	UNKNOWN, UNKNOWN			Grandiosity
399	SEROXAT	UNKNOWN	DOSE: 10-7.8 MG		Arrhythmia, Heart rate increased, Paraesthesia, Drug withdrawal syndrome, Hypertension, Feeling abnormal, Blood glucose abnormal
400	SEROXAT	ORAL USE	DOSE: 20MG	402	Dizziness, Anxiety, Menorrhagia, Depression, Abdominal pain, Agitation, Dystonia
401	SEROXAT	ORAL USE	DOSE: 20MG	155	Paraesthesia, Abnormal behaviour, Withdrawal syndrome
402	SEROXAT	ORAL USE			Paraesthesia, Nasal congestion, Drug withdrawal syndrome, Influenza like illness
403	SEROXAT	ORAL USE	DOSE: 20MG	38	Agitation
404	PAROXETINE	ORAL USE	DOSE: 20 MG		Drug withdrawal syndrome, Dizziness
405	SEROXAT	ORAL USE	DOSE: 20MG	492	Nausea, Anxiety, Nightmare, Drug withdrawal syndrome
406	PAROXETINE HYDROCHLORIDE	ORAL USE			Drug withdrawal syndrome, Agitation, Aggression
407	PAROXETINE	ORAL USE	DOSE: 20 MG	150	Agitation, Nervousness, Vomiting, Tremor, Withdrawal syndrome
408	PAROXETINE	ORAL USE	DOSE: 20-10 MG		Fall, Anxiety, Aggression, Withdrawal syndrome
409	PAROXETINE	ORAL USE	DOSE: 20 MG	6	Akathisia
410	PAROXETINE	ORAL USE	DOSE: 10 MG	3	Agitation, Overdose
411	VENLAFAXINE HYDROCHLORIDE, SEROXAT	UNKNOWN, ORAL USE	DOSE: 25 MG,		Drug withdrawal syndrome, Abnormal dreams, Aggression
412	SEROXAT	ORAL USE	DOSE: 20-30 MG		Akathisia
413	SEROXAT	UNKNOWN	DOSE: 20 MG	171	Aggression, Somnolence, Disturbance in attention
414	SEROXAT	ORAL USE	DOSE: 30 MG		Amnesia, Aggression
415	PAROXETINE	ORAL USE	DOSE: OD		Headache, Agitation, Abdominal pain upper
416	SEROXAT	ORAL USE			Constipation, Agitation, Malaise, Sleep disorder, Nausea, Dizziness, Weight increased, Diarrhoea, Panic reaction, Withdrawal syndrome
417	SEROXAT	ORAL USE	DOSE: 20 MG		Dizziness, Insomnia, Muscle twitching, Self-injurious ideation, Dysgeusia, Nightmare, Headache, Agitation, Nausea, Abdominal discomfort, Parosmia, Hyperhidrosis, Mood swings, Withdrawal syndrome
418	SEROXAT	ORAL USE	DOSE: 30MG	117	Aggression, Agitation, Withdrawal syndrome
419	SEROXAT	ORAL USE			Epilepsy, Hyponatraemia, Agitation, Confusional state
420	SEROXAT	ORAL USE	DOSE: 30MG	62	Anxiety, Drug withdrawal syndrome, Labyrinthitis, Panic reaction
421	SEROXAT	ORAL USE	DOSE: 20 MG		Social avoidant behaviour, Anxiety, Suicidal ideation, Panic attack
422	SEROXAT	ORAL USE	DOSE: 10 MG	7	Agitation, Irritability
423	PAROXETINE	ORAL USE	DOSE: 20 MG		Agitation, Headache, Headache, Hyperhidrosis, Withdrawal syndrome
424	SEROXAT	ORAL USE	DOSE: 20->19.5 MG		Drug withdrawal syndrome, Irritability, Hyperhidrosis, Homicidal ideation, Burning sensation, Suicidal ideation, Tremor
425	SEROXAT	ORAL USE	DOSE: 30 MG	251	Depression, Mania, Insomnia, Abnormal behaviour
426	SEROXAT	ORAL USE	DOSE: 20 MG	4	Suicidal ideation, Agitation
427	SEROXAT	ORAL USE	DOSE: 20 MG	2	Nausea, Agitation, Insomnia, Tremor
428	PAROXETINE HYDROCHLORIDE	TRANSPLACENTAL			Convulsion neonatal, Drug withdrawal syndrome, Tremor
429	PAROXETINE, DUTONIN	ORAL USE, ORAL USE	DOSE: 50 MG/DAY, DOSE: 50 - 200 MG BD		Disorientation, Depressed mood, Anxiety, Aphasia, Drug interaction, Depersonalisation
430	SEROXAT	ORAL USE	DOSE: 20 MG	402	Anxiety, Confusional state, Lethargy, Somnolence, Agitation, Nausea, Panic attack
431	SEROXAT	ORAL USE	DOSE: 20-14mg day		Dizziness, Menorrhagia, Agitation, Anxiety, Withdrawal syndrome
432	PAROXETINE HYDROCHLORIDE	ORAL USE	DOSE: 30 MG		Tearfulness, Balance disorder, Drug withdrawal syndrome, Anxiety, Panic attack
433	PAROXETINE	ORAL USE			Anxiety, Sensory disturbance, Drug withdrawal syndrome, Gait disturbance, Tearfulness
434	PAROXETINE	ORAL USE	DOSE: 20MG OD		Depressed mood, Drug withdrawal syndrome, Anxiety, Malaise, Paraesthesia, Dizziness
434	SEROXAT	ORAL USE	DOSE: 20MG OD	107	Paranoia, Hallucination, visual, Confusional state
435	PAROXETINE HYDROCHLORIDE	ORAL USE	DOSE: 20-60 MG		Paraesthesia, Agitation, Feeling jittery
436	PAROXETINE HYDROCHLORIDE	UNKNOWN			Aggression, Suicidal ideation
437	SEROXAT	UNKNOWN	DOSE: 20 MG		Aggression, Coordination abnormal, Physical assault, Aggression, Somnolence, Dizziness, Suicidal ideation, Abnormal behaviour, Self injurious behaviour, Nightmare, Alcohol interaction, Nervousness, Vomiting, Nausea, Restlessness, Drug withdrawal syndrome
438	SEROXAT	UNKNOWN	DOSE: 20 MG		Dizziness, Drug withdrawal syndrome, Vision blurred
439	SEROXAT	UNKNOWN	DOSE: 30-20 MG DAY		Hypertension, Agitation, Aggression, Drug withdrawal syndrome, Weight increased, Mood swings, Lethargy, Headache, Panic attack
440	PAROXETINE	ORAL USE	DOSE: 20 MG	33	Bruxism, Akathisia
441	PAROXETINE	ORAL USE	DOSE: 20 MG	111	Drug withdrawal syndrome, Agitation, Aggression
442	SEROXAT	ORAL USE	DOSE: 20 MG	21	Confusional state, Feeling abnormal, Abnormal behaviour, Somnolence
443	SEROXAT	ORAL USE	DOSE: 20 MG		Convulsion, Agitation, Withdrawal syndrome
444	PAROXETINE	ORAL USE	DOSE: 20 MG	1	Poor quality sleep, Restlessness, Nausea, Agitation
445	PAROXETINE	ORAL USE	DOSE: 20 MG	11	Agitation
446	SEROXAT	ORAL USE	DOSE: 10 MG	26	Aggression, Hallucination, Headache
447	SODIUM VALPROATE, Seroxat Tablets 20mg PL 10592/0001	UNKNOWN, ORAL USE			Mania, Drug interaction, Agitation
448	PAROXETINE	ORAL USE	DOSE: 20MG		Abnormal behaviour
449	PAROXETINE	ORAL USE	DOSE: 20 MG OD	19	Agitation, Confusional state, Extrapyrmidal disorder
450	SEROXAT	ORAL USE	DOSE: 20 MG OM	27	Agitation
451	PAROXETINE HYDROCHLORIDE	ORAL USE	DOSE: one to be taken at night	1	Paranoia, Obsessive-compulsive disorder
452	PAROXETINE	ORAL USE	DOSE: 15-20 MG	1095	Drug withdrawal syndrome, Panic reaction
453	SEROXAT	ORAL USE			Derealisation, Drug withdrawal syndrome, Dizziness
454	SEROXAT	ORAL USE	DOSE: 20 MG		Aggression, Depression, Irritability, Withdrawal syndrome
455	SEROXAT	ORAL USE	DOSE: 20MG	9	Anxiety, Agitation
456	SEROXAT	ORAL USE	DOSE: 20 MG	1	Agitation
457	PAROXETINE	ORAL USE	DOSE: 20 MG	5	Social avoidant behaviour, Confusional state, Anxiety

458	SEROXAT, COCAINE	ORAL USE, UNKNOWN	DOSE: 20-40 MG,	Paroxetine	Euphoric mood, Drug interaction, Paranoia, Mania, Hallucination
459	PAROXETINE	ORAL USE	DOSE: 20 MG	6	Agitation, Formication
460	SEROXAT	UNKNOWN	DOSE: 20 MG		Drug withdrawal syndrome, Convulsion
461	SEROXAT	ORAL USE	DOSE: 20MG DAILY	14	Nausea, Agitation, Insomnia
462	SEROXAT	ORAL USE	DOSE: 30 MG		Drug withdrawal syndrome, Nightmare
463	SEROXAT	ORAL USE	DOSE: 20MG DAILY	20	Sleep disorder, Abnormal behaviour, Psychomotor hyperactivity
464	SEROXAT	ORAL USE	DOSE: 20 MG	14	Insomnia, Restlessness, Hyperhidrosis, Agitation, Tremor
465	SEROXAT	ORAL USE	DOSE: 1 TAB OD	7	Agitation, Nausea
466	SEROXAT	ORAL USE			Drug withdrawal syndrome
467	SEROXAT	ORAL USE	DOSE: 20 MG	14	Abnormal behaviour, Agitation, Speech disorder
468	SEROXAT	ORAL USE			Agitation
469	SEROXAT	ORAL USE	DOSE: 20 MG		Drug withdrawal syndrome
470	SEROXAT	ORAL USE	DOSE: 20MG	126	Drug withdrawal syndrome, Headache, Dizziness, Feeling abnormal
471	SEROXAT	ORAL USE	DOSE: 20MG		Alcohol interaction, Aggression
472	SEROXAT	ORAL USE	DOSE: 20 MG		Drug withdrawal syndrome
473	SEROXAT	ORAL USE	DOSE: 20 MG		Drug withdrawal syndrome
474	SEROXAT	ORAL USE	DOSE: 20 MG		Drug withdrawal syndrome
475	SEROXAT	ORAL USE	DOSE: 20MG		Drug withdrawal syndrome
476	SEROXAT	ORAL USE	DOSE: 20MG	5	Nausea, Headache, Agitation
477	SEROXAT	ORAL USE	DOSE: 20MG	2	Nausea, Vomiting, Agitation, Diarrhoea
478	SEROXAT	ORAL USE	DOSE: 20MG/Day		Drug withdrawal syndrome, Retching, Appetite disorder
479	SEROXAT	ORAL USE	DOSE: 20 MG	352	Drug withdrawal syndrome, Dizziness, Dysphoria
480	SEROXAT	ORAL USE	DOSE: 20 MG		Muscle twitching, Agitation, Tension, Restlessness, Headache, Hypertension, Tremor
481	SEROXAT	ORAL USE	DOSE: 20 MG	28	Agitation, Anxiety, Tremor
482	SEROXAT	ORAL USE	DOSE: 20 MG		Dyspepsia, Drug withdrawal syndrome, Diarrhoea
483	SEROXAT	ORAL USE	DOSE: 20MG DAILY		Agitation, Nausea, Dyspepsia
484	SEROXAT	ORAL USE	DOSE: 20 MG	22	Abnormal behaviour
485	SEROXAT	ORAL USE	DOSE: 20 MG	2	Anxiety, Nervousness, Insomnia, Agitation
486	SEROXAT	ORAL USE	DOSE: 20MG	9	Nausea, Night sweats, Agitation, Tremor
487	SEROXAT	ORAL USE	DOSE: 20-30MG		Aggression
488	SEROXAT	ORAL USE	DOSE: 20 MG	7	Agitation, Insomnia
489	SEROXAT	ORAL USE	DOSE: 20 MG	4	Hyperhidrosis, Agitation, Restlessness, Insomnia, Psychomotor hyperactivity
490	SEROXAT	ORAL USE	DOSE: 20 MG		Hyperhidrosis, Irritability, Aggression, Withdrawal syndrome
491	SEROXAT	ORAL USE	DOSE: 20MG	8	Agitation, Fall, Dizziness, Nausea
492	SEROXAT	ORAL USE	DOSE: 20 MG		Drug withdrawal syndrome, Nausea
493	SEROXAT	UNKNOWN	DOSE: 20-10MG		Drug withdrawal syndrome
494	SEROXAT	ORAL USE	DOSE: 20 MG	71	Drug withdrawal syndrome, Dizziness, Vision blurred, Irritability
495	SEROXAT	ORAL USE	DOSE: 20 MG		Asthenia, Influenza like illness, Vertigo, Drug withdrawal syndrome, Heart rate increased, Nausea
496	SEROXAT	ORAL USE	DOSE: 20 MG	17	Abdominal pain, Agitation
497	SEROXAT	ORAL USE	DOSE: 1 DAILY		Aggression, Depressed mood, Derealisation, Tinnitus, Withdrawal syndrome, Panic reaction
498	SEROXAT	ORAL USE	DOSE: 20 MG		Dry mouth, Dry eye, Eye infection, Agitation, Nausea, Eye irritation, Akathisia
499	SEROXAT	ORAL USE	DOSE: 20 MG		Headache, Dyspepsia, Agitation, Nausea, Withdrawal syndrome
500	SEROXAT	ORAL USE	DOSE: 20 MG	4	Agitation, Throat tightness
501	SEROXAT	ORAL USE	DOSE: 20 MG		Disorientation, Agitation, Dizziness, Withdrawal syndrome
502	SEROXAT	ORAL USE	DOSE: 20 MG	95	Feeling abnormal, Drug withdrawal syndrome, Dissociative disorder
503	SEROXAT	ORAL USE			Drug withdrawal syndrome
504	SEROXAT	ORAL USE			Somnolence, Somnolence, Agitation
505	SEROXAT	ORAL USE	DOSE: 25 MG		Dry mouth, Insomnia, Agitation, Dystonia
506	SEROXAT	ORAL USE	DOSE: 20-40 MG		Dizziness, Vision blurred, Drug withdrawal syndrome, Lethargy, Fatigue
507	Seroxat	ORAL USE	DOSE: 20 MG		Agitation, Nausea, Disturbance in attention, Dizziness, Altered state of consciousness, Withdrawal syndrome
508	SEROXAT	ORAL USE	DOSE: 20 MG	84	Aggression, Paranoia
509	SEROXAT	ORAL USE	DOSE: 200MG alt days		Agitation, Withdrawal syndrome
510	SEROXAT	ORAL USE	DOSE: 1 DAILY		Abnormal behaviour, Balance disorder, Vertigo
511	SEROXAT	ORAL USE		21	Rash erythematous, Feeling abnormal, Social avoidant behaviour, Insomnia, Headache
512	SEROXAT	ORAL USE	DOSE: 20MG	5	Akathisia
513	SEROXAT	ORAL USE	DOSE: 20 MG		Hyperhidrosis, Agitation, Headache, Tremor
514	SEROXAT	ORAL USE	DOSE: 20-30 MG	35	Akathisia
515	SEROXAT	ORAL USE	DOSE: 20 MG		Aggression, Hyperhidrosis, Nausea, Irritability, Withdrawal syndrome
516	SEROXAT	ORAL USE	DOSE: 40 MG	65	Agitation, Hallucinations, mixed, Thinking abnormal, Delusion, Tremor
517	SEROXAT	ORAL USE	DOSE: 20 MG	388	Agitation, Muscle rigidity, Tremor
518	SEROXAT	ORAL USE	DOSE: 30 MG		Agitation, Restlessness, Paraesthesia, Withdrawal syndrome
519	SEROXAT	ORAL USE			Agitation, Withdrawal syndrome
520	SEROXAT	ORAL USE	DOSE: 50 MG		Aggression
521	PAROXETINE	ORAL USE	DOSE: 20 MG	5	Hot flush, Agitation, Nausea, Myalgia, Palpitations, Nightmare, Tremor
522	SEROXAT	ORAL USE	DOSE: 20 MG	91	Amnesia, Personality change
523	SEROXAT	ORAL USE	DOSE: 20MG	3	Dry mouth, Restlessness, Agitation
524	SEROXAT	UNKNOWN	DOSE: 20-30 MG OD		Disorientation, Irritability, Paraesthesia, Agitation, Mood swings, Influenza like illness, Aggression, Somnolence, Withdrawal syndrome
525	SEROXAT	UNKNOWN	DOSE: 20 MG MANE	18	Abdominal pain upper, Suicide attempt, Homicidal ideation, Intentional overdose, Depressed mood
526	ZOPICLONE, PAROXETINE	ORAL USE, ORAL USE			Amnesia, Hyperhidrosis, Headache, Dependence, Drug interaction, Nightmare, Nausea, Homicide, Aggression, Somnambulism, Withdrawal syndrome, Tremor, Tremor
527	SEROXAT	ORAL USE	DOSE: 20 MG	151	Vertigo, Drug withdrawal syndrome, Amnesia, Feeling abnormal, Dizziness
528	SEROXAT	ORAL USE	DOSE: 30 MG		Depression, Nervousness, Aggression, Withdrawal syndrome
529	SEROXAT	ORAL USE	DOSE: 40 MG		Insomnia, Agitation, Drug withdrawal syndrome
530	SEROXAT	ORAL USE	DOSE: 50 MG		Agitation, Drug withdrawal syndrome, Insomnia
531	SEROXAT	ORAL USE	DOSE: 20 MG	9	Dizziness, Euphoric mood, Nausea, Drug withdrawal syndrome
532	SEROXAT	ORAL USE			Drug withdrawal syndrome, Nausea, Palpitations, Anxiety, Tremor
533	SEROXAT	ORAL USE	DOSE: 20 MG		Paraesthesia, Agitation, Withdrawal syndrome
534	PAROXETINE	ORAL USE	DOSE: 30 MG OD		Agitation, Chills
535	SEROXAT	ORAL USE	DOSE: 20MG	51	Agitation
536	SEROXAT	ORAL USE	DOSE: 20MG	145	Agitation, Anxiety, Withdrawal syndrome
537	SEROXAT	ORAL USE	DOSE: 10-20 MG	84	Nightmare, Enuresis, Irritability, Aggression
538	SEROXAT	ORAL USE	DOSE: 30MG		Aggression, Physical assault
539	SEROXAT	ORAL USE	DOSE: 20 MG		Akathisia
540	SEROXAT	ORAL USE	DOSE: 20 MG	90	Agitation, Mania, Insomnia, Nausea, Nightmare, Psychomotor hyperactivity
541	SEROXAT	ORAL USE	DOSE: 20 MG	6	Headache, Paranoia
542	SEROXAT	ORAL USE	DOSE: 20 MG	1	Fatigue, Agitation, Chest pain, Pain in extremity, Palpitations

543	SEROXAT	ORAL USE			Aggression, Epilepsy
544	SEROXAT	ORAL USE	DOSE: 20 MG	Paroxetine	Restlessness, Aggression
545	SEROXAT	ORAL USE	DOSE: 20 MG	15	Aggression
546	SEROXAT	UNKNOWN			Paraesthesia, Anxiety, Drug withdrawal syndrome
547	SEROXAT	ORAL USE			Confusional state, Agitation
548	SEROXAT	ORAL USE	DOSE: 20 MG THEN REDUCED		Poor quality sleep, Chest pain, Anxiety, Agitation, Panic attack, Withdrawal syndrome
549	SEROXAT	ORAL USE	DOSE: 20 MG		Agitation
550	SEROXAT	ORAL USE	DOSE: 20 MG		Agitation
551	SEROXAT	ORAL USE	DOSE: 20 MG		Agitation
552	SEROXAT	ORAL USE	DOSE: 20 MG	1	Palpitations, Agitation, Panic reaction
553	SEROXAT	ORAL USE	DOSE: 20 MG		Agitation
554	SEROXAT	ORAL USE	DOSE: 20 MG		Agitation
555	SEROXAT	ORAL USE	DOSE: 20 MG		Agitation
556	PAROXETINE	ORAL USE	DOSE: 20 MG	13	Abnormal behaviour, Insomnia
557	SEROXAT	ORAL USE	DOSE: 20 MG	1	Anxiety, Dizziness, Diarrhoea, Agitation
558	PAROXETINE	ORAL USE	DOSE: 10-20 MG		Aggression, Micturition urgency, Enuresis, Irritability, Nightmare
559	SEROXAT	ORAL USE	DOSE: 20 MG	8	Agitation, Dizziness, Fluid retention
560	SEROXAT	ORAL USE	DOSE: 20 MG BD		Restless legs syndrome, Akathisia
561	PAROXETINE	ORAL USE	DOSE: 20 MG	36	Aggression, Agitation
562	LITHIUM, SEROXAT	ORAL USE, ORAL USE	DOSE: 1000 MG, DOSE: 40 MG	14	Irritability, Agitation, Drug interaction
563	LITHIUM CARBONATE, SEROXAT	ORAL USE, ORAL USE	DOSE: 800 MG, DOSE: 50 MG		Agitation, Drug interaction, Irritability, Headache
564	SEROXAT	ORAL USE	DOSE: 20 MG		Balance disorder, Drug withdrawal syndrome, Dizziness
565	SEROXAT	ORAL USE	DOSE: 20 MG	288	Dizziness, Drug withdrawal syndrome
566	SEROXAT	ORAL USE	DOSE: 20 MG	5	Dyspepsia, Malaise, Agitation
567	SEROXAT	ORAL USE	DOSE: 10 MG		Agitation, Insomnia, Fatigue, Anorexia, Nightmare, Diarrhoea, Dizziness, Withdrawal syndrome
568	SEROXAT	ORAL USE	DOSE: 20 MG		Confusional state, Fall, Deafness transitory, Agitation, Inappropriate antidiuretic hormone secretion, Nausea, Gait disturbance
569	SEROXAT	ORAL USE	DOSE: 20 MG	56	Nightmare, Aggression, Paraesthesia
570	SEROXAT	ORAL USE	DOSE: 20 MG		Akathisia
571	SEROXAT	ORAL USE			Insomnia, Agitation
572	SEROXAT	ORAL USE	DOSE: 20-40 MG	12	Agitation
573	SEROXAT	ORAL USE	DOSE: 20 MG	8	Confusional state, Delusion, Disorientation, Paranoia
574	SEROXAT	ORAL USE	DOSE: 20 MG OD	2	Agitation, Insomnia
575	SEROXAT	ORAL USE	DOSE: 20 MG		Restlessness, Agitation, Akathisia
576	SEROXAT	ORAL USE	DOSE: 20 MG	2	Anorexia, Nausea, Agitation, Diarrhoea
577	SEROXAT	ORAL USE	DOSE: 20 MG	4	Agitation, Insomnia, Tremor
578	SEROXAT	ORAL USE	DOSE: 40 MG		Aggression, Withdrawal syndrome
579	SEROXAT	ORAL USE	DOSE: 20 MG	2	Anorexia, Agitation, Nausea, Diarrhoea, Extrasystoles
580	SEROXAT	ORAL USE			Alcohol interaction, Fall, Agitation
581	SEROXAT	ORAL USE	DOSE: 20 MG	191	Agitation, Headache, Insomnia, Restlessness, Withdrawal syndrome
582	SEROXAT	ORAL USE	DOSE: 20 MG-10 MG-15 MG	272	Nausea, Agitation, Vaginal haemorrhage, Affect lability, Withdrawal syndrome, Tremor
583	SEROXAT	ORAL USE	DOSE: 20 MG	2	Vision blurred, Agitation
584	SEROXAT	ORAL USE	DOSE: 20 INC. TO 30 MG	578	Dizziness, Hyperpyrexia, Irritability, Drug withdrawal syndrome, Vision blurred, Vomiting
585	SEROXAT	ORAL USE	DOSE: 20-10 MG		Agitation, Affect lability, Nausea, Vaginal haemorrhage, Tremor, Withdrawal syndrome
586	SEROXAT	ORAL USE	DOSE: 20 MG	15	Agitation, Restlessness, Akathisia
587	PAROXETINE	ORAL USE	DOSE: 10-30 MG	34	Euphoric mood, Confusional state, Somnolence, Paranoia, Restlessness, Vomiting, Hallucination, auditory, Altered state of consciousness
588	SEROXAT	ORAL USE			Tachycardia, Agitation
589	SEROXAT	ORAL USE	DOSE: 20 MG	131	Agitation, Anxiety, Insomnia, Tremor, Withdrawal syndrome
590	SEROXAT	ORAL USE	DOSE: 20 MG	1	Agitation, Nausea, Pallor, Tremor
591	SEROXAT	ORAL USE	DOSE: 20 MG		Amnesia, Drug withdrawal syndrome, Aggression
592	SEROXAT	ORAL USE	DOSE: 20 MG	8	Hyperhidrosis, Agitation, Withdrawal syndrome, Tremor
593	SEROXAT	ORAL USE	DOSE: 40 MG		Diarrhoea, Drug withdrawal syndrome
594	SEROXAT	ORAL USE	DOSE: 20 - 40 MG	308	Aggression, Irritability, Mood altered, Withdrawal syndrome
595	SEROXAT, PROZAC	ORAL USE, ORAL USE	DOSE: 20 MG daily, DOSE: 20 MG daily	15	Akathisia
596	SEROXAT	UNKNOWN			Feeling abnormal, Stress, Suicide attempt, Drug withdrawal syndrome
597	PAROXETINE	ORAL USE	DOSE: 20 MG	4	Agitation, Nausea, Insomnia, Tearfulness
598	PAROXETINE	UNKNOWN			Mood altered, Overdose, Abnormal behaviour, Condition aggravated, Verbal abuse, Aggression, Suicide attempt, Memory impairment, Cognitive disorder
599	SEROXAT	ORAL USE	DOSE: 20MG	3	Paranoia, Mood swings, Suicidal ideation
600	SEROXAT	ORAL USE	DOSE: 20MG	153	Muscle twitching, Dysarthria, Drug withdrawal syndrome, Extrapramidal disorder
601	SEROXAT	UNKNOWN	DOSE: 20 MG OD		Disinhibition
602	SEROXAT	ORAL USE	DOSE: 20-40MG		Aggression, Intentional overdose, Suicide attempt, Anorgasmia, Erectile dysfunction, Suicidal ideation
603	LIBRIUM, DIAZEPAM, SEROXAT	UNKNOWN, UNKNOWN, UNKNOWN	DOSE: 20MG		Aggression, Agitation, Confusional state, Withdrawal syndrome
604	SEROXAT	ORAL USE	DOSE: 20 MG		Hallucination, Agitation, Hyperhidrosis, Vomiting, Tremor
605	PAROXETINE HYDROCHLORIDE	UNKNOWN	DOSE: 20MG		Drug withdrawal syndrome
606	SEROXAT	ORAL USE	DOSE: 20 MG ALT DAYS		Abnormal dreams, Paraesthesia, Insomnia, Malaise, Dizziness, Agitation, Headache, Dyskinesia, Withdrawal syndrome
607	SEROXAT	UNKNOWN	DOSE: 20 MG		Condition aggravated, Aggression
608	SEROXAT	ORAL USE			Paranoia
609	PAROXETINE	ORAL USE	DOSE: 40, 20, 10 MG ONCE DAILY		Aggression
610	PAROXETINE	UNKNOWN			Myalgia, Hyperacusis, Suicidal ideation, Hunger, Dissociation, Weight increased, Anxiety, Palpitations, Feeling of despair, Extrasystoles, Paraesthesia, Drug withdrawal syndrome, Self-injurious ideation, Dyspnoea, Middle insomnia, Intentional self-injury, Panic attack
611	SEROXAT	ORAL USE	DOSE: 30-20 MG od	189	Balance disorder, Drug withdrawal syndrome, Nystagmus
612	SEROXAT	ORAL USE	DOSE: 30MG	435	Abnormal dreams, Aggression, Nightmare
613	PAROXETINE	ORAL USE	DOSE: 20-40MG ON		Influenza like illness, Anorexia, Apathy, Suicidal ideation, Depression, Drug withdrawal syndrome, Circulatory collapse, Panic attack
614	PAROXETINE	ORAL USE	DOSE: 10MG	10	Agitation, Drug withdrawal syndrome, Suicidal ideation, Panic disorder
615	SEROXAT	ORAL USE	DOSE: 30 reduced to 5mg DAILY		Visual acuity reduced, Drug withdrawal syndrome, Tachycardia, Anxiety, Suicidal ideation, Arthralgia, Panic attack
616	SEROXAT	ORAL USE	DOSE: 30 MG		Restlessness, Agitation, Weight decreased, Anorexia, Movement disorder
617	PAROXETINE HYDROCHLORIDE	UNKNOWN	DOSE: 20MG		Abnormal behaviour, Mania, Drug withdrawal syndrome

618	PAROXETINE	ORAL USE	DOSE: 20MG		Crying, Drug withdrawal syndrome, Irritability, Anxiety
619	SEROXAT	ORAL USE		Paroxetine	Aggression, Withdrawal syndrome
620	SEROXAT	ORAL USE	DOSE: 20 MG		Aggression, Alcohol interaction
621	SEROXAT	ORAL USE	DOSE: 20 MG		Dissociation, Drug dependence, Drug withdrawal syndrome, Headache, Anger
622	PAROXETINE	UNKNOWN	DOSE: 20mg		Aggression
623	SEROXAT	ORAL USE	DOSE: 40 MG - 20 MG - STOP		Headache, Disturbance in attention, Drug withdrawal syndrome, Sleep disorder, Nausea
624	SEROXAT	ORAL USE	DOSE: 1 TABLET		Agitation, Anxiety
625	SEROXAT	ORAL USE	DOSE: 20-10MG		Agitation, Sleep disorder, Dizziness, Drug withdrawal syndrome, Paraesthesia, Night sweats, Influenza like illness, Pyrexia, Nightmare, Hypoaesthesia
626	SEROXAT	ORAL USE	DOSE: 30 -10 mgs		Hyperhidrosis, Dizziness, Aggression, Sleep disorder, Paraesthesia, Suicidal ideation, Myalgia, Muscle spasms, Emotional disorder, Arthralgia, Withdrawal syndrome
627	SEROXAT	ORAL USE	DOSE: 40 MG		Intentional self-injury, Hyperhidrosis, Dizziness, Agitation, Nausea, Anger, Paraesthesia, Headache, Suicidal ideation, Depression, Withdrawal syndrome
628	PAROXETINE HYDROCHLORIDE	ORAL USE	DOSE: once daily then reducing dosage	1732	Anxiety, Aggression, Agitation, Drug withdrawal convulsions, Withdrawal syndrome
629	SEROXAT	ORAL USE	DOSE: See text		Paraesthesia, Agitation
630	SEROXAT	ORAL USE	DOSE: 30 MG		Self-injurious ideation, Suicidal ideation, Aggression
631	SEROXAT, ZOPICLONE	UNKNOWN, UNKNOWN			Drug interaction, Aggression, Somnambulism
632	ZOPICLONE, SEROXAT	ORAL USE, ORAL USE	DOSE: 15-30mg, DOSE: 30 MG		Aggression, Homicide, Somnambulism
633	SEROXAT	ORAL USE			Drug withdrawal syndrome
634	PAROXETINE	ORAL USE	DOSE: 20 MG	79	Aggression, Alcohol interaction
635	PAROXETINE	ORAL USE	DOSE: 15 MG		Agitation, Suicidal ideation, Balance disorder, Aggression
636	SEROXAT	ORAL USE	DOSE: 30 MG		Homicidal ideation
637	SEROXAT	ORAL USE	DOSE: 20 MG OD		Hallucination, Insomnia, Depression, Akathisia, Panic attack, Tremor
638	SEROXAT	ORAL USE	DOSE: 20mg	92	Suicidal ideation, Restlessness, Depression, Anxiety, Thinking abnormal, Agitation
639	PAROXETINE	ORAL USE	DOSE: 40 MG		Akathisia
640	PAROXETINE	ORAL USE	DOSE: 20 MG		Disturbance in attention, Lethargy, Dysphemia, Confusional state, Aggression
641	SEROXAT	ORAL USE	DOSE: 10 mg		Abdominal pain, Pain, Drug withdrawal syndrome, Anxiety, Panic attack
642	SEROXAT	ORAL USE	DOSE: 20 MG		Hypomania, Aggression, Alcohol interaction
643	PAROXETINE, ONDANSETRON	UNKNOWN, UNKNOWN	DOSE: 30 MG, DOSE: 4 MG		Mydriasis, Hypertension, Agitation, Drug interaction, Delirium, Unresponsive to stimuli
644	SEROXAT	ORAL USE	DOSE: 30->20->10 MG/DAY	83	Aggression, Withdrawal syndrome
645	PAROXETINE	ORAL USE	DOSE: 20 MG		Anxiety, Agitation, Insomnia, Paranoia, Panic attack
646	PAROXETINE HYDROCHLORIDE	UNKNOWN			Drug withdrawal syndrome, Aggression, Tension, Tinnitus, Influenza like illness, Akathisia, Suicidal ideation, Agitation, Paraesthesia, Night sweats, Confusional state, Arthralgia, Muscle spasms, Mood swings, Sleep disorder, Myalgia, Dizziness
647	SEROXAT	UNKNOWN	DOSE: 20-30 MG DAILY		Cyanosis, Drug withdrawal syndrome, Respiratory arrest
648	SEROXAT	UNKNOWN			Restlessness, Injury, Physical assault, Drug withdrawal syndrome, Nausea
649	PAROXETINE HYDROCHLORIDE	UNKNOWN	20MG Per day		Hyperhidrosis, Dizziness, Drug withdrawal syndrome, Aggression, Irritability
650	DIAZEPAM, PAROXETINE HYDROCHLORIDE	UNKNOWN, UNKNOWN	5MG As required,		Suicidal ideation, Overdose, Depression, Insomnia, Anxiety, Drug withdrawal syndrome
651	SEROXAT	ORAL USE	DOSE: 20 MG		Agitation, Depression, Tinnitus, Abnormal sensation in eye, Loss of libido, Influenza like illness, Hyperacusis, Mood swings, Paraesthesia, Sexual dysfunction, Anxiety, Throat tightness, Withdrawal syndrome
652	SEROXAT	UNKNOWN			Tearfulness, Hallucination, visual, Paranoia, Apathy, Drug withdrawal syndrome, Agitation, Disturbance in attention, Headache, Anger, Libido decreased, Mood swings, Apathy, Condition aggravated, Panic attack
653	PAROXETINE HYDROCHLORIDE, PAROXETINE HYDROCHLORIDE	UNKNOWN, UNKNOWN			Dissociation, Somnolence, Disturbance in attention, Depressed mood, Agitation, Tearfulness, Disturbance in attention, Suicidal ideation, Feeling abnormal, Somnolence, Musculoskeletal pain, Drug withdrawal syndrome, Decreased appetite, Feeling abnormal, Dissociation
654	SEROXAT	ORAL USE	DOSE: 30 mg		Nausea, Aggression, Insomnia, Depersonalisation, Drug withdrawal syndrome, Palpitations, Psychiatric symptom, Anxiety, Emotional disorder, Abnormal dreams
655	SEROXAT	UNKNOWN	20MG Per day		Suicidal ideation, Somnolence, Drug withdrawal syndrome
656	PAROXETINE HYDROCHLORIDE	UNKNOWN			Poor quality sleep, Drug withdrawal syndrome, Anhedonia, Appetite disorder, Anxiety, Disturbance in attention, Memory impairment, Grand mal convulsion, Irritability, Negative thoughts, Depression, Panic attack, Mood swings, Psychomotor hyperactivity
657	SEROXAT	ORAL USE	DOSE: 10-20 mg		Anger, Self esteem decreased, Negative thoughts, Drug withdrawal syndrome, Hot flush, Hyperhidrosis, Disturbance in attention, Anxiety, Crying, Thinking abnormal, Irritability
658	SEROXAT	UNKNOWN	DOSE: 20mg		Drug withdrawal syndrome, Anxiety, Feeling abnormal, Paraesthesia, Aggression, Visual disturbance
659	SEROXAT	ORAL USE	DOSE: 30 mg		Suicidal ideation, Headache, Drug withdrawal syndrome, Depression, Influenza like illness
660	SEROXAT	ORAL USE	DOSE: 30 MG TO 5 MG		Suicide attempt, Mood swings, Stomach discomfort, Aggression, Depressed mood, Nausea, Dizziness, Yawning, Headache, Paraesthesia, Night sweats
661	SEROXAT	ORAL USE	DOSE: 20mg		Drug withdrawal syndrome, Crying, Nausea, Dizziness, Anxiety, Tinnitus, Aggression, Tremor
662	PAROXETINE	ORAL USE	DOSE: 20 mg daily		Drug withdrawal syndrome, Aggression, Intentional self-injury, Hallucination, Thinking abnormal
663	SEROXAT	UNKNOWN			Suicidal ideation, Weight increased, Agitation, Photosensitivity reaction, Night sweats, Influenza like illness, Paraesthesia, Nightmare, Headache, Nausea, Tremor, Withdrawal syndrome
664	SEROXAT	UNKNOWN			Suicidal ideation, Agitation, Nightmare, Paraesthesia, Night sweats, Weight increased, Tremor
665	SEROXAT	ORAL USE	DOSE: 20mg		Nausea, Dizziness, Abdominal pain upper, Pain, Abnormal dreams, Nightmare, Drug withdrawal syndrome, Insomnia, Frequent bowel movements, Malaise
666	PAROXETINE HYDROCHLORIDE				Psychotic disorder, Visual disturbance, Drug withdrawal syndrome, Hallucination, auditory, Depressed mood
667	PAROXETINE HYDROCHLORIDE	UNKNOWN	20MG Per day		Rectal haemorrhage, Melaena, Panic attack, Mood swings, Drug withdrawal syndrome, Memory impairment, Disturbance in attention, Anger, Nausea, Suicidal ideation, Bruxism, Tinnitus, Dehydration, Abnormal dreams, Dissociation
668	SEROXAT	ORAL USE	DOSE: 20 - 30 MG		Aggression, Hyperhidrosis, Withdrawal syndrome
669	SEROXAT	ORAL USE	DOSE: 20 MG		Psychotic disorder, Anxiety, Agitation, Suicidal ideation
670	SEROXAT	ORAL USE	DOSE: 60 MG		Aggression
671	SEROXAT	ORAL USE	DOSE: 60 MG		Aggression, Malaise, Loss of libido, Insomnia, Irritability, Hyperhidrosis, Panic attack

672	SEROXAT	ORAL USE	DOSE: 40MG DAILY	Paroxetine	Pyrexia, Suicidal ideation, Aggression, Drug withdrawal syndrome, Dizziness, Nausea, Panic attack
673	SEROXAT	ORAL USE	DOSE: 1/4 tablet per day		
674	SEROXAT	ORAL USE			Paraesthesia, Drug dependence, Violence-related symptom
675	SEROXAT	ORAL USE	DOSE: 30 MG		Suicidal ideation, Drug withdrawal syndrome, Feeling abnormal
676	SEROXAT	ORAL USE			Confusional state, Agitation, Sleep disorder, Headache, Paraesthesia, Hyperhidrosis, Dizziness, Nausea, Anxiety, Tremor
677	SEROXAT	ORAL USE	DOSE: 30 mg		Agitation, Anxiety, Visual disturbance, Dizziness, Withdrawal syndrome
678	SEROXAT	ORAL USE	DOSE: 20 MG		Abnormal dreams, Agitation, Somnolence, Amnesia, Anger, Hypoaesthesia oral, Diarrhoea, Disorientation, Chest pain, Confusional state, Balance disorder, Paraesthesia
679	SEROXAT	ORAL USE	DOSE: 20 MG		Nausea, Drug withdrawal syndrome, Fatigue, Dizziness
680	SEROXAT	ORAL USE	DOSE: 20 MG		Crying, Electric shock, Dizziness, Depression, Night sweats, Irritability, Agitation, Headache, Insomnia, Confusional state, Anorexia, Drug withdrawal syndrome, Lethargy, Hypoaesthesia
681	PAROXETINE	ORAL USE	DOSE: 20 MG	74	Paranoia, Aggression, Irritability, Depression, Withdrawal syndrome
682	SEROXAT	UNKNOWN	20MG Unknown		Suicidal ideation, Anxiety, Disturbance in attention, Bradyphrenia, Hyperhidrosis, Communication disorder, Apathy, Muscle tightness, Emotional distress, Memory impairment, Irritability, Drug withdrawal syndrome
683	SEROXAT	ORAL USE	DOSE: 20 MG OD	2	Suicidal ideation, Agitation, Panic reaction
684	SEROXAT	ORAL USE	DOSE: various	3439	Depression, Drug withdrawal syndrome
685	SEROXAT	ORAL USE	DOSE: 20 MG		Influenza like illness, Drug withdrawal syndrome, Dizziness, Dizziness
686	PAROXETINE	ORAL USE	DOSE: 20mg	4	Homicidal ideation, Visual disturbance, Balance disorder, Weight decreased, Nervousness, Suicidal ideation, Panic attack
687	SEROXAT	ORAL USE	DOSE: 30 MG		Anxiety, Drug withdrawal syndrome, Euphoric mood, Hyperhidrosis, Abnormal dreams, Lethargy, Rash, Hypoaesthesia, Agoraphobia
688	SEROXAT	ORAL USE	DOSE: 30 MG		Sexual dysfunction, Aggression, Ejaculation failure
689	SEROXAT	ORAL USE	DOSE: 30 MG		Asthenia, Aggression
690	PAROXETINE	ORAL USE	DOSE: 20 MG	2	Agitation, Abdominal discomfort
691	SEROXAT	UNKNOWN			Malaise, Completed suicide, Thermal burn, Drug withdrawal syndrome, Anxiety
692	SEROXAT	ORAL USE	DOSE: 10mg		Paranoia, Fatigue, Suicidal ideation, Feeling abnormal, Diarrhoea, Nightmare, Crying, Mood swings, Aggression, Insomnia, Dizziness, Night sweats, Withdrawal syndrome
693	PAROXETINE HYDROCHLORIDE	ORAL USE			Aggression
694	PAROXETINE	ORAL USE	DOSE: 20 MG		Paraesthesia, Anxiety, Dizziness, Confusional state, Drug withdrawal syndrome, Tremor
695	SEROXAT	ORAL USE	DOSE: 20 MG		Nervousness, Physical assault, Amnesia, Mood swings, Drug withdrawal syndrome, Nausea, Emotional disorder, Malaise, Dizziness, Imprisonment
696	SEROXAT	ORAL USE	DOSE: 30 MG	286	Tachycardia, Agitation, Palpitations, Anxiety, Hyperhidrosis, Withdrawal syndrome
697	SEROXAT	ORAL USE	DOSE: 20MG	2	Insomnia, Agitation
698	PAROXETINE	ORAL USE	DOSE: 20-30 MG		Aggression
699	PAROXETINE	ORAL USE	DOSE: 40 MG		Drug withdrawal syndrome, Arthralgia, Diarrhoea, Headache, Dizziness, Abdominal pain
700	SEROXAT	ORAL USE	DOSE: 20 MG	5	Hyperhidrosis, Paranoia, Suicidal ideation, Tremor, Panic attack
701	PAROXETINE	ORAL USE	DOSE: 20 MG		Paraesthesia, Agitation, Withdrawal syndrome
702	SEROXAT	ORAL USE	DOSE: 20 MG		Aggression
703	SEROXAT	ORAL USE	DOSE: 20 MG mane	6	Nausea, Tachycardia, Hyperhidrosis, Agitation
704	PAROXETINE	ORAL USE	DOSE: 20 MG BD	186	Aggression
705	PAROXETINE HYDROCHLORIDE	UNKNOWN			Agitation, Anxiety, Completed suicide
706	PAROXETINE	ORAL USE			Urinary incontinence, Spontaneous penile erection, Ejaculation disorder, Libido increased, Vomiting, Hypersensitivity, Disturbance in social behaviour, Euphoric mood, Emotional disorder, Male orgasmic disorder, Disinhibition, Semen abnormal, Tremor
707	SEROXAT, PAROXETINE HYDROCHLORIDE	ORAL USE,			Depressed mood, Withdrawal syndrome, Stress, Feeling abnormal, Aggression, Poor quality sleep
708	SEROXAT	UNKNOWN	DOSE: 10mg		Balance disorder, Nausea, Agitation, Migraine, Dizziness, Drug withdrawal syndrome, Hyperhidrosis, Tremor
709	PAROXETINE	ORAL USE	DOSE: 20 MG	1684	Agitation, Dystonia, Withdrawal syndrome
710	SEROXAT	ORAL USE	DOSE: 20 MG		Drug withdrawal syndrome, Influenza like illness, Hyperhidrosis, Confusional state, Dizziness, Hallucination, auditory, Nausea, Fatigue, Tremor
711	PAROXETINE	ORAL USE	DOSE: 20 MG		Depression, Drug withdrawal syndrome
712	SEROXAT	ORAL USE			Hyperpyrexia, Agitation, Vasculitic rash, Confusional state, Withdrawal syndrome
713	SEROXAT	ORAL USE	DOSE: VARIED		Dizziness, Paraesthesia, Drug withdrawal syndrome, Fatigue, Derealisation, Gait disturbance
714	PAROXETINE	ORAL USE	DOSE: 10 MG		Drug withdrawal syndrome, Paraesthesia
715	PAROXETINE	ORAL USE	DOSE: 50 MG DAILY		Drug withdrawal syndrome, Weight increased
716	SEROXAT	ORAL USE	DOSE: 20 MG	13	Hyperhidrosis, Dry mouth, Anxiety, Nausea, Irritability, Agitation, Poor quality sleep, Tremor
717	SEROXAT	UNKNOWN	DOSE: 3 per day		Nightmare, Social avoidant behaviour, Anorexia, Insomnia
718	SEROXAT	ORAL USE			Abnormal behaviour, Paranoia, Disinhibition, Intentional self-injury
719	SEROXAT	ORAL USE	DOSE: 20mg		Social avoidant behaviour, Withdrawal syndrome
720	SEROXAT	ORAL USE	DOSE: 40 MG		Depression, Drug dependence, Drug withdrawal syndrome
721	SEROXAT	ORAL USE	DOSE: 40mg		Aggression, Anger
722	SEROXAT	ORAL USE	DOSE: 20 MG inc to 40 MG		Aggression, Intentional overdose, Agitation, Suicidal ideation, Psychomotor hyperactivity, Withdrawal syndrome
723	SEROXAT	ORAL USE			Suicide attempt, Confusional state, Aggression
724	SEROXAT	UNKNOWN	DOSE: 20mg increase to 35mg		Self-injurious ideation, Cold sweat, Drug withdrawal syndrome, Vomiting in pregnancy
725	SEROXAT	ORAL USE			Personality change
726	SEROXAT	ORAL USE	DOSE: 20-50 mg		Anger, Intentional self-injury, Aggression, Suicide attempt
727	SEROXAT	ORAL USE			Rash, Confusional state, Hallucination, visual, Agitation
728	PAROXETINE	ORAL USE	DOSE: 50 MGS		Drug withdrawal syndrome, Irritability, Paraesthesia, Influenza like illness, Suicidal ideation, Faeces discoloured, Hypnopompic hallucination, Hypoaesthesia
729	SEROXAT	ORAL USE			Aggression, Intentional self-injury, Paranoia, Drug withdrawal syndrome, Suicidal ideation
730	SEROXAT	ORAL USE			Headache, Visual disturbance, Nightmare, Aggression, Fatigue, Hyperhidrosis, Myalgia, Diarrhoea, Tremor
731	PAROXETINE HYDROCHLORIDE, PARACETAMOL	ORAL USE, UNKNOWN	DOSE: 40 MG OD,		Suicide attempt, Agitation, Depression, Hallucination, Blood cortisol, Hallucination, auditory, Adjustment disorder, Insomnia, Personality change, Depressive symptom, Mood swings, Liver disorder, Weight decreased, Dementia, Anger, Decreased appetite, Emotional disorder, Incoherent, General physical health deterioration, Confusional state, Feeling abnormal, Alopecia, Suicidal ideation, Hyperhidrosis, Irritability, Alcoholism, Mania
732	SEROXAT	ORAL USE			Agitation, Intentional self-injury, Paranoia, Suicide attempt, Aggression

733	SEROXAT	ORAL USE	DOSE: 20-30mg	Paroxetine	Fatigue, Dizziness, Self-injurious ideation, Diarrhoea, Mental impairment, Headache, Drug withdrawal syndrome, Abdominal pain upper, Nausea, Derealisation, Fear
734	SEROXAT	ORAL USE	DOSE: 30mg		Dizziness, Insomnia, Drug withdrawal syndrome, Mood swings, Palpitations, Stomach discomfort, Headache, Nausea, Anxiety, Crying, Hyperhidrosis, Agitation
735	SEROXAT	ORAL USE	DOSE: 60-30 MG		Aggression
736	SEROXAT	UNKNOWN			Drug withdrawal syndrome, Suicidal ideation, Feeling abnormal, Anger, Stress, Insomnia, Abnormal dreams, Crying
737	SEROXAT	UNKNOWN	DOSE: 20 MG		Hot flush, Agitation, Stomach discomfort, Irritability, Malaise, Aggression, Tremor
738	SEROXAT	ORAL USE	DOSE: TABLET FORM 20 MG OD		Hyperhidrosis, Heart rate increased, Asthenia, Malaise, Confusional state, Sleep disorder, Agitation, Tremor
739	SEROXAT	ORAL USE	DOSE: 30 MG REDUCING DOWN OVER 1 YEAR	1386	Feeling abnormal, Abdominal pain upper, Paraesthesia, Dizziness, Drug withdrawal syndrome, Petit mal epilepsy, Headache, Dyskinesia
740	SEROXAT	ORAL USE	DOSE: 20 MG		Pruritus, Hyperhidrosis, Agitation, Dizziness, Drug withdrawal syndrome, Paraesthesia
741	SEROXAT	ORAL USE			Paranoia, Agitation, Suicidal ideation, Fatigue, Depression, Anxiety, Sleep disorder, Feeling abnormal, Myalgia, Mood swings, Tremor, Panic disorder
742	PROZAC, SEROXAT, CITALOPRAM	ORAL USE, ORAL USE, ORAL USE	DOSE: 20 MG, DOSE: 20 MG, DOSE: 20 MG	349	Weight increased, Insomnia, Self-injurious ideation, Formication, Aggression, Anxiety, Completed suicide, Palpitations, Suicidal ideation, Paranoia, Obsessive-compulsive disorder, Panic attack, Depression, Headache
743	SEROXAT	UNKNOWN	DOSE: 20 MG		Anxiety, Mood swings, Feeling drunk, Nightmare, Insomnia, Paraesthesia, Drug withdrawal syndrome, Agoraphobia, Panic attack
744	SEROXAT	ORAL USE	DOSE: 20 MG		Anxiety, Diarrhoea, Drug withdrawal syndrome, Insomnia, Nervousness, Dizziness, Nausea, Nightmare, Influenza like illness
745	SEROXAT	ORAL USE	DOSE: 40 MG PER DAY		Agitation, Visual disturbance, Nightmare, Drug withdrawal syndrome, Headache, Depression, Palpitations, Suicidal ideation, Paraesthesia, Myalgia, Restless legs syndrome, Tremor
746	PAROXETINE	ORAL USE	DOSE: 20 MG TABLET PER DAY		Nightmare, Paranoia, Suicidal ideation, Disturbance in attention, Rash, Amnesia, Hypoaesthesia
747	SEROXAT	ORAL USE	DOSE: 1X 75 MG TABLET TWICE A DAY		Mood swings, Mental disorder, Paranoia, Homicidal ideation
748	SEROXAT	ORAL USE	DOSE: 60 MG, DAILY	365	Personality disorder, Post-traumatic stress disorder, Depression, Paranoia, Weight fluctuation, Thinking abnormal, Aggression
749	PAROXETINE	ORAL USE	DOSE: 30 MG DAILY FOR 7 DAYS		Shock, Aggression, Eye disorder, Panic attack
750	PAROXETINE	ORAL USE	coming off slowly		Sleep disorder, Mood swings, Drug withdrawal syndrome
751	SEROXAT	ORAL USE	DOSE: 20-10 MG		Drug withdrawal syndrome, Suicidal ideation, Depression
752	SEROXAT	ORAL USE			Migraine, Paraesthesia, Fatigue, Cold sweat, Nausea, Diarrhoea, Arthralgia, Influenza like illness, Drug withdrawal syndrome
753	SEROXAT	UNKNOWN	DOSE: 50 MG TABLET, ONCE A DAY		Depression, Intestinal functional disorder, Intentional self-injury, Suicidal ideation, Impaired work ability, Dizziness, Paranoia, Vomiting, Drug withdrawal syndrome
754	PAROXETINE	ORAL USE	DOSE: 20 MG	4	Paranoia, Anxiety
755	PAROXETINE, ST JOHNS WORT	ORAL USE, ORAL USE	DOSE: 20 MG, DOSE: HIGH DOSE	1	Hyperhidrosis, Agitation, Anxiety, Tachycardia, Drug interaction, Hyperreflexia
756	PAROXETINE	ORAL USE	DOSE: 20 MG		Dizziness, Tremor, Akathisia
757	SEROXAT	ORAL USE	DOSE: 20 MG	32	Abnormal behaviour, Insomnia, Restlessness, Agitation
758	PAROXETINE	ORAL USE	DOSE: 20 MG	49	Aggression, Delusion, Irritability, Obsessive-compulsive disorder, Hypomania
759	SEROXAT	TRANSPLACENTAL			Hypertonia, Agitation, Irritability, Feeling jittery, Spina bifida occulta
760	PAROXETINE	ORAL USE			Abnormal dreams, Hot flush, Paraesthesia, Loss of consciousness, Abnormal behaviour, Aggression, Alcohol intolerance, Nausea
761	PAROXETINE HYDROCHLORIDE, PARACETAMOL, IBUPROFEN	UNKNOWN, UNKNOWN, UNKNOWN	Overdose, Overdose, Overdose		Intentional drug misuse, Drug withdrawal syndrome, Ill-defined disorder, Intentional overdose, Hyperhidrosis, Somnolence, Completed suicide, Panic reaction
762	SEROXAT		Started: 9 years ago.		Drug withdrawal syndrome
763	PAROXETINE, FLUOXETINE	ORAL USE, ORAL USE			Dry mouth, Hyperhidrosis, Nausea, Constipation, Dizziness, Drug withdrawal syndrome, Paranoia
764	SEROXAT	ORAL USE			Speech disorder, Social avoidant behaviour, Mood swings, Intentional self-injury, Paranoia, Suicidal ideation, Paraesthesia, Hyperhidrosis, Abnormal dreams, Hallucination, Thinking abnormal, Fatigue, Apathy, Malaise, Asthenia, Confusional state, Dyskinesia
765	SEROXAT	ORAL USE	DOSE: 10mg/day	14	Insomnia, Aggression, Suicidal ideation, Migraine, Agitation, Tremor
766	SEROXAT	ORAL USE	DOSE: 30 MG		Intentional self-injury, Mood swings, Social avoidant behaviour, Confusional state, Asthenia, Malaise, Apathy, Fatigue, Electric shock, Hyperhidrosis, Abnormal dreams, Speech disorder, Hallucination, Suicidal ideation, Paranoia, Tinnitus, Thinking abnormal, Dyskinesia
767	SEROXAT	ORAL USE	DOSE: 30 MG		Balance disorder, Aggression, Malaise, Crying, Mood swings, Paraesthesia
768	ALCOHOL, PAROXETINE	ORAL USE, ORAL USE	, DOSE: 20 MG THEN 30 MG - 40 MG TAILED OFF AFTER 17/02/2005		Amnesia, Alcohol interaction, Abnormal behaviour, Aggression
769	PAROXETINE, PAROXETINE	ORAL USE, ORAL USE	DOSE: 20 MG TABLET FORM THEN FROM 01/2006 10 ML LIQUID START 1 ML FINISH, Started at 10ml to 1ml finish		Sexual dysfunction, Sleep disorder, Disturbance in attention, Fatigue, Paraesthesia, Balance disorder, Hyperacusis, Drug withdrawal syndrome
770	SEROXAT	ORAL USE	DOSE: 60 MG		Headache, Pain in extremity, Abdominal pain upper, Nausea, Dizziness, Mood swings, Chills, Anxiety, Diarrhoea, Vomiting, Drug withdrawal syndrome, Drug ineffective, Influenza like illness
771	SEROXAT	ORAL USE	DOSE: 40 MG		Paraesthesia, Drug withdrawal syndrome, Hyperhidrosis, Hypoaesthesia
772	SEROXAT	UNKNOWN	DOSE: 30 MG TABLET OD		Dizziness, Crying, Malaise, Electric shock, Drug withdrawal syndrome, Suicidal ideation
773	SEROXAT	ORAL USE	DOSE: 20 MG/DAY		Hyperhidrosis, Anxiety, Irritability, Dry mouth, Paraesthesia, Mood swings, Restlessness, Drug withdrawal syndrome, Nightmare, Balance disorder
774	SEROXAT	ORAL USE	DOSE: 40 MG		Tearfulness, Paranoia, Hyperhidrosis, Anger, Drug withdrawal syndrome, Agitation, Thirst, Mood swings, Tremor
775	SEROXAT	ORAL USE	DOSE: 60 MG		Nausea, Sleep disorder, Night sweats, Drug withdrawal syndrome, Dizziness, Hot flush, Vomiting, Paraesthesia, Hypoaesthesia
776	CIPRAMIL, SEROXAT	ORAL USE, ORAL USE			Withdrawal syndrome, Thinking abnormal, Tardive dyskinesia, Impulsive behaviour, Agitation, Aggression

777	MIRTAZAPINE, SEROXAT	ORAL USE	20-30 MGS PER DAY	Paroxetine	Anger, Feeling of despair, Abnormal behaviour, Suicidal ideation, Mood swings, Insomnia, Depression, Confusional state, Overdose, Electric shock, Withdrawal syndrome
778	PROPANOL, SEROXAT	ORAL USE, ORAL USE	drug still being taken occasionally, Increased to 60mg		Suicidal ideation, Nightmare, Depression, Aggression, Tremor, Panic attack
779	PAROXETINE, DOTHIEPIN	ORAL USE	Continuing		Hallucination, auditory, Suicidal ideation, Agitation, Confusional state, Nervousness, Fear
780	SEROXAT	ORAL USE			Mood swings, Suicidal ideation, Drug dependence, Depression, Crying, Aggression, Suicide attempt
781	SEROXAT		Started 4 years ago. Stopped 3 weeks ago.		Suicidal ideation, Dizziness, Drug withdrawal syndrome
782	TRAZODONE, SEROXAT				Malaise, Agitation, Headache, Panic attack
783	SEROXAT	ORAL USE	Dose increased (30-40 mg)		Alcohol poisoning, Feeling drunk, Abnormal behaviour, Abnormal sleep-related event, Coprolalia, Crying, Fatigue, Irritability, Depression, Aggression, Morbid thoughts, Nightmare, Circulatory collapse, Anxiety, Amnesia, Screaming, Confusional state, Mood altered, Accidental overdose
784	SEROXAT	ORAL USE			Impulsive behaviour, Anxiety, Agitation, Akathisia
785	SEROXAT				Mood swings, Vertigo, Drug withdrawal syndrome, Vomiting, Emotional disorder
786	SEROXAT				Drug withdrawal syndrome, Mood swings, Vertigo, Vomiting
787	PAROXETINE				Depression, Abdominal pain, Drug withdrawal syndrome, Aggression, Anxiety, Confusional state, Nausea, Hyperhidrosis, Panic disorder
788	SEROXAT	ORAL USE	Currently 12 mg and 5 mg per day alternate		Drug withdrawal syndrome, Nightmare, Sensory disturbance, Lethargy, Hallucination, visual, Fatigue, Irritability, Dizziness, Paraesthesia
789	SEROXAT	ORAL USE			Anorgasmia, Irritability, Paraesthesia, Insomnia, Crying, Obsessive thoughts, Weight increased, Nervousness, Pruritus, Drug withdrawal syndrome, Urinary retention, Agitation, Depressed mood, Suicidal ideation, Panic attack
790	PAROXETINE	ORAL USE			Drug withdrawal syndrome, Paraesthesia, Depression, Nausea, Dizziness, Paraesthesia, Hypoaesthesia, Panic attack, Tremor
791	SEROXAT				Muscle twitching, Drug ineffective, Screaming, Emotional disorder, Obsessive thoughts, Thinking abnormal, Suicide attempt, Drug withdrawal syndrome, Tinnitus, Mental disorder, Nightmare, Nervousness, Tremor
792	SEROXAT	UNKNOWN			Drug withdrawal syndrome, Feeling abnormal, Tinnitus, Abnormal behaviour, Muscle twitching, Emotional disorder, Suicide attempt, Nightmare, Anger, Mental status changes
793	PARACETAMOL, ALCOHOL, SEROXAT	UNKNOWN, UNKNOWN, UNKNOWN	20MG Per day		Overdose, Suicide attempt, Headache, Tearfulness, Crying, Indifference, Mood swings, Hallucination, Nightmare, Suicidal ideation, Nightmare, Paraesthesia, Condition aggravated, Apathy, Derealisation, Insomnia, Dependence, Withdrawal syndrome
794	SEROXAT	UNKNOWN			Ejaculation failure, Suicidal ideation, Anger, Depressed mood, Agitation, Sensory disturbance, Lethargy, Nausea, Aggression, Malaise, Aggression, Withdrawal syndrome, Panic attack, Violence-related symptom, Adverse drug reaction, Fear, Anxiety, Overdose, Pain, Frustration, Sleep disorder
795	PAROXETINE				Fatigue, Dizziness, Nausea, Flatulence, Disturbance in attention, Drug withdrawal syndrome
796	PAROXETINE	ORAL USE	Continuing		Syncope, Drug withdrawal syndrome, Feeling abnormal
797	SEROXAT	ORAL USE			Muscle twitching, Sleep disorder, Drug withdrawal syndrome
798	CODEINE, PARACETAMOL, ALCOHOL, SEROXAT	UNKNOWN, UNKNOWN, UNKNOWN, UNKNOWN	20MG Per day		Overdose, Self-injurious ideation, Suicide attempt, Drug withdrawal syndrome
799	SEROXAT	UNKNOWN			Polydipsia, Disturbance in attention, Intentional overdose, Irritability, Memory impairment, Anger, Hallucination, auditory, Obsessive-compulsive disorder, Loss of libido, Suicidal ideation, Ill-defined disorder, Hallucination, auditory, Ill-defined disorder, Drug withdrawal syndrome, Panic attack
800	SEROXAT	UNKNOWN			Completed suicide, Drug withdrawal syndrome
801	SEROXAT				Sleep terror, Nightmare, Nausea, Drug withdrawal syndrome, Diarrhoea, Anxiety, Agitation, Visual disturbance, Emotional disorder, Irritability, Night sweats, Sleep disorder, Dizziness, Photopsia, Headache, Restlessness, Tremor
802	SEROXAT, SEROXAT, SEROXAT	UNKNOWN, UNKNOWN, UNKNOWN	started at 20 mg a day, 10 mg in last year, last 2 weeks - 10 mg every other day	3650	Paranoia, Pain, Nightmare, Hyperacusis, Tinnitus, Fatigue, Depression, Nervousness, Drug withdrawal syndrome, Fear, Panic attack
803	PAROXETINE HYDROCHLORIDE, PAROXETINE HYDROCHLORIDE	UNKNOWN, ORAL USE	20MG Per day,		Crying, Paraesthesia, Nausea, Sensory disturbance, Depression, Suicidal ideation, Diarrhoea, Hyperhidrosis, Hypoaesthesia, Anxiety, Anxiety, Abnormal dreams, Abnormal behaviour, Agitation, Anxiety, Paraesthesia, Confusional state, Feeling abnormal, Tremor, Panic attack, Withdrawal syndrome
804	SEROXAT	UNKNOWN			Agitation, Dizziness, Influenza like illness, Sleep disorder, Pollakiuria, Disturbance in attention, Memory impairment, Nausea, Anxiety, Nightmare, Fatigue, Abdominal pain, Diarrhoea, Suicidal ideation, Feeling abnormal, Insomnia, Lethargy, Weight decreased, Flight of ideas, Confusional state, Micturition urgency, Erectile dysfunction, Malaise, Hyperhidrosis, Tremor, Withdrawal syndrome, Fear, Vomiting, Adverse drug reaction, Insomnia, Depressed mood, Drug dependence, Drug dependence, Rebound effect, Decreased appetite
805	SEROXAT		Treatment stopped		Vomiting, Crying, Suicidal ideation, Psychomotor hyperactivity, Violence-related symptom, Tremor
806	SEROXAT	ORAL USE			Drug withdrawal syndrome, Feeling abnormal, Fatigue, Nightmare, Dizziness, Anxiety, Malaise, Feeling of body temperature change, Tremor
807	SEROXAT	ORAL USE			Drug withdrawal syndrome, Emotional disorder, Vomiting, Nervousness, Restlessness, Ulcer, Nausea, Agitation, Headache, Crying, Panic attack, Tremor
808	SEROXAT	ORAL USE			Lethargy, Suicidal ideation, Depression, Depressed mood, Fatigue, Agitation, Drug dependence, Drooling, Headache, Vomiting, Withdrawal syndrome, Tremor, Dyskinesia
809	PAROXETINE	ORAL USE		2	Nausea, Agitation, Depression, Suicidal ideation
810	PAROXETINE	ORAL USE			Paraesthesia, Nightmare, Bedridden, Depression, Hot flush, Dizziness, Nausea, Drug withdrawal syndrome, Fear, Tremor
811	SEROXAT	ORAL USE			Aggression, Mood swings
812	SEROXAT				Agitation
813	ALCOHOL, SEROXAT	UNKNOWN, UNKNOWN		200	Coordination abnormal, Vomiting, Nausea, Dizziness, Agitation, Affect lability, Self-injurious ideation, Nervousness, Restlessness, Nightmare, Somnolence, Crying, Mood swings, Personality change, Aggression, Aggression, Suicidal ideation, Alcohol interaction, Physical assault, Anxiety, Dermatitis, Rash, Irritability, Gait disturbance, Paraesthesia, Hallucination, auditory, Hyperhidrosis, Tremor, Akathisia, Withdrawal syndrome
814	SEROXAT	UNKNOWN			Anxiety, Agitation, Completed suicide, Ill-defined disorder

815	SEROXAT	UNKNOWN			Completed suicide, Drug withdrawal syndrome
816	SEROXAT	ORAL USE	started several years ago	Paroxetine	Malaise, Erectile dysfunction, Drug withdrawal syndrome, Dependence, Tremor
817	TEMAZEPAM, GAMANIL, SEROXAT, PROZAC	ORAL USE, ORAL USE, , ORAL USE			Homicidal ideation, Anxiety, Heart rate increased, Obsessive-compulsive disorder, Violence-related symptom
818	SEROXAT		30MG per day		Ill-defined disorder, Completed suicide, Dry mouth, Aggression, Tremor
819	SEROXAT	ORAL USE			Muscle spasms, Intentional self-injury, Suicidal ideation, Headache, Vertigo, Pain, Agitation, Dizziness, Malaise, Tinnitus
820	SEROXAT				Muscular weakness, Hyperhidrosis, Drug withdrawal syndrome, Malaise, Insomnia, Tremor
821	SEROXAT				Suicidal ideation, Aggression, Drug withdrawal syndrome
822	SEROXAT				Suicidal ideation, Anger, Drug withdrawal syndrome, Irritability, Migraine, Headache, Depression
823	SEROXAT	ORAL USE			Insomnia, Mood swings, Vision blurred, Headache, Drug withdrawal syndrome, Malaise, Anxiety, Paraesthesia, Tremor
824	PAROXETINE HYDROCHLORIDE	UNKNOWN			Anxiety, Paraesthesia, Feeling of body temperature change, Hypersomnia, Anxiety, Gastroesophageal reflux disease, Blindness transient, Hypoaesthesia, Thirst, Depression, Agitation, Oral pain, Diarrhoea, Dry mouth, Mood swings, Agitation, Disturbance in attention, Sluggishness, Arthralgia, Hyperhidrosis, Constipation, Anger, Aggression, Irritability, Feeling abnormal, Hypoaesthesia, Adverse drug reaction, Hypoaesthesia facial, Fatigue, Palpitations, Hallucination, auditory, Hypoventilation, Hyperhidrosis, Personality change, Bipolar I disorder, Abnormal dreams, Blood glucose fluctuation, Nightmare, Abnormal dreams, Limb discomfort, Drug withdrawal syndrome, Polydipsia, Paraesthesia, Paraesthesia, Fear, Depressed mood
825	SEROXAT	UNKNOWN			Aggression, Drug withdrawal syndrome, Altered state of consciousness, Fatigue, Delusion, Agitation, Confusional state, Paraesthesia, Anxiety, Convulsion, Muscle disorder, Nausea, Dizziness, Suicidal ideation, Somnolence, Circulatory collapse, Disorientation, Hyperhidrosis, Muscular weakness, Vertigo, Panic attack, Tremor, Abnormal dreams
826	PAROXETINE	UNKNOWN			Depressed mood, Drug withdrawal syndrome, Aggression, Suicide attempt
827	PAROXETINE, CO-CODAMOL, CO-CODAMOL	UNKNOWN, UNKNOWN, UNKNOWN			Disturbance in attention, Appetite disorder, Suicidal ideation, Drug withdrawal syndrome, Overdose, Headache, Nightmare, Poor quality sleep
828	SEROXAT	UNKNOWN			Aggression
829	SEROXAT	UNKNOWN			Aggression, Malaise, Ocular hyperaemia, Blindness, Confusional state, Amnesia, Vision blurred, Eye swelling, Weight increased, Loss of libido, Agitation, Nightmare, Paraesthesia, Apathy, Suicidal ideation, Headache, Hyperhidrosis, Panic attack, Chorea
830	SEROXAT				Headache, Amnesia, Loss of libido, Apathy, Convulsion, Eye swelling, Vision blurred, Nightmare, Paraesthesia, Suicidal ideation, Aggression, Malaise, Weight increased, Confusional state, Ocular hyperaemia, Blindness
831	SEROXAT				Confusional state, Blindness, Nightmare, Paraesthesia, Hyperhidrosis, Loss of libido, Weight increased, Apathy, Malaise, Convulsion, Suicidal ideation, Agitation, Headache, Vision blurred, Ocular hyperaemia, Amnesia, Panic attack
832	PAROXETINE HYDROCHLORIDE				Aggression
833	SEROXAT	ORAL USE			Confusional state, Vertigo, Depressed mood, Agitation, Panic attack, Paraesthesia, Influenza like illness, Fatigue, Dizziness, Hyperhidrosis, Nightmare, Disturbance in attention, Memory impairment, Drug withdrawal syndrome, Aggression, Suicidal ideation, Anxiety, Tearfulness, Hypoaesthesia, Irritability, Lethargy, Apathy, Suicidal ideation, Alcohol abuse, Homicidal ideation, Tremor, Diarrhoea, Decreased appetite, Disturbance in attention
834	SEROXAT	ORAL USE			Dizziness, Paraesthesia, Hallucination, Post-traumatic stress disorder, Amnesia, Suicidal ideation, Drug dependence, Drug withdrawal syndrome, Convulsion, Panic attack
835	SEROXAT	ORAL USE		2986	Depression, Fatigue, Abnormal dreams, Anhedonia, Dizziness, Drug withdrawal syndrome, Headache, Nausea, Tremor
836	PAROXETINE		20MG per day		Irritability, Drug withdrawal syndrome, Paraesthesia, Nightmare, Impulsive behaviour, Suicide attempt, Aggression, Overdose, Somnolence, Insomnia, Depressed mood, Alopecia, Suicidal ideation
837	PAROXETINE				Completed suicide, Drug withdrawal syndrome, Serotonin syndrome, Drug dependence, Dizziness
838	PAROXETINE HYDROCHLORIDE, PAROXETINE HYDROCHLORIDE	UNKNOWN, ORAL USE	20MG per day,		Sleep disorder, Dizziness, Suicidal ideation, Agitation, Skin irritation, Formication, Vision blurred, Dyssomnia, Emotional disorder, Stress, Major depression, Paraesthesia, Aggression, Depression, Anger, Hypoaesthesia, Dysphemia, Nervousness, Nervousness, Mood swings, Irritability, Tremor, Withdrawal syndrome, Fear, Mood swings, Feeling of despair, Depressed mood
839	SEROXAT	UNKNOWN		280	Vomiting, Nausea, Anxiety, Suicidal ideation, Irritability, Palpitations, Dry mouth, Agitation, Drug withdrawal syndrome, Suicide attempt, Aggression, Diarrhoea, Drug withdrawal syndrome, Abdominal pain, Poor quality sleep
840	SEROXAT				Drug withdrawal syndrome, Aggression, Completed suicide
841	ZOPICLONE, THIORIDAZINE, SEROXAT	, , UNKNOWN	7TAB per day, 14TAB per day, 30MG per day		Mental status changes, Drug withdrawal syndrome, Overdose, Suicidal behaviour
842	SEROXAT	UNKNOWN		1460	Drug withdrawal syndrome, Drug dependence, Suicidal ideation
843	SEROXAT	UNKNOWN			Personality change, Laceration, Spinal fracture, Breast cancer, Lung injury, Mental impairment, Back disorder, Ankle fracture, Contusion, Suicide attempt, Intentional self-injury
844	SEROXAT	UNKNOWN			Completed suicide, Personality change, Suicide attempt
845	SEROXAT	ORAL USE	Treatment is ongoing.		Anxiety disorder, Chills, Dizziness, Crying, Arthralgia, Nausea, Anorexia, Diarrhoea, Myalgia, Drug withdrawal syndrome
846	SEROXAT		20MG Per day		Suicidal ideation, Abnormal behaviour, Completed suicide, Drug withdrawal syndrome, Intentional overdose
847	PAROXETINE HYDROCHLORIDE	UNKNOWN	20MG Per day		Eye disorder, Visual disturbance, Hallucination, auditory, Tearfulness, Depressed mood, Diarrhoea, Disorientation, Memory impairment, Dizziness, Fatigue, Headache, Sensory disturbance, Hypoaesthesia, Dizziness, Gait disturbance, Paraesthesia, Neurological symptom, Confusional state, Visual disturbance, Indifference, Derealisation, Withdrawal syndrome
848	PAROXETINE	ORAL USE			Arthralgia, Eye pain, Fatigue, Insomnia, Paraesthesia, Vision blurred, Drug withdrawal syndrome, Pruritus, Anxiety, Headache, Hypoaesthesia, Panic attack

849	SEROXAT	UNKNOWN		Paroxetine	Sleep disorder, Suicidal ideation, Weight decreased, Paraesthesia, Nightmare, Dizziness, Agitation, Diarrhoea, Fatigue, Lethargy, Fatigue, Tearfulness, Nausea, Vomiting, Dehydration, Confusional state, Influenza like illness, Self-injurious ideation, Vertigo, Hyperhidrosis, Memory impairment, Disturbance in attention, Withdrawal syndrome, Tremor, Mania, Diplopia, Paraesthesia, Obsessive-compulsive disorder, Hypersomnia, Obsessive-compulsive disorder, Hallucination, visual, Anxiety, Malaise, Anhedonia, Tinnitus, Visual acuity reduced
850	SEROXAT	ORAL USE			Depression, Balance disorder, Psychiatric symptom, Drug withdrawal syndrome, Restlessness
851	SEROXAT	UNKNOWN			Drug withdrawal syndrome, Aggression
852	SEROXAT		Currently withdrawing from therapy		Hyperhidrosis, Dizziness, Anxiety, Drug withdrawal syndrome, Feeling cold, Vision blurred, Nausea
853	PAROXETINE HYDROCHLORIDE	UNKNOWN			Palpitations, Fatigue, Bundle branch block left, Anxiety, Paraesthesia, Lethargy, Hypertension, Headache, Chest pain, Musculoskeletal stiffness, Mitral valve prolapse, Chest discomfort, Dizziness, Mitral valve incompetence, Dyspnoea, Fatigue, Hypertension, Circulatory collapse, Paraesthesia, Chest discomfort, Tinnitus, Vision blurred, Drug withdrawal syndrome, Tremor, Syncope, Malaise, Eye pain, Muscle spasms, Blood pressure increased, Neuralgia, Fatigue, Asthenia, Influenza like illness, Tearfulness, Cystitis, Withdrawal syndrome
854	SEROXAT	ORAL USE			Pain in extremity, Disturbance in attention, Increased appetite, Malaise, Balance disorder, Drug withdrawal syndrome, Dizziness, Suicidal ideation, Hallucination, Sleep disorder, Social phobia, Panic attack
855	SEROXAT	ORAL USE			Drug withdrawal syndrome, Euphoric mood, Palpitations, Vertigo, Ear discomfort, Anxiety, Anger
856	PAROXETINE	ORAL USE			Nervousness, Device psychogenic complication, Anxiety, Paranoia
857	SEROXAT, SEROXAT, SEROXAT	UNKNOWN, UNKNOWN, UNKNOWN			Drug withdrawal syndrome, Anxiety
858	SEROXAT	ORAL USE			Drug withdrawal syndrome, Anxiety, Suicidal ideation, Disturbance in attention, Suicide attempt, Overdose
859	ZOPICLONE, SEROXAT	ORAL USE, UNKNOWN	, 20MG Unknown		Aggression, Drug withdrawal syndrome, Intentional overdose
860	SEROXAT	ORAL USE	20MG Per day		Anxiety, Drug withdrawal syndrome, Aggression, Feeling abnormal, Overdose, Body temperature increased, Suicidal ideation, Intentional self-injury, Depression, Suicide attempt, Fear
861	SEROXAT	UNKNOWN	20MG Per day	29	Drug withdrawal syndrome, Aggression, Anxiety
862	MELLERIL, DIAZEPAM, SEROXAT	UNKNOWN, UNKNOWN	, 20MG per day		Weight decreased, Nausea, Anorexia, Depression, Anger, Anxiety, Overdose, Drug withdrawal syndrome, Verbal abuse, Memory impairment, Aggression, Mood altered, Suicide attempt, Condition aggravated, Cognitive disorder, Abnormal behaviour, Treatment noncompliance, Drug abuse
863	SEROXAT	UNKNOWN			Decreased appetite, Insomnia, Depressed mood, Disturbance in attention, Energy increased, Suicide attempt, Drug withdrawal syndrome, Mania, Suicidal ideation, Anger
864	SEROXAT	UNKNOWN			Sleep disorder, Drug withdrawal syndrome, Depressed mood, Hyperhidrosis, Suicidal behaviour, Tremor
865	SEROXAT	UNKNOWN			Self-injurious ideation, Suicidal ideation, Drug withdrawal syndrome, Anxiety, Intentional self-injury
866	SEROXAT	UNKNOWN	20MG per day		Anorexia, Lethargy, Morbid thoughts, Abnormal behaviour, Anxiety, Suicide attempt, Abnormal dreams, Fatigue, Sleep disorder, Drug withdrawal syndrome, Aggression, Overdose, Weight decreased, Psychomotor hyperactivity
867	SEROXAT	UNKNOWN			Drug withdrawal syndrome, Suicide attempt
868	SEROXAT	UNKNOWN			Intentional self-injury, Confusional state, Suicidal ideation, Nightmare, Paranoia, Depression, Mood swings, Lethargy, Loss of libido, Drug withdrawal syndrome, Suicide attempt, Hyperhidrosis, Disturbance in attention, Aggression, Vertigo, Nausea, Diarrhoea, Memory impairment, Influenza like illness, Anorexia, Agitation, Suicide attempt, Dizziness, Paraesthesia, Fatigue, Tremor
869	SEROXAT	UNKNOWN			Drug withdrawal syndrome, Nausea, Paraesthesia, Anxiety, Insomnia, Hypoaesthesia, Suicidal behaviour
870	SEROXAT	UNKNOWN			Crying, Drug withdrawal syndrome, Depression, Depressed mood, Hyperhidrosis, Suicidal behaviour
871	SEROXAT	UNKNOWN	20MG per day		Aggression, Suicide attempt, Drug withdrawal syndrome, Anger
872	SEROXAT	UNKNOWN	20MG Per day		Flashback, Irritability, Drug withdrawal syndrome, Suicide attempt, Intentional self-injury, Tearfulness, Anger
873	SEROXAT	UNKNOWN			Drug withdrawal syndrome, Depression, Suicidal ideation
874	SEROXAT	UNKNOWN			Suicidal behaviour, Abnormal dreams, Drug withdrawal syndrome, Aggression, Polydipsia, Sleep disorder
875	SEROXAT	UNKNOWN			Anger, Hostility, Lethargy, Suicidal ideation, Drug withdrawal syndrome, Overdose, Suicide attempt, Intentional self-injury
876	SEROXAT	UNKNOWN			Drug withdrawal syndrome, Suicide attempt, Depression
877	SEROXAT	UNKNOWN	20MG per day		Drug withdrawal syndrome, Overdose, Emotional disorder, Depressed mood, Crying, Completed suicide, Drug exposure during pregnancy, Delivery
878	SEROXAT	UNKNOWN		570	Drug withdrawal syndrome, Completed suicide, Overdose
879	SEROXAT	UNKNOWN			Ill-defined disorder, Drug withdrawal syndrome, Completed suicide, Asthenia, Asthenia
880	SEROXAT	UNKNOWN	20MG Per day		Completed suicide, Drug withdrawal syndrome, Suicidal ideation, Irritability
881	SEROXAT	UNKNOWN			Homicidal ideation, Suicidal ideation, Drug withdrawal syndrome
882	SEROXAT	UNKNOWN	10MG per day	10	Drug withdrawal syndrome, Completed suicide, Aggression
883	SEROXAT	UNKNOWN			Headache, Head injury, Loss of consciousness, Vomiting, Crying, Choking sensation, Social avoidant behaviour, Suicidal ideation, Convulsion, Psychotic disorder, Depressed mood, Incontinence, Anorexia, Disturbance in attention, Vision blurred, Musculoskeletal stiffness, Nightmare, Overdose, Poor quality sleep, Urinary incontinence, Drug withdrawal syndrome, Faecal incontinence, Convulsion, Diarrhoea, Mood swings, Malaise, Agitation, Insomnia, Anxiety, Claustrophobia, Tremor, Agoraphobia, Panic attack, Conversion disorder
884	SEROXAT	UNKNOWN			Nausea, Hyperhidrosis, Dry mouth, Dizziness, Completed suicide, Aggression, Drug withdrawal syndrome, Suicidal ideation, Depression, Hallucination, auditory, Sleep disorder, Insomnia, Early morning awakening, Overdose
885	SEROXAT	UNKNOWN			Erectile dysfunction, Chest pain, Palpitations, Dry mouth, Stomach discomfort, Hyperhidrosis, Drug withdrawal syndrome, Completed suicide
886	SEROXAT	UNKNOWN			Completed suicide, Drug withdrawal syndrome, Depressed mood, Tearfulness, Panic reaction
887	SEROXAT	UNKNOWN			Drug withdrawal syndrome, Suicide attempt, Aggression, Overdose
888	SEROXAT	UNKNOWN			Psychotic disorder, Intentional self-injury, Aggression, Suicide attempt, Self esteem decreased, Drug withdrawal syndrome, Panic attack
889	CITALOPRAM, SEROXAT	UNKNOWN			Completed suicide, Tearfulness, Overdose, Apathy, Weight fluctuation, Emotional distress, Appetite disorder, Drug withdrawal syndrome, Abortion induced, Irritability

890	SEROXAT	UNKNOWN		Paroxetine	Completed suicide, Aggression, Self-injurious ideation, Sleep disorder, Drug withdrawal syndrome, Depression
891	SEROXAT	UNKNOWN			Vitreous floaters, Disturbance in attention, Headache, Skin laceration, Drug withdrawal syndrome, Aggression, Vision blurred, Disturbance in attention, Aggression, Visual disturbance, Photophobia, Nausea
892	SEROXAT	UNKNOWN	20MG per day		Suicidal ideation, Anxiety, Paraesthesia, Nausea, Dizziness, Headache, Aggression, Avoidant personality disorder, Disturbance in attention, Mood swings, Drug withdrawal syndrome, Hyperhidrosis, Depression, Anxiety, Condition aggravated
893	SEROXAT	UNKNOWN			Drug withdrawal syndrome, Excoriation, Aggression, Completed suicide
894	SEROXAT	UNKNOWN	20MG Unknown		Drug withdrawal syndrome, Aggression, Emotional distress, Road traffic accident, Completed suicide
895	SEROXAT	UNKNOWN			Anxiety, Insomnia, Completed suicide, Aggression, Drug withdrawal syndrome, Poor quality sleep
896	SEROXAT	UNKNOWN			Completed suicide, Depressed mood, Drug withdrawal syndrome, Aggression
897	SEROXAT	UNKNOWN	20MG Unknown		Suicidal ideation, Intentional self-injury, Intentional overdose, Paranoia, Drug withdrawal syndrome, Intentional self-injury, Dizziness, Aggression
898	SEROXAT	UNKNOWN			Completed suicide, Drug withdrawal syndrome, Aggression, Intentional overdose
899	PAROXETINE HYDROCHLORIDE	UNKNOWN			Intentional self-injury, Self-injurious ideation, Mental impairment, Depressed mood, Drug withdrawal syndrome, Suicidal ideation, Overdose, Tearfulness, Anxiety, Poor quality sleep
900	SEROXAT	UNKNOWN	20MG Per day		Weight increased, Drug withdrawal syndrome, Completed suicide
901	SEROXAT	UNKNOWN			Completed suicide, Drug withdrawal syndrome, Overdose
902	SEROXAT	UNKNOWN			Agitation, Confusional state, Nausea, Paraesthesia, Intentional self-injury, Depressed mood, Suicidal ideation, Suicide attempt, Paranoia, Fatigue, Lethargy, Sleep disorder, Hyperhidrosis, Drug withdrawal syndrome, Nightmare, Overdose, Panic attack, Tremor
903	SEROXAT	UNKNOWN			Completed suicide, Drug withdrawal syndrome
904	SEROXAT	UNKNOWN			Aggression, Drug withdrawal syndrome, Anxiety, Stomach discomfort, Suicidal ideation, Lethargy, Sleep disorder, Hyperhidrosis, Agitation, Nausea, Vomiting, Intentional self-injury, Condition aggravated, Malaise, Feeling abnormal, Depressed mood, Aggression, Rash, Intentional self-injury
905	SEROXAT	UNKNOWN	20MG per day		Completed suicide, Drug withdrawal syndrome, Nausea, Nightmare, Overdose, Nervousness, Nervousness
906	SEROXAT	UNKNOWN			Depressed mood, Drug withdrawal syndrome, Completed suicide, Suicidal ideation
907	SEROXAT	UNKNOWN			Drug withdrawal syndrome, Overdose, Completed suicide
908	NAPROSYN, UNSPECIFIED DRUG, ALCOHOL, SEROXAT	UNKNOWN, UNKNOWN, UNKNOWN, UNKNOWN			Crying, Overdose, Drug withdrawal syndrome, Completed suicide
909	SEROXAT, PAROXETINE, ZOPICLONE	UNKNOWN, UNKNOWN	30MG Per day, 7.5MG Per day		Suicide attempt, Overdose, Memory impairment, Disturbance in attention, Drug withdrawal syndrome, Fatigue, Suicide attempt, Confusional state, Agitation, Dizziness, Hearing impaired, Dizziness, Visual disturbance, Headache, Hyperhidrosis
910	SEROXAT, ALCOHOL	UNKNOWN, UNKNOWN			Condition aggravated, Overdose, Drug withdrawal syndrome, Dizziness, Sleep disorder, Suicidal ideation, Disturbance in attention, Nightmare, Hypoaesthesia oral, Mood swings, Suicide attempt, Vertigo, Dizziness, Insomnia, Drug exposure during pregnancy, Influenza, Hyperhidrosis, Paraesthesia, Vomiting, Agitation, Paraesthesia, Memory impairment, Lethargy, Confusional state, Fatigue, Adverse drug reaction, Adverse drug reaction, Influenza like illness, Malaise
911	SEROXAT	UNKNOWN	20MG Per day		Drug withdrawal syndrome, Completed suicide
912	SEROXAT	UNKNOWN			Drug withdrawal syndrome, Headache, Aggression, Lethargy, Disturbance in attention, Memory impairment, Fatigue, Feeling abnormal, Tearfulness, Suicidal behaviour, Depression, Mood swings, Dizziness, Influenza, Nausea, Agitation, Paraesthesia, Vertigo, Insomnia, Hyperhidrosis, Tremor, Tremor
913	SEROXAT	UNKNOWN			Completed suicide, Aggression, Drug withdrawal syndrome
914	DIAZEPAM, ALCOHOL, SEROXAT	UNKNOWN, UNKNOWN, UNKNOWN	, , 20MG Unknown		Overdose, Drug withdrawal syndrome, Grand mal convulsion, Aggression, Completed suicide
915	SEROXAT	UNKNOWN	20MG Per day		Completed suicide, Aggression, Drug withdrawal syndrome
916	SEROXAT	UNKNOWN			Drug withdrawal syndrome, Aggression, Overdose, Completed suicide
917	PARACETAMOL, DIAZEPAM, SEROXAT	UNKNOWN, UNKNOWN, UNKNOWN			Tinnitus, Self-injurious ideation, Overdose, Suicide attempt, Aggression, Drug withdrawal syndrome, Nightmare, Physical assault, Violence-related symptom
918	SEROXAT	UNKNOWN			Aggression, Drug withdrawal syndrome, Suicidal behaviour, Dizziness, Paraesthesia, Headache, Mood swings, Influenza, Feeling abnormal, Confusional state, Overdose, Hyperhidrosis, Nightmare, Aggression, Tremor
919	MDMA, VALIUM, PARACETAMOL, SEROXAT	UNKNOWN, UNKNOWN, UNKNOWN, UNKNOWN		514	Drug withdrawal syndrome, Aggression, Suicide attempt, Overdose
920	SEROXAT, PARACETAMOL	UNKNOWN, UNKNOWN			Overdose, Nausea, Paraesthesia, Dizziness, Alcohol poisoning, Suicide attempt, Drug withdrawal syndrome, Aggression, Suicidal ideation
921	TEMAZEPAM, DIAZEPAM, SEROXAT	UNKNOWN, UNKNOWN, UNKNOWN			Suicidal ideation, Overdose, Suicidal ideation, Aggression, Drug withdrawal syndrome
922	SEROXAT	UNKNOWN			Completed suicide, Drug withdrawal syndrome, Aggression
923	SEROXAT	UNKNOWN	20MG Per day		Homicidal ideation, Completed suicide, Aggression, Anorgasmia, Drug withdrawal syndrome, Overdose
924	SEROXAT	UNKNOWN			Drug withdrawal syndrome, Aggression, Completed suicide, Overdose, Intentional self-injury
925	SEROXAT	UNKNOWN			Weight increased, Suicidal ideation, Agitation, Suicidal ideation, Aggression, Drug withdrawal syndrome, Suicidal ideation, Anxiety, Mood swings, Lethargy, Nightmare, Disturbance in attention, Paranoia, Confusional state, Emotional distress, Emotional disorder, Hyperhidrosis, Memory impairment, Irritability, Dizziness, Diarrhoea, Increased appetite, Suicide attempt, Fatigue, Paraesthesia, Intentional self-injury, Overdose, Tremor, Fear, Affective disorder, Emotional distress, Tearfulness
926	SEROXAT	UNKNOWN			Suicidal ideation, Aggression, Tearfulness, Drug ineffective, Depression, Social avoidant behaviour, Overdose, Suicide attempt, Drug withdrawal syndrome
927	SEROXAT	UNKNOWN			Drug withdrawal syndrome, Emotional disorder, Suicide attempt, Anger, Anxiety, Aggression, Panic reaction
928	SEROXAT	UNKNOWN			Disturbance in attention, Lethargy, Confusional state, Intentional self-injury, Suicide attempt, Agitation, Dizziness, Suicidal ideation, Memory impairment, Hyperhidrosis, Drug withdrawal syndrome, Aggression, Panic attack, Tremor, Fatigue, Abdominal discomfort, Fatigue, Overdose

929	SEROXAT	UNKNOWN		Paroxetine	Erectile dysfunction, Aggression, Libido decreased, Anger, Suicide attempt, Irritability, Drug withdrawal syndrome
930	PARACETAMOL, ALCOHOL, SEROXAT	UNKNOWN, UNKNOWN, UNKNOWN			Feeling abnormal, Drug withdrawal syndrome, Nausea, Completed suicide, Overdose
931	SEROXAT	UNKNOWN			Drug withdrawal syndrome, Completed suicide
932	SEROXAT	UNKNOWN			Overdose, Drug withdrawal syndrome, Mood altered, Suicide attempt
933	SEROXAT	UNKNOWN	20MG Unknown		Suicide attempt, Overdose, Drug withdrawal syndrome
934	SEROXAT	UNKNOWN			Suicidal ideation, Drug withdrawal syndrome, Condition aggravated, Depressed mood, Anger, Agitation, Frustration, Anorexia, Aggression, Aggression
935	SEROXAT	UNKNOWN			Drug withdrawal syndrome, Completed suicide
936	SEROXAT	UNKNOWN			Drug withdrawal syndrome, Suicidal ideation, Depressed mood, Completed suicide
937	PARACETAMOL, ALCOHOL, SEROXAT	UNKNOWN, UNKNOWN, UNKNOWN			Overdose, Drug withdrawal syndrome, Suicide attempt
938	SEROXAT	UNKNOWN			Drug withdrawal syndrome, Overdose, Completed suicide, Multiple drug overdose
939	SEROXAT	UNKNOWN	Prescribed at various dates		Hyperhidrosis, Agitation, Headache, Insomnia, Influenza, Confusional state, Drug withdrawal syndrome, Disturbance in attention, Fatigue, Vertigo, Muscle twitching, Vomiting, Condition aggravated, Nausea, Memory impairment, Libido decreased, Suicide attempt, Weight increased, Nightmare, Suicidal ideation
940	SEROXAT	UNKNOWN			Suicide attempt, Drug withdrawal syndrome, Memory impairment, Influenza, Lethargy, Dizziness, Fatigue, Paraesthesia, Intentional self-injury, Agitation, Confusional state, Disturbance in attention, Hyperhidrosis, Nightmare, Vertigo, Hallucination, Suicidal ideation, Tremor
941	SEROXAT	UNKNOWN			Completed suicide, Drug withdrawal syndrome
942	SEROXAT	UNKNOWN	20MG Per day		Drug withdrawal syndrome, Completed suicide
943	SEROXAT	UNKNOWN			Aggression, Crying, Anxiety, Abnormal dreams, Anxiety, Drug withdrawal syndrome, Suicidal behaviour, Nervousness, Muscle twitching, Paraesthesia, Anxiety disorder, Depression, Panic reaction, Tremor, Anger, Overdose
944	SEROXAT	UNKNOWN			Drug withdrawal syndrome, Completed suicide
945	SEROXAT	UNKNOWN			Completed suicide, Drug withdrawal syndrome, Anger, Emotional distress, Suicidal ideation
946	SEROXAT	UNKNOWN	20MG per day		Drug withdrawal syndrome, Anxiety, Stress, Aggression, Insomnia
947	SEROXAT	UNKNOWN			Suicide attempt, Drug withdrawal syndrome
948	SEROXAT	UNKNOWN	20MG Per day		Drug withdrawal syndrome, Completed suicide
949	SEROXAT	UNKNOWN			Suicide attempt, Paraesthesia, Depression, Drug withdrawal syndrome, Suicidal ideation, Nausea, Lethargy, Tremor
950	SEROXAT	UNKNOWN			Drug withdrawal syndrome, Overdose, Suicidal ideation
951	SEROXAT	UNKNOWN			Drug withdrawal syndrome, Self-injurious ideation, Suicidal ideation, Aggression, Confusional state, Nightmare, Suicide attempt, Sleep disorder, Hallucination, Agitation, Memory impairment, Disturbance in attention, Hyperhidrosis, Abnormal behaviour
952	SEROXAT	UNKNOWN	20MG See dosage text		Suicidal ideation, Drug withdrawal syndrome
953	SEROXAT	UNKNOWN			Dizziness, Loss of consciousness, Weight increased, Fatigue, Feeling cold, Anxiety, Drug withdrawal syndrome, Completed suicide, Palpitations, Tremor
954	ALCOHOL, SEROXAT	UNKNOWN, UNKNOWN			Completed suicide, Overdose, Drug withdrawal syndrome, Increased appetite, Libido increased, Hypomania, Disinhibition, Affect lability, Irritability, Abnormal behaviour, Poor quality sleep
955	SEROXAT	UNKNOWN	20MG Per day	30	Drug withdrawal syndrome, Completed suicide
956	ASPIRIN, IBUPROFEN, ALCOHOL, SEROXAT	UNKNOWN, UNKNOWN, UNKNOWN			Completed suicide, Drug withdrawal syndrome, Suicide attempt, Overdose
957	SEROXAT	UNKNOWN			Completed suicide, Drug withdrawal syndrome
958	SEROXAT	UNKNOWN	20MG Per day		Drug withdrawal syndrome, Overdose, Completed suicide, Suicide attempt, Dystonia
959	SEROXAT	UNKNOWN	20MG per day		Drug withdrawal syndrome, Suicidal ideation, Depression
960	SEROXAT, DOTHIPIIN, ALCOHOL	UNKNOWN, ,			Insomnia, Aggression, Appetite disorder, Suicidal ideation, Hypersomnia, Mood swings, Nausea, Vomiting, Tearfulness, Headache, Emotional disorder, Dissociation, Memory impairment, Agitation, Abnormal dreams, Feeling of despair, Restless legs syndrome, Nervousness, Anxiety, Disturbance in attention, Abdominal pain, Dysarthria, Diarrhoea, Mania, Fatigue, Elevated mood, Night sweats, Weight fluctuation, Balance disorder, Hangover, Influenza like illness, Paranoia, Paraesthesia, Overdose, Drug withdrawal syndrome, Hyperhidrosis, Affect lability, Chest pain, Anger, Tension, Vision blurred, Suicidal behaviour, Tremor
961	SEROXAT	UNKNOWN			Completed suicide, Suicide attempt, Drug withdrawal syndrome
962	SEROXAT	UNKNOWN			Drug withdrawal syndrome, Suicide attempt, Nervousness, Suicidal ideation, Aggression, Paranoia, Blindness, Sensory disturbance, Tremor, Agoraphobia, Fear, Claustrophobia, Withdrawal syndrome
963	SEROXAT	UNKNOWN			Overdose, Poor quality sleep, Weight decreased, Diarrhoea, Anorexia, Dizziness, Nausea, Paraesthesia, Drug withdrawal syndrome, Suicidal behaviour, Hyperhidrosis, Insomnia, Nightmare, Depressed mood, Anxiety, Fatigue, Dependence
964	SEROXAT	UNKNOWN			Suicide attempt, Weight increased, Overdose, Drug withdrawal syndrome
965	SEROXAT	UNKNOWN	20MG per day		Depression, Disability, Intentional self-injury, Depressed mood, Visual disturbance, Abortion induced, Dizziness, Disturbance in attention, Headache, Insomnia, Dizziness, Anxiety, Mood swings, Drug withdrawal syndrome, Depression, Suicidal ideation, Decreased interest
966	DIAZEPAM, THIORIDAZINE, ALCOHOL, SALICYLATE SODIUM, WARFARIN, SEROXAT	UNKNOWN, UNKNOWN, UNKNOWN, UNKNOWN, UNKNOWN			Overdose, Suicidal ideation, Depressed mood, Drug withdrawal syndrome
967	SEROXAT	UNKNOWN	20MG per day		Suicidal ideation, Aggression, Drug withdrawal syndrome
968	SEROXAT	UNKNOWN	20MG per day		Insomnia, Mood swings, Aggression, Dissociation, Abdominal pain, Drug withdrawal syndrome, Aggression, Hyperhidrosis, Panic attack, Homicide
969	SEROXAT	UNKNOWN	20MG Per day		Dissociation, Derealisation, Fatigue, Flashback, Aggression, Gait disturbance, Influenza, Anger, Suicidal ideation, Dizziness, Convulsion, Drug withdrawal syndrome, Suicidal ideation, Malaise, Photosensitivity reaction, Nausea, Death, Panic attack
970	SEROXAT	UNKNOWN	20MG per day		Drug withdrawal syndrome, Aggression
971	SEROXAT, SEROXAT	UNKNOWN, UNKNOWN			Aggression, Drug withdrawal syndrome

972	PAROXETINE, SEROXAT	UNKNOWN		Paroxetine	Diarrhoea, Vomiting, Nausea, Disturbance in attention, Memory impairment, Lethargy, Electric shock, Influenza like illness, Fatigue, Drug withdrawal syndrome, Aggression, Mood swings, Feeling abnormal, Dizziness, Hyperhidrosis, Somnolence, Feeling abnormal, Migraine, Nightmare, Myalgia
973	SEROXAT	UNKNOWN	20MG per day		Dizziness, Pain, Bedridden, Drug withdrawal syndrome, Aggression, Muscle contractions involuntary, Paraesthesia, Muscle spasms, Burning sensation, Wheezing, Headache, Pain, Musculoskeletal stiffness, Insomnia, Muscle spasms
974	SEROXAT	UNKNOWN			Abdominal pain upper, Anorexia, Aggression, Vision blurred, Drug withdrawal syndrome, Mania, Intentional self-injury, Amnesia, Insomnia, Aggression, Disturbance in attention
975	SEROXAT	UNKNOWN			Aggression, Drug withdrawal syndrome, Diarrhoea, Fatigue
976	SEROXAT	UNKNOWN			Condition aggravated, Anxiety, Aggression, Paranoia, Insomnia, Suicide attempt, Suicidal ideation, Intentional self-injury, Mood swings, Sensory disturbance, Drug withdrawal syndrome, Suicidal ideation, Irritability, Aggression, Depressed mood, Panic attack, Dyskinesia
977	SEROXAT	UNKNOWN	20MG per day		Aggression, Drug withdrawal syndrome, Anger, Suicidal ideation, Suicide attempt, Adverse event, Abnormal behaviour, Fear
978	SEROXAT	UNKNOWN		3	Drug withdrawal syndrome, Aggression, Psychotic disorder
979	ALCOHOL, SEROXAT	UNKNOWN			Suicidal ideation, Alcohol interaction, Anxiety, Aggression, Aggression, Drug withdrawal syndrome, Panic attack
980	SEROXAT	UNKNOWN			Drug withdrawal syndrome, Aggression
981	SEROXAT	UNKNOWN			Drug withdrawal syndrome, Aggression, Depressed mood, Fatigue
982	SEROXAT	UNKNOWN			Aggression, Memory impairment, Drug withdrawal syndrome, Suicide attempt, Disturbance in attention, Nightmare, Hyperhidrosis, Dizziness, Sleep disorder, Tremor
983	SEROXAT	UNKNOWN			Drug withdrawal syndrome, Aggression
984	SEROXAT	UNKNOWN			Drug withdrawal syndrome, Anxiety, Depression, Dizziness, Nausea, Aggression
985	SEROXAT	UNKNOWN			Depressed mood, Disturbance in attention, Early morning awakening, Overdose, Drug withdrawal syndrome, Aggression, Aggression, Alcoholism, Poor quality sleep
986	SEROXAT	UNKNOWN	20MG per day		Drug withdrawal syndrome, Aggression
987	PAROXETINE HYDROCHLORIDE, TOLTERODINE	UNKNOWN,			Vertigo, Drug interaction, Syncope vasovagal, Drug withdrawal syndrome, Feeling abnormal
988	PAROXETINE HYDROCHLORIDE	UNKNOWN			Headache, Dizziness, Depression, Drug withdrawal syndrome, Gastrointestinal disorder, Dyspnoea, Paraesthesia, Suicide attempt, Memory impairment, Visual acuity reduced, Abdominal pain upper, Insomnia, Tremor, Panic attack
989	PAROXETINE HYDROCHLORIDE	UNKNOWN			Depressed level of consciousness, Drug withdrawal syndrome, Headache, Hallucination, Anxiety, Condition aggravated, Agitation, Anxiety, Tremor
990	PAROXETINE HYDROCHLORIDE	UNKNOWN			Drug ineffective, Drug withdrawal syndrome, Loss of consciousness, Dizziness
991	PAROXETINE HYDROCHLORIDE	UNKNOWN	20MG Per day		Somnolence, Terminal state, Confusional state, Drug withdrawal syndrome, Inappropriate antidiuretic hormone secretion, Unresponsive to stimuli
992	PAROXETINE HYDROCHLORIDE	UNKNOWN			Drug withdrawal syndrome, Adverse drug reaction, Aggression, Emotional disorder, Depressed level of consciousness, Paraesthesia, Agitation, Premature ejaculation, Tinnitus
993	PAROXETINE HYDROCHLORIDE	UNKNOWN			Drug withdrawal syndrome, Suicidal ideation, Thinking abnormal, Headache, Confusional state, Nausea, Balance disorder, Agitation, Sleep disorder, Depressed mood, Paraesthesia, Nightmare, Tremor
994	PAROXETINE HYDROCHLORIDE	UNKNOWN			Depressed mood, Emotional distress, Dizziness, Drug withdrawal syndrome, Malaise, Insomnia, Sleep disorder, Lethargy, Nervousness, Agitation, Lethargy, Suicidal ideation, Fatigue
995	PAROXETINE HYDROCHLORIDE	UNKNOWN			Feeling abnormal, Palpitations, Euphoric mood, Overdose, Drug withdrawal syndrome, Suicide attempt
996	PAROXETINE HYDROCHLORIDE	UNKNOWN			Depression, Emotional distress, Suicidal ideation, Anxiety, Drug withdrawal syndrome, Confusional state, Crying, Malaise
997	PAROXETINE HYDROCHLORIDE	UNKNOWN	40MG per day		Flashback, Condition aggravated, Overdose, Suicidal ideation, Drug withdrawal syndrome, Feeling abnormal, Suicidal ideation, Confusional state, Psychotic disorder, Sciatica, Depressed mood, Dissociation, Delusion
998	PAROXETINE HYDROCHLORIDE	UNKNOWN	20MG Unknown		Suicidal ideation, Erectile dysfunction, Depression, Flat affect, Nausea, Lethargy, Drug withdrawal syndrome, Headache, Sleep disorder, Weight decreased, Hyperhidrosis, Confusional state, Intentional self-injury, Anxiety, Tremor, Balance disorder, Disturbance in attention, Memory impairment, Memory impairment, Withdrawal syndrome, Coordination abnormal
999	PAROXETINE HYDROCHLORIDE	UNKNOWN			Drug withdrawal syndrome, Hyperhidrosis, Increased appetite, Disturbance in sexual arousal, Disturbance in attention, Asthenia, Psychiatric symptom, Gastric disorder, Palpitations, Headache, Tinnitus, Nausea, Hyperhidrosis, Vomiting, Anxiety, Dry mouth, Violence-related symptom
1000	PAROXETINE HYDROCHLORIDE	UNKNOWN			Fatigue, Lethargy, Suicide attempt, Anger, Overdose, Hyperhidrosis, Drug withdrawal syndrome, Intentional self-injury, Palpitations, Vertigo, Anxiety, Fatigue, Tearfulness, Suicidal ideation, Self-injurious ideation, Dependence, Nausea, Asthenia, Disturbance in attention, Depression, Insomnia, Emotional distress
1001	PAROXETINE HYDROCHLORIDE	UNKNOWN			Drug withdrawal syndrome, Suicidal ideation, Intentional self-injury, Hallucination, auditory, Overdose, Panic attack
1002	PAROXETINE HYDROCHLORIDE	UNKNOWN	20MG per day		Drug withdrawal syndrome
1003	SEROXAT				Disturbance in attention, Lethargy, Depression, Fatigue, Euphoric mood, Indifference
1004	PAROXETINE HYDROCHLORIDE	UNKNOWN			Anger, Drug withdrawal syndrome, Suicidal ideation, Dependence, Emotional disorder, Suicidal ideation, Depression, Tearfulness, Irritability
1005	PAROXETINE HYDROCHLORIDE	UNKNOWN	20MG Per day		Blood amylase increased, Abdominal pain, Vomiting, Diarrhoea, Drug withdrawal syndrome
1006	PAROXETINE HYDROCHLORIDE	UNKNOWN	20MG per day		Agitation, Irritability, Drug withdrawal syndrome, Depressed mood, Depression, Anger
1007	PAROXETINE HYDROCHLORIDE	UNKNOWN			Insomnia, Drug dependence, Drug withdrawal syndrome, Psychiatric symptom, Dissociation, Dizziness, Headache, Headache, Self esteem decreased, Ill-defined disorder, Paraesthesia, Fear, Panic attack
1008	PAROXETINE HYDROCHLORIDE	UNKNOWN			Hallucination, Drug withdrawal syndrome
1009	PAROXETINE HYDROCHLORIDE	UNKNOWN			Suicidal ideation, Drug withdrawal syndrome, Nightmare, Depressive symptom, Depression, Dizziness, Skin disorder, Muscle twitching, Restlessness, Paraesthesia, Nausea, Headache, Hyperhidrosis, Fatigue, Aggression, Social avoidant behaviour, Lethargy, Tremor, Violence-related symptom, Hyperacusis, Anorexia, Insomnia, Aggression, Depressed mood, Anger, Anger, Tension, Irritability, Antisocial personality disorder, Emotional distress, Homicidal ideation
1010	PAROXETINE HYDROCHLORIDE	UNKNOWN			Depressed mood, Homicidal ideation, Suicidal ideation, Intentional self-injury, Intentional overdose, Drug withdrawal syndrome, Intentional self-injury
1011	SEROXAT	ORAL USE			Drug withdrawal syndrome
1012	PAROXETINE HYDROCHLORIDE	UNKNOWN			Anxiety, Anger, Drug withdrawal syndrome, Insomnia, Irritability, Suicidal ideation, Stress, Panic attack

1013	PAROXETINE HYDROCHLORIDE	UNKNOWN	20MG per day	Paroxetine	Lethargy, Drug withdrawal syndrome, Asthenia, Nausea, Palpitations, Gastrointestinal disorder, Dizziness, Paraesthesia
1014	PAROXETINE HYDROCHLORIDE	UNKNOWN			Depressed mood, Emotional disorder, Anxiety, Somnolence, Drug withdrawal syndrome, Humerus fracture, Road traffic accident, Convulsion
1015	PAROXETINE HYDROCHLORIDE	UNKNOWN			Drug withdrawal syndrome, Suicidal ideation, Anxiety
1016	PAROXETINE HYDROCHLORIDE PAROXETINE HYDROCHLORIDE	UNKNOWN, ORAL USE			Irritability, Depression, Anger, Frustration, Drug withdrawal syndrome, Memory impairment, Drug dependence, Sexual dysfunction, Anger, Lethargy, Paraesthesia, Irritability, Urticaria, Night sweats, Tremor, Tremor
1017	PAROXETINE HYDROCHLORIDE	UNKNOWN			Dizziness, Fatigue, Anxiety, Balance disorder, Visual disturbance, Dissociation, Paraesthesia, Malaise, Drug withdrawal syndrome
1018	SEROXAT	UNKNOWN	20MG per day	1095	Mood swings, Anxiety, Major depression, Memory impairment, Poor quality sleep, Disturbance in attention, Depression, Fatigue, Anger, Headache, Drug withdrawal syndrome, Convulsion
1019	PAROXETINE HYDROCHLORIDE	UNKNOWN	20MG per day		Drug withdrawal syndrome
1020	PAROXETINE HYDROCHLORIDE	UNKNOWN			Self esteem decreased, Fatigue, Coordination abnormal, Suicidal ideation, Depression, Drug withdrawal syndrome, Nightmare, Loss of consciousness, Visual disturbance, Hallucination, Irritability, Anger, Headache, Mood swings, Hypoaesthesia, Panic attack
1021	PAROXETINE HYDROCHLORIDE	UNKNOWN		571	Hypomania, Agitation, Sensory disturbance, Fatigue, Arthralgia, Myalgia, Coordination abnormal, Emotional disorder, Insomnia, Suffocation feeling, Drug withdrawal syndrome, Influenza like illness, Nausea, Suicidal ideation, Hyperhidrosis, Depression, Dizziness, Confusional state, Aggression, Diarrhoea, Crying, Tinnitus, Sensory disturbance, Tremor, Psychomotor hyperactivity, Anxiety
1022	PAROXETINE HYDROCHLORIDE	UNKNOWN			Disturbance in attention, Suicidal ideation, Initial insomnia, Depressed mood, Apathy, Intentional self-injury, Malaise, Drug withdrawal syndrome
1023	PAROXETINE HYDROCHLORIDE	UNKNOWN			Tearfulness, Suicidal ideation, Drug withdrawal syndrome, Anhedonia, Hypersomnia, Disturbance in attention, Memory impairment, Affective disorder, Self esteem decreased, Apathy
1024	PAROXETINE HYDROCHLORIDE	UNKNOWN	20MG Per day		Fatigue, Dizziness, Confusional state, Influenza like illness, Nightmare, Hallucination, auditory, Headache, Diplopia, Agitation, Emotional disorder, Headache, Hallucination, Hallucination, auditory, Suicidal ideation, Vision blurred, Insomnia, Disturbance in attention, Self-injurious ideation, Paraesthesia, Memory impairment, Anxiety, Eyelid ptosis, Hallucination, visual, Drug withdrawal syndrome, Hyperhidrosis, Lethargy, Nausea, Eyelid ptosis, Tremor, Panic attack
1025	SEROXAT	UNKNOWN			Vomiting, Tinnitus, Flushing, Aggression, Drug dependence, Agitation, Malaise, Drug withdrawal syndrome, Dizziness, Hyperhidrosis, Fatigue, Visual disturbance, Pruritus generalised, Libido decreased, Anger
1026	PAROXETINE HYDROCHLORIDE	UNKNOWN			Drug withdrawal syndrome
1027	PAROXETINE HYDROCHLORIDE	UNKNOWN			Drug withdrawal syndrome, Anxiety disorder, Tearfulness, Depressed mood, Suicidal ideation, Decreased interest, Depression
1028	PAROXETINE HYDROCHLORIDE	UNKNOWN			Restlessness, Bruxism, Psychiatric symptom, Frustration, Anxiety, Nausea, Aggression, Tension, Balance disorder, Arthralgia, Coordination abnormal, Memory impairment, Loss of libido, Snoring, Anxiety, Stress, Disturbance in attention, Fatigue, Sleep disorder, Salivary duct obstruction, Mood swings, Amnesia, Pollakiuria, Temperature intolerance, Polymenorrhoea, Muscle spasms, Temperature intolerance, Drug withdrawal syndrome, Hearing impaired, Groin abscess
1029	PAROXETINE HYDROCHLORIDE	UNKNOWN			Drug withdrawal syndrome, Abnormal dreams, Intentional self-injury, Insomnia, Bulimia nervosa, Irritability, Paranoia, Bulimia nervosa, Intentional self-injury, Paranoia, Suicidal ideation, Negativism, Aggression, Asthenia, Anxiety, Suicidal ideation, Depressed mood, Panic attack, Mood swings, Crying
1030	PAROXETINE HYDROCHLORIDE	UNKNOWN			Aggression, Nightmare, Paraesthesia, Drug withdrawal syndrome
1031	PAROXETINE HYDROCHLORIDE	UNKNOWN			Drug withdrawal syndrome, Tension, Anxiety, Impulsive behaviour, Derealisation, Indifference, Aggression
1032	PAROXETINE HYDROCHLORIDE, LOFEPRAMINE	UNKNOWN, UNKNOWN			Suicidal ideation, Depression, Malaise, Night sweats, Disinhibition, Irritability, Hypomania, Drug withdrawal syndrome, Poor quality sleep
1033	PAROXETINE HYDROCHLORIDE	UNKNOWN			Drug withdrawal syndrome
1034	PAROXETINE HYDROCHLORIDE	UNKNOWN	20MG per day		Drug withdrawal syndrome, Thinking abnormal, Nausea, Dizziness, Depersonalisation, Irritability, Disturbance in attention, Vision blurred, Tearfulness, Influenza like illness, Migraine, Memory impairment, Weight increased, Mental status changes, Anger, Nightmare, Confusional state, Intentional self-injury, Hypoaesthesia, Paraesthesia, Mood swings, Hyperhidrosis, Insomnia, Tremor
1035	PAROXETINE				Aggression, Drug withdrawal syndrome
1036	PAROXETINE				Drug withdrawal syndrome, Aggression, Aggression
1037	PAROXETINE HYDROCHLORIDE	UNKNOWN			Aggression, Suicidal ideation, Intentional self-injury, Disturbance in attention, Anger, Suicide attempt, Mood swings, Anorexia, Irritability, Self-injurious ideation, Overdose, Dizziness, Nausea, Vomiting, Abnormal sensation in eye, Pain, Dizziness, Tearfulness, Mood altered, Delusion, Insomnia, Drug withdrawal syndrome, Weight increased, Suspiciousness, Malaise, Alcohol use, Deja vu, Tremor
1038	PAROXETINE		20MG Per day		Aggression, Drug withdrawal syndrome, Suicidal ideation, Overdose, Aggression, Completed suicide
1039	PAROXETINE				Aggression, Completed suicide, Drug withdrawal syndrome
1040	SEROXAT	UNKNOWN			Drug withdrawal syndrome, Completed suicide, Agitation
1041	SEROXAT	UNKNOWN			Drug withdrawal syndrome, Bipolar I disorder, Suicidal ideation, Depression, Anxiety, Mood swings, Anxiety
1042	SEROXAT	UNKNOWN			Somnolence, Haematemesis, Drug withdrawal syndrome, Depression, Anxiety, Intentional self-injury
1043	SEROXAT	UNKNOWN	20MG Unknown		Overdose, Drug withdrawal syndrome, Aggression, Completed suicide
1044	PAROXETINE HYDROCHLORIDE	UNKNOWN			Nausea, Paraesthesia, Mental disorder, Drug withdrawal syndrome, Mania
1045	SEROXAT	UNKNOWN	20MG Unknown		Suicidal ideation, Dizziness, Agitation, Memory impairment, Influenza, Aggression, Headache, Dizziness, Suicide attempt, Paraesthesia, Nausea, Hyperhidrosis, Palpitations, Abnormal dreams, Mood altered, Vomiting, Disturbance in attention, Confusional state, Abnormal dreams, Drug withdrawal syndrome
1046	SEROXAT	UNKNOWN			Anxiety, Galactorrhoea, Breast mass, Paraesthesia, Pain, Pain, Tearfulness, Emotional disorder, Visual field defect, Convulsion, Loss of consciousness, Amnesia, Mood swings, Paraesthesia, Drug withdrawal syndrome, Completed suicide, Hypoaesthesia
1047	SEROXAT	UNKNOWN	20MG Per day		Depression, Suicidal ideation, Tearfulness, Aggression, Drug withdrawal syndrome, Completed suicide, Poor quality sleep, Drug exposure during pregnancy
1048	SEROXAT	UNKNOWN	20MG Per day		Completed suicide, Personality change, Nausea, Drug withdrawal syndrome, Restlessness, Abnormal behaviour
1049	SEROXAT, MIRENA, MIRENA	UNKNOWN, ,			Paraesthesia, Drug withdrawal syndrome

1050	SEROXAT			Paroxetine	Stress, Chloasma, Immune system disorder, Dizziness, Headache, Paranoia, Anxiety, Memory impairment, Drug withdrawal syndrome, Suicidal behaviour, Fatigue, Fatigue, Claustrophobia, Agoraphobia, Panic attack
1051	SEROXAT	UNKNOWN	20MG per day	478	Suicide attempt, Nausea, Eating disorder, Aggression, Drug withdrawal syndrome, Feeling abnormal, Suicide attempt, Intentional self-injury, Completed suicide
1052	DOTHIEPIN, ALCOHOL, SEROXAT	UNKNOWN, UNKNOWN, UNKNOWN	, , 20MG Per day		Convulsion, Drug withdrawal syndrome, Suicide attempt, Overdose
1053	SEROXAT				Overdose, Drug withdrawal syndrome, Suicide attempt, Aggression, Fatigue, Hyperhidrosis, Dizziness, Nausea
1054	SEROXAT		20MG per day		Drug withdrawal syndrome, Aggression, Completed suicide
1055	SEROXAT	UNKNOWN	20MG per day		Completed suicide, Drug withdrawal syndrome
1056	SEROXAT	UNKNOWN			Completed suicide, Drug withdrawal syndrome
1057	SEROXAT	UNKNOWN			Disorientation, Malaise, Paraesthesia, Aggression, Drug withdrawal syndrome, Nightmare, Tearfulness, Electric shock, Sensory disturbance, Dizziness, Aggression, Vertigo, Emotional distress, Agitation
1058	SEROXAT	UNKNOWN			Aggression, Drug withdrawal syndrome, Completed suicide
1059	SEROXAT	UNKNOWN			Drug withdrawal syndrome, Hyperhidrosis, Sleep disorder, Feeling abnormal, Weight increased, Tearfulness, Crying, Nausea, Anxiety, Anxiety, Nervousness, Paranoia, Memory impairment, Agitation, Suicidal ideation, Dizziness, Confusional state, Influenza, Dizziness, Nightmare, Lethargy, Panic reaction
1060	SEROXAT	UNKNOWN	20MG Per day		Drug withdrawal syndrome, Aggression
1061	SEROXAT	UNKNOWN			Completed suicide, Aggression, Drug withdrawal syndrome, Erectile dysfunction
1062	SEROXAT	UNKNOWN	20MG Unknown		Drug withdrawal syndrome, Aggression, Completed suicide
1063	SEROXAT	UNKNOWN			Erectile dysfunction, Hypomania, Aggression, Insomnia, Psychotic disorder, Drug withdrawal syndrome, Aggression
1064	SEROXAT	UNKNOWN			Completed suicide, Drug withdrawal syndrome
1065	SEROXAT	UNKNOWN			Anxiety, Obsessive thoughts, Drug withdrawal syndrome, Sleep disorder, Disturbance in attention, Lethargy, Aggression, Condition aggravated, Depression, Anger, Diarrhoea, Memory impairment, Nightmare, Obsessive-compulsive disorder, Irritability, Drug dependence
1066	SEROXAT	UNKNOWN			Suicidal ideation, Drug withdrawal syndrome, Lethargy, Insomnia
1067	SULPIRIDE, SEROXAT	UNKNOWN, UNKNOWN	100MG Twice per day,		Overdose, Suicide attempt, Aggression, Drug withdrawal syndrome, Insomnia
1068	SEROXAT	UNKNOWN			Flashback, Malaise, Psychotic disorder, Hallucination, auditory, Hallucination, visual, Aggression, Suicide attempt, Suicidal ideation, Withdrawal syndrome
1069	PAROXETINE	ORAL USE	Started at 20mg dose now reduced to 10mg		Suicide attempt, Anxiety, Insomnia, Disturbance in attention, Dry mouth, Paraesthesia, Loss of libido, Micturition urgency, Aggression, Negative thoughts, Drug withdrawal syndrome, Pain, Affect lability, Ejaculation failure, Suicidal ideation, Tremor
1070	PAROXETINE	ORAL USE			Suicidal ideation, Muscle twitching, Aggression, Agitation, Withdrawal syndrome
1071	PAROXETINE	ORAL USE			Drug withdrawal syndrome, Stomach discomfort, Paraesthesia, Palpitations
1072	SEROXAT	UNKNOWN			Hyperhidrosis, Mood swings, Drug withdrawal syndrome
1073	SEROXAT	ORAL USE			Anxiety, Aggression, Suicidal ideation, Drug dependence
1074	SEROXAT	ORAL USE	20-30 mg		Irritability, Amnesia, Anxiety, Disturbance in attention, Drug withdrawal syndrome, Depression, Crying, Suicidal ideation, Nausea, Depersonalisation, Pain
1075	SEROXAT	ORAL USE	60MG Per day		Aggression, Mental impairment, Mood swings, Nightmare, Dyskinesia
1076	SEROXAT	ORAL USE		7	Personality disorder, Suicidal ideation, Acute stress disorder, Suicide attempt, Gastrointestinal disorder, Vision blurred, Dizziness, Tachycardia, Eye disorder, Nervous system disorder, Blood disorder, Visual disturbance, Ecchymosis, Lymphatic disorder, Pyrexia, Mydriasis, Headache, Constipation, Hyperhidrosis, Dry mouth, Suicidal behaviour, Suicidal ideation, Vomiting, Overdose, Blood pressure fluctuation, Agitation, Sensory disturbance, Paraesthesia, Paraesthesia, Abnormal dreams, Sleep disorder, Anxiety, Agitation, Palpitations, Confusional state, Irritability, Affect lability, Muscle contractions involuntary, Haemorrhagic disorder, Nausea, Diarrhoea, Vision blurred, Skin disorder, Suicidal ideation, Psychotic disorder, Withdrawal syndrome, Tremor
1077	SEROXAT	ORAL USE			Suicidal ideation, Bipolar disorder, Anxiety, Personality change, Loss of libido, Weight increased
1078	PAROXETINE HYDROCHLORIDE	ORAL USE		120	Anger, Aggression, Premenstrual syndrome
1079	PAROXETINE, PAROXETINE, PAROXETINE				Drug withdrawal syndrome, Suicidal ideation, Weight increased, Headache, Hyperhidrosis, Fatigue, Tongue paralysis, Loss of libido, Abnormal dreams, Blunted affect, Dyskinesia
1080	PAROXETINE				Anxiety, Pain in extremity, Nausea, Pruritus, Headache, Loss of libido, Nightmare, Aggression, Insomnia, Dizziness, Irritability, Depression, Mood swings, Restlessness, Withdrawal syndrome
1081	SEROXAT	ORAL USE	20MG Twice per day		Aggression, Drug dependence, Aggression, Drug ineffective, Depressed mood, Vomiting, Aggression, Nightmare, Anger, Emotional disorder, Dizziness, Hostility, Withdrawal syndrome, Dyskinesia
1082	SEROXAT	ORAL USE			Electric shock, Dizziness, Dizziness, Vision blurred, Drug withdrawal syndrome
1083	SEROXAT	ORAL USE			Drug withdrawal syndrome, Suicidal ideation
1084	SEROXAT	UNKNOWN			Drug withdrawal syndrome, Completed suicide
1085	SEROXAT		dose increased back up to 40 mg until side effects stopped.		Feeling abnormal, Crying, Suicidal ideation, Social problem, Depression, Decreased appetite, Amnesia, Aggression, Malaise, Anxiety, Paraesthesia, Withdrawal syndrome
1086	SERTRALINE, SERTRALINE, PAROXETINE				Homicide, Aggression, Restlessness, Hallucination, Abnormal behaviour
1087	SERTRALINE, SERTRALINE, SEROXAT	, , ORAL USE		7	Tension, Agitation, Homicide, Suicidal ideation, Depression, Suicide attempt, Restlessness
1088	PAROXETINE, PAROXETINE, PAROXETINE	UNKNOWN, UNKNOWN, UNKNOWN	started at 20 mg and then increased to 30 mg, started at 20 mg for 8 weeks, then increased to 30 mg, reduced to 20 mg , started at 20 mg for 8 weeks, then increased to 30 mg, reduced to 20 mg	56	Drug withdrawal syndrome, Somnolence, Suicide attempt, Physical assault, Abnormal behaviour, Aggression, Affect lability, Agitation
1089	PAROXETINE, VENLAFAXINE, PAROXETINE	UNKNOWN, UNKNOWN, UNKNOWN			Physical assault, Agitation, Suicidal ideation, Anxiety
1090	SEROXAT	UNKNOWN	20MG Per day		Drug withdrawal syndrome, Aggression
1091	PAROXETINE HYDROCHLORIDE				Drug withdrawal syndrome, Self-injurious ideation, Suicidal ideation, Hallucination, auditory

1092				Paroxetine	Self-injurious ideation, Suicidal ideation, Drug withdrawal syndrome, Balance disorder, Tinnitus, Hyperhidrosis, Myalgia, Feeling abnormal, Anxiety, Overdose, Thinking abnormal, Confusional state, Depersonalisation, Mood swings, Depression, Paraesthesia, Nausea, Dizziness, Homicidal ideation, Skin laceration, Psychomotor hyperactivity, Agoraphobia, Condition aggravated, Crying, Weight decreased
1093	PAROXETINE HYDROCHLORIDE	UNKNOWN	20MG Per day	365	Drug withdrawal syndrome, Completed suicide
1094	SEROXAT	UNKNOWN			Agitation, Syncope, Malaise, Diarrhoea, Malaise, Thinking abnormal, Drug withdrawal syndrome, Dizziness, Disturbance in attention, Paraesthesia, Paraesthesia, Nausea, Aggression, Emotional distress, Anger, Headache, Decreased appetite, Suicidal ideation, Hyperhidrosis
1095	SEROXAT, SEROXAT, SEROXAT, SEROXAT	ORAL USE, ORAL USE, ORAL USE, ORAL USE	, , DOSE: 20, 30 40 MG currently 10mg a day., 20, 30, 40, currently 10 mg a day		Insomnia, Dependence, Hypersensitivity, Dizziness, Nightmare, Influenza like illness, Fatigue, Paraesthesia, Chills, Anxiety, Withdrawal syndrome, Violence-related symptom
1096	SEROXAT	ORAL USE			Tinnitus, Sleep disorder, Night sweats, Affective disorder, Partner stress, Dizziness, Loss of libido, Violence-related symptom
1097	SEROXAT	UNKNOWN	20MG Unknown		Paranoia, Drug withdrawal syndrome, Aggression, Laceration, Laceration, Anger, Injury
1098	PAROXETINE HYDROCHLORIDE	ORAL USE			Gastrointestinal disorder, Aggression, Drug withdrawal syndrome, Serotonin syndrome
1099	SEROXAT	ORAL USE	has gone back onto original dose		Drug withdrawal syndrome, Crying, Anger, Dizziness
1100	PAROXETINE				Drug withdrawal syndrome, Dyspnoea, Heart rate increased, Nausea, Dizziness, Paraesthesia, Anxiety, Palpitations, Myalgia, Panic attack, Tremor
1101	SEROXAT, SEROXAT	ORAL USE, ORAL USE			Aggression, Depressive symptom, Feeling abnormal, Physical assault, Dizziness, Aggression, Hyperhidrosis, Dizziness, Anger, Nausea, Fatigue, Dizziness, Paraesthesia, Sleep disorder, Nightmare, Drug withdrawal syndrome, Tremor, Thinking abnormal, Mental disorder, Nonspecific reaction, Aggression, Dizziness, Malaise
1102	PAROXETINE HYDROCHLORIDE	UNKNOWN	20MG See dosage text		Adverse event, Condition aggravated, Social avoidant behaviour, Completed suicide
1103	PAROXETINE HYDROCHLORIDE	UNKNOWN	20MG Per day		Drug withdrawal syndrome, Depressed mood, Overdose, Dependence, Skin laceration, Suicidal ideation
1104	TEMAZEPAM, PAROXETINE, DIPHENHYDRAMINE				Grand mal convulsion, Multiple drug overdose, Flushing, Hypertensive crisis, Chills, Pyrexia, Confusional state, Mydriasis, Obstructive airways disorder, Agitation, Electrocardiogram QT prolonged, Hyperhidrosis, Vomiting, Hyperreflexia, Somnolence, Serotonin syndrome, Tachycardia
1105	CO-PROXAMOL, GLICLAZIDE, CO-PROXAMOL, WARFARIN, PAROXETINE	, , , , UNKNOWN	, , , 8MG per day,		Tachycardia, Nausea, Intentional self-injury, Social avoidant behaviour, Ill-defined disorder, Aggression, Mood swings, Social avoidant behaviour, Agitation, Night sweats, Anxiety, Drug withdrawal syndrome, Completed suicide, Vomiting, Intentional overdose, Nightmare, Hyperhidrosis, Depressed mood, Emotional distress, Hypotension, Pallor, Death, Suicidal ideation, Panic reaction, Phobia
1106	SEROXAT	UNKNOWN			Aggression
1107	SEROXAT	ORAL USE		365	Aggression, Alcohol interaction
1108	SEROXAT	ORAL USE			Logorrhoea, Suicide attempt, Aggression, Self esteem decreased, Photopsia, Withdrawal syndrome
1109	SEROXAT	UNKNOWN			Drug withdrawal syndrome, Suicidal ideation, Memory impairment
1110	PAROXETINE				Mood swings, Drug withdrawal syndrome, Insomnia, Disturbance in attention, Malaise, Palpitations, Frustration, Tearfulness, Flat affect, Hyperhidrosis, Lethargy, Fatigue, Influenza, Agitation, Nausea, Dizziness, Disturbance in attention, Memory impairment, Depersonalisation, Suicidal ideation, Tremor, Sensory disturbance, Vomiting
1111	PAROXETINE				Drug withdrawal syndrome, Violence-related symptom
1112	PAROXETINE				Headache, Dizziness, Diarrhoea, Hyperhidrosis, Hypersomnia, Abnormal behaviour, Sexual dysfunction, Abnormal dreams, Stomach discomfort
1113	SEROXAT	ORAL USE	10mg per day prior to withdrawal.	3285	Anxiety, Aggression, Insomnia, Depression, Drug withdrawal syndrome, Suicidal ideation, Irritability, Mood swings, Weight decreased
1114	SEROXAT	ORAL USE			Homicidal ideation, Malaise, Pharmaceutical product complaint
1115	SEROXAT	ORAL USE		2920	Anger, Headache, Visual disturbance, Dizziness, Malaise, Nausea, Impatience, Asthenia, Fall, Drug withdrawal syndrome, Tremor
1116	SEROXAT, SEROXAT	ORAL USE,			Photopsia, Drug withdrawal syndrome, Paraesthesia
1117	ALCOHOL, SEROXAT	ORAL USE, ORAL USE			Feeling drunk, Accidental overdose, Fatigue, Nightmare, Amnesia, Morbid thoughts, Aggression, Depression, Abnormal sleep-related event, Irritability, Abnormal behaviour, Alcohol poisoning, Confusional state, Crying, Coprolalia, Screaming, Aggression, Circulatory collapse, Mood swings
1118	PAROXETINE				Emotional distress, Tearfulness, Drug withdrawal syndrome, Depressed mood, Suicidal ideation
1119	SEROXAT				Fatigue, Malaise, Headache, Vomiting, Dizziness, Nausea, Drug withdrawal syndrome
1120	PAROXETINE				Malaise, Dizziness, Drug withdrawal syndrome
1121	PAROXETINE	ORAL USE		3	Suicidal ideation, Aggression
1122	SEROXAT				Psychotic disorder, Suicidal ideation, Aggression, Schizophrenia, Intentional self-injury, Withdrawal syndrome
1123	PAROXETINE, FLUOXETINE				Paraesthesia, Dizziness, Chest pain, Ill-defined disorder, Pollakiuria, Chest pain, Dysgeusia, Asthenia, Dysphemia, Dysphasia, Gastric disorder, Myocardial infarction, Chills, Paraesthesia, Pericarditis, Ear pain, Eye pain, Dyspnoea, Chest discomfort, Palpitations, Abdominal pain, Diarrhoea, Influenza like illness, Drug withdrawal syndrome, Cerebrovascular accident, Nausea, Fatigue, Confusional state, Disorientation, Amnesia, Myalgia, Headache, Diarrhoea, Weight decreased, Duodenal ulcer, Duodenitis, Vomiting, Hypoaesthesia, Tremor
1124	SEROXAT				Nausea, Anorexia, Drug withdrawal syndrome
1125	PAROXETINE, CIPRALEX, FLUOXETINE, PAROXETINE, SERTRALINE	ORAL USE, , , ORAL USE,			Tearfulness, Anxiety, Mood altered, Eye disorder, Irritability, Nausea, Dizziness, Suicidal ideation, Headache, Aggression, Intentional overdose, Nausea, Drug withdrawal syndrome, Self-injurious ideation, Migraine
1126	PAROXETINE	ORAL USE		17	Hyperhidrosis, Hallucination, Chills, Confusional state, Myoclonus, Visual disturbance, Anxiety, Loss of consciousness, Agitation, Hyperreflexia, Flushing, Eye movement disorder, Photophobia, Hyperacusis, Tremor

1127	SEROXAT	UNKNOWN		Paroxetine	Migraine, Headache, Eye pain, Memory impairment, Lethargy, Paraesthesia, Influenza like illness, Hyperhidrosis, Suicidal ideation, Nightmare, Agitation, Suicidal ideation, Nausea, Dysphemia, Fatigue, Constipation, Diarrhoea, Confusional state, Malaise, Cold sweat, Nightmare, Insomnia, Dizziness, Anxiety, Aggression, Drug withdrawal syndrome, Suicide attempt, Convulsion, Myalgia, Vision blurred, Vertigo, Gait disturbance, Persecutory delusion, Hyperventilation, Panic attack, Tremor, Disturbance in attention, Malaise, Aggression, Irritability, Tearfulness, Paraesthesia, Dissociation
1128	SEROXAT			10	Anxiety, Weight decreased, Insomnia, Drug withdrawal syndrome, Dizziness, Anorexia, Morbid thoughts, Mood swings, Tearfulness, Depression, Abnormal dreams, Impaired driving ability
1129	SEROXAT, SEROXAT				Depression, Personality change, Disturbance in attention, Agitation, Lethargy, Aggression, Paranoia, Insomnia, Heart rate irregular, Fatigue, Libido decreased, Anxiety
1130	PAROXETINE		20MG per day	90	Drug withdrawal syndrome, Violence-related symptom
1131	SEROXAT				Emotional disorder, Paraesthesia, Diarrhoea, Dry mouth, Vertigo, Abnormal dreams, Nausea, Drug withdrawal syndrome, Hyperhidrosis, Night sweats, Tinnitus
1132	SEROXAT	UNKNOWN			Emotional distress, Flight of ideas, Anxiety, Negative thoughts, Restlessness, Depression, Negative thoughts, Pupils unequal, Serotonin syndrome, Suicidal ideation, Bruxism, Hypomania, Agitation, Chills, Depressed mood, Oral discomfort, Sleep disorder, Dyskinesia, Tremor, Withdrawal syndrome
1133	SEROXAT				Suicidal ideation, Drug withdrawal syndrome, Depressed mood, Tremor
1134	SEROXAT	ORAL USE			Dry mouth, Alopecia, Paranoia, Tearfulness, Amnesia, Yawning, Suicidal ideation, Aggression, Night sweats, Anxiety, Sleep terror
1135	SEROXAT				Hyperhidrosis, Paraesthesia, Morbid thoughts, Anxiety, Disturbance in attention, Vomiting, Neuralgia, Aggression, Insomnia, Drug withdrawal syndrome
1136	PAROXETINE	ORAL USE	Down to 1 10mg half of a 20mg tablet per day		Affect lability, Mood altered, Balance disorder, Irritability, Altered visual depth perception, Paraesthesia, Disorientation, Dizziness, Aggression
1137	PAROXETINE	ORAL USE			Pain, Mood swings, Drug withdrawal syndrome, Headache, Aggression, Suicidal ideation, Influenza, Anger, Homicidal ideation
1138	SEROXAT	UNKNOWN			Nausea, Muscle twitching, Memory impairment, Disturbance in attention, Anxiety, Suicidal ideation, Intentional self-injury, Mood swings, Suicidal behaviour, Aggression, Binge eating, Mania, Weight increased, Paraesthesia, Balance disorder, Paraesthesia, Hyperhidrosis, Tremor, Withdrawal syndrome, Condition aggravated, Bladder disorder, Psychomotor hyperactivity, Hypomania, Dyspepsia, Depressed mood, Dizziness, Tearfulness, Adverse drug reaction, Affect lability, Loss of consciousness, Anger, Irritability
1139	SEROXAT	UNKNOWN			Intentional self-injury, Aggression
1140	CODEINE, IBUPROFEN, LOFEPRAMINE, SEROXAT, NUROFEN	UNKNOWN, , , ,			Depression, Vision blurred, Constipation, Dry mouth, Suicide attempt, Aggression, Sexual dysfunction, Drug withdrawal syndrome, Suicidal ideation, Social phobia
1141	PAROXETINE HYDROCHLORIDE	UNKNOWN			Drug withdrawal syndrome, Nightmare, Myalgia, Paraesthesia, Asthma, Arthralgia, Anxiety, Gastric disorder, Disorientation, Headache, Agitation, Migraine, Suicidal ideation, Agoraphobia, Panic attack
1142	PAROXETINE, PAROXETINE	ORAL USE, ORAL USE			Weight increased, Loss of libido, Alcohol problem, Impaired self-care, Paraesthesia, Gastrointestinal disorder, Amnesia, Gait disturbance, Personality change, Nightmare, Electric shock, Withdrawal syndrome
1143	SEROXAT	ORAL USE			Influenza like illness, Vertigo, Sleep disorder, Drug withdrawal syndrome, Depressed mood, Anxiety, Dizziness, Decreased appetite, Irritability, Headache, Aggression, Dizziness, Weight increased, Anorgasmia, Loss of libido, Myalgia
1144	SEROXAT	UNKNOWN			Intentional overdose, Anxiety, Anger, Hallucination, auditory, Depressive symptom, Delusion, Thought broadcasting, Schizophreniform disorder, Suicidal ideation, Aggression, Suicide attempt, Psychotic behaviour
1145	PAROXETINE HYDROCHLORIDE	UNKNOWN		180	Anxiety, Depressed mood, Drug ineffective, Poor quality sleep, Agitation, Self-injurious ideation, Anger, Suicidal ideation, Drug withdrawal syndrome
1146	PAROXETINE HYDROCHLORIDE, ALCOHOL	UNKNOWN,			Drug withdrawal syndrome, Intentional self-injury, Suicidal ideation
1147	PAROXETINE	ORAL USE	In the morning.		Constipation, Abnormal behaviour, Dizziness, Nausea, Memory impairment, Personality change, Paranoia
1148	SEROXAT	ORAL USE			Anxiety, Palpitations, Paraesthesia, Agitation, Dizziness, Paraesthesia, Nausea, Diarrhoea, Heart rate increased, Vomiting, Eye movement disorder, Withdrawal syndrome, Dyskinesia
1149	PAROXETINE, CIPRALEX				Depression, Anxiety, Restlessness, Agitation, Suicidal ideation, Nausea, Headache, Panic attack
1150	PAROXETINE HYDROCHLORIDE				Sleep disorder, Suicidal ideation, Nausea, Disturbance in attention, Influenza, Vomiting, Nightmare, Vertigo, Agitation, Anxiety, Confusional state, Memory impairment, Dizziness, Decreased appetite, Asthenia, Panic attack, Withdrawal syndrome, Mood swings, Drug withdrawal syndrome
1151	PAROXETINE HYDROCHLORIDE	UNKNOWN			Drug withdrawal syndrome, Aggression, Suicidal ideation
1152	SEROXAT, PAROXETINE	UNKNOWN,			Asthenia, Dry mouth, Dyspnoea, Rash, Paraesthesia, Nausea, Abdominal distension, Tearfulness, Malaise, Inflammatory bowel disease, Increased appetite, Anorexia, Diarrhoea, Insomnia, Abdominal pain upper, Headache, Suicidal ideation, Palpitations, Withdrawal syndrome, Tremor, Aggression, Depression
1153	PAROXETINE HYDROCHLORIDE, PAROXETINE HYDROCHLORIDE	UNKNOWN,	20MG Per day,		Nightmare, Depressed mood, Disturbance in attention, Sleep disorder, Muscle spasms, Paraesthesia, Vision blurred, Agitation, Hyperhidrosis, Dizziness, Anxiety, Memory impairment, Diarrhoea, Confusional state, Withdrawal syndrome, Tremor, Fear, Nausea, Depressed mood, Fear, Weight increased, Psychiatric symptom, Feeling hot, Loss of consciousness, Panic attack
1154	PAROXETINE HYDROCHLORIDE	UNKNOWN	30MG Per day		Drug withdrawal syndrome, Irritability, Memory impairment, Tinnitus, Chills, Chest pain, Hypoaesthesia, Dizziness, Hot flush, Nightmare, Disturbance in attention, Diarrhoea, Sleep disorder, Agitation, Paraesthesia, Memory impairment, Lethargy, Fatigue, Anxiety, Nausea, Anxiety, Disturbance in attention, Feeling abnormal, Arthralgia, Paraesthesia, Thought insertion, Obsessive-compulsive disorder, Influenza like illness, Derealisation, Self-injurious ideation, Generalised anxiety disorder, Violence-related symptom, Obsessive-compulsive disorder
1155	PAROXETINE HYDROCHLORIDE, PAROXETINE HYDROCHLORIDE	ORAL USE, UNKNOWN	7.5ML per day,		Nausea, Agitation, Drug withdrawal syndrome, Speech disorder, Anger, Aggression, Dizziness, Delivery, Anxiety, Disturbance in attention, Hyperhidrosis, Obsessive-compulsive disorder, Tinnitus, Self-injurious ideation, Nightmare, Somnolence, Clumsiness
1156	PAROXETINE, PAROXETINE HYDROCHLORIDE	UNKNOWN, ORAL USE			Suicidal ideation, Hyperhidrosis, Disturbance in attention, Condition aggravated, Memory impairment, Depression, Memory impairment, Sensory disturbance, Vision blurred, Anxiety, Irritability, Vision blurred, Confusional state, Mood swings, Anxiety, Paranoia, Fatigue, Lethargy, Nightmare, Dizziness, Suicidal ideation, Anger, Withdrawal syndrome, Decreased appetite, Insomnia, Somnolence, Crying, Emotional distress

1157	SEROXAT	UNKNOWN		Paroxetine 1825	Restlessness, Vomiting, Tearfulness, Depression, Nausea, Nightmare, Suicidal ideation, Depressed mood, Anxiety, Intentional overdose, Anxiety, Insomnia, Depression, Anorexia, Insomnia, Agitation, Weight decreased, Withdrawal syndrome, Obsessive thoughts, Mental disorder, Drug dependence
1158	SEROXAT	UNKNOWN			Agitation, Headache, Headache, Suicidal ideation, Suicide attempt, Headache, Erectile dysfunction, Nightmare, Vision blurred, Suicidal ideation, Aggression, Nausea, Aggression, Panic attack, Withdrawal syndrome, Disturbance in attention, Poor quality sleep, Depressed mood, Decreased appetite
1159	PAROXETINE HYDROCHLORIDE, STALEVO, STALEVO, STALEVO, MIRTAZAPINE	UNKNOWN, . . .		56	Restlessness, Decreased appetite, Suicidal ideation, Hallucination, Depression, Hyperhidrosis, Aggression, Weight decreased, Sleep disorder, Tearfulness, Decreased appetite, Negative thoughts, Feeling guilty, Apathy, Decreased interest, Suicidal ideation, Paraesthesia, Early morning awakening, Muscle spasms, Trismus, Paraesthesia, Agitation, Palpitations, Anxiety disorder, Tremor, Withdrawal syndrome, Panic attack, Nightmare
1160	PAROXETINE HYDROCHLORIDE	UNKNOWN			Alopecia, Onychoclasia, Anorgasmia, Psychiatric symptom, Morbid thoughts, Nightmare, Alopecia, Hallucination, Nausea, Lethargy, Libido decreased, Loss of libido, Drug withdrawal syndrome, Confusional state, Insomnia, Anxiety, Weight increased, Withdrawal syndrome, Arthralgia, Tearfulness, Agitation, Restlessness, Depressed mood, Headache
1161	PAROXETINE HYDROCHLORIDE	UNKNOWN			Headache, Premenstrual syndrome, Tearfulness, Mood swings, Agitation, Irritability, Disturbance in attention, Nausea, Influenza, Suicidal ideation, Dizziness, Withdrawal syndrome, Condition aggravated, Aggression, Malaise
1162	PAROXETINE HYDROCHLORIDE	UNKNOWN	20MG Per day		Confusional state, Aggression, Insomnia, Suicidal ideation, Hallucination, Fatigue, Depressed mood, Malaise, Dependence, Migraine, Withdrawal syndrome, Withdrawal syndrome
1163	SEROXAT	UNKNOWN	20MG Per day		Confusional state, Influenza, Disturbance in attention, Memory impairment, Vomiting, Fatigue, Suicidal ideation, Electric shock, Vertigo, Drug withdrawal syndrome, Agitation, Dizziness, Sleep disorder, Tremor, Performance status decreased, Malaise
1164	PAROXETINE HYDROCHLORIDE	UNKNOWN			Aggression, Hyperhidrosis, Cold sweat, Amenorrhoea, Weight decreased, Drug withdrawal syndrome, Dissociation, Dizziness, Suicidal ideation, Intentional self-injury, Memory impairment, Aggression, Anxiety, Dependence, Panic attack, Tremor
1165	PAROXETINE HYDROCHLORIDE	UNKNOWN			Hyperhidrosis, Dizziness, Vertigo, Tinnitus, Bruxism, Memory impairment, Disturbance in attention, Sleep disorder, Agitation, Erectile dysfunction, Nightmare, Poor quality sleep, Drug withdrawal syndrome, Suicidal ideation, Confusional state, Paraesthesia
1166	PAROXETINE HYDROCHLORIDE, RISPERIDONE	UNKNOWN,			Influenza, Dizziness, Agitation, Diarrhoea, Paraesthesia, Confusional state, Depressed mood, Vertigo, Suicidal behaviour, Vomiting, Skin injury, Head injury, Lethargy, Hyperhidrosis, Aggression, Memory impairment, Aggression, Fatigue, Vision blurred, Hair disorder, Balance disorder, Sleep disorder, Somnolence, Dyskinesia, Panic attack, Withdrawal syndrome, Suicidal ideation, Overdose, Overdose, Intentional self-injury
1167	PAROXETINE HYDROCHLORIDE	UNKNOWN			Dizziness, Headache, Nausea, Aggression, Paraesthesia, Irritability, Drug withdrawal syndrome, Tremor, Tremor
1168	SEROXAT				Anxiety, Vertigo, Headache, Nightmare, Vomiting, Muscle spasms, Paraesthesia, Diarrhoea, Aggression, Lethargy, Fatigue, Hyperhidrosis, Dizziness, Nausea, Influenza, Drug withdrawal syndrome, Agitation, Confusional state, Panic attack, Tremor
1169	PAROXETINE	UNKNOWN			Restlessness, Suicidal ideation, Disturbance in attention, Vertigo, Insomnia, Vomiting, Nightmare, Diarrhoea, Agitation, Influenza, Hyperhidrosis, Memory impairment, Malaise, Chills, Dizziness, Weight decreased, Anorexia, Anxiety, Depression, Restlessness, Withdrawal syndrome, Tremor, Panic attack
1170	PAROXETINE HYDROCHLORIDE, PAROXETINE HYDROCHLORIDE	UNKNOWN, UNKNOWN			Mania, Mood swings, Sleep disorder, Aggression, Vomiting, Nausea, Nightmare, Depressed mood, Suicidal ideation, Myalgia, Agitation, Diarrhoea, Influenza, Psychomotor hyperactivity, Withdrawal syndrome, Tremor
1171	SEROXAT				Drug withdrawal syndrome, Depression, Sleep disorder, Hyperhidrosis, Suicidal ideation, Nightmare, Memory impairment, Influenza, Agitation, Confusional state, Fatigue, Lethargy, Disturbance in attention, Hypomania, Pressure of speech, Insomnia, Irritability, Flight of ideas, Hallucination, auditory, Paranoia, Aggression, Headache, Affective disorder
1172	PAROXETINE HYDROCHLORIDE	UNKNOWN			Condition aggravated, Crying, Drug withdrawal syndrome, Anxiety, Depression, Dissociation, Paranoia, Suicidal ideation, Panic reaction, Fear
1173	PAROXETINE HYDROCHLORIDE	UNKNOWN			Gastrointestinal disorder, Mood swings, Drug withdrawal syndrome, Nightmare, Anxiety, Anxiety, Hallucination, Fear, Irritability, Emotional disorder, Thinking abnormal, Dizziness, Suicidal ideation, Self-injurious ideation, Intentional self-injury, Aggression
1174	SEROXAT	UNKNOWN	20MG Per day		Dizziness, Sleep disorder, Aggression, Nausea, Paraesthesia, Night sweats, Anxiety, Dizziness, Erectile dysfunction, Abnormal dreams, Headache, Aggression, Agitation, Withdrawal syndrome, Panic attack, Frustration, Asthenia, Abnormal dreams, Hyperhidrosis, Nightmare
1175	PAROXETINE HYDROCHLORIDE	UNKNOWN			Photosensitivity reaction, Restlessness, Treatment noncompliance, Confusional state, Depressed mood, Tearfulness, Insomnia, Vomiting, Fatigue, Eye swelling, Affective disorder, Anhedonia, Sleep disorder, Suicidal ideation, Dry mouth, Dyspnoea, Swelling face, Anxiety, Nausea, Feeling abnormal, Self-injurious ideation, Balance disorder, Abnormal dreams, Anxiety, Paraesthesia, Dizziness, Agitation, Asthenia, Libido decreased, Withdrawal syndrome, Panic attack, Tremor, Depression, Mood swings, Feeling abnormal
1176	PAROXETINE HYDROCHLORIDE, PAROXETINE HYDROCHLORIDE	UNKNOWN, UNKNOWN			Dizziness, Drug withdrawal syndrome, Hyperhidrosis, Influenza like illness, Dizziness, Mood swings, Aggression, Panic attack, Tremor
1177	PAROXETINE HYDROCHLORIDE	UNKNOWN			Nightmare, Fatigue, Aggression, Nausea, Hyperhidrosis, Aggression, Nausea, Drug withdrawal syndrome, Arthralgia, Confusional state, Asthenia, Amnesia, Panic attack
1178	PAROXETINE HYDROCHLORIDE	UNKNOWN			Memory impairment, Influenza like illness, Confusional state, Headache, Paraesthesia, Disturbance in attention, Dizziness, Mood swings, Nightmare, Lethargy, Fatigue, Vertigo, Suicidal ideation, Diarrhoea, Paraesthesia, Insomnia, Paraesthesia, Agitation, Nausea, Nightmare, Hyperhidrosis, Panic attack, Withdrawal syndrome, Tremor, Malaise, Feeling of body temperature change, Anorexia
1179	PAROXETINE				Insomnia, Paranoia, Weight increased, Dizziness, Agitation, Confusional state, Sensory disturbance, Influenza like illness, Fatigue, Lethargy, Depression, Anxiety, Mood swings, Intentional self-injury, Condition aggravated, Suicidal ideation, Self-injurious ideation, Aggression, Aggression, Drug withdrawal syndrome, Muscle twitching, Nervousness, Tremor

1180	SEROXAT	UNKNOWN		Paroxetine	Anxiety, Bruxism, Adverse drug reaction, Nervousness, Disturbance in attention, Depressed mood, Aggression, Affective disorder, Irritability, Agitation, Chest pain, Suicidal ideation, Withdrawal syndrome, Malaise, Memory impairment, Muscle twitching, Self-injurious ideation, Paranoia, Dermatillomania, Irritability, Mood swings
1181	PAROXETINE, PAROXETINE HYDROCHLORIDE	UNKNOWN, ORAL USE			Depression, Suicidal ideation, Vomiting, Mood swings, Anxiety, Nausea, Aggression, Crying, Tearfulness, Sleep disorder, Hyperhidrosis, Disturbance in attention, Nightmare, Agitation, Memory impairment, Withdrawal syndrome
1182	SEROXAT, DOTHIEPIN	UNKNOWN			Confusional state, Nausea, Malaise, Agitation, Dizziness, Anxiety, Hyperhidrosis, Suicidal ideation, Vomiting, Disturbance in attention, Aggression, Paraesthesia, Memory impairment, Withdrawal syndrome, Nightmare, Panic attack
1183	SEROXAT				Anxiety, Suicidal ideation, Fatigue, Agitation, Crying, Influenza, Nausea, Vomiting, Loss of consciousness, Lethargy, Mental disorder, Dizziness, Vertigo, Syncope, Confusional state, Diarrhoea, Hyperhidrosis, Dizziness, Crying, Emotional distress, Hyperhidrosis, Malaise, Headache, Dizziness, Anorexia, Paraesthesia, Disturbance in attention, Tearfulness, Memory impairment, Sleep disorder, Nightmare, Panic attack, Tremor, Panic attack, Withdrawal syndrome
1184	SEROXAT	UNKNOWN			Paraesthesia, Anxiety, Dizziness, Feeling abnormal, Anxiety, Hyperhidrosis, Suicidal ideation, Aggression, Erectile dysfunction, Nightmare, Aggression, Influenza like illness, Tremor, Withdrawal syndrome
1185	SEROXAT	UNKNOWN	40MG Per day		Aggression, Paranoia, Paraesthesia, Social avoidant behaviour, Impatience, Sleep disorder, Amnesia, Suicide attempt, Disturbance in attention, Anxiety, Agitation, Nausea, Irritability, Dizziness, Hyperhidrosis, Parasomnia, Electric shock, Balance disorder, Insomnia, Ill-defined disorder, Nightmare, Withdrawal syndrome, Tremor, Agoraphobia, Gait disturbance, Frustration, Aggression, Abnormal dreams, Somnolence, Overdose
1186	SEROXAT	UNKNOWN			Memory impairment, Drug withdrawal syndrome, Aggression, Homicide, Nightmare, Electric shock, Sleep disorder, Disturbance in attention, Headache, Hyperacusis, Photosensitivity reaction, Gait disturbance, Derealisation, Dissociation, Hyperhidrosis, Depression, Paranoia, Agitation, Confusional state, Diarrhoea, Dizziness, Dizziness, Influenza
1187	PAROXETINE HYDROCHLORIDE	UNKNOWN			Anxiety, Memory impairment, Nightmare, Hyperhidrosis, Mood swings, Vomiting, Suicide attempt, Suicidal ideation, Pregnancy, Depressed mood, Drug withdrawal syndrome, Nausea, Aggression, Sleep disorder, Disturbance in attention, Lethargy, Paraesthesia, Agitation, Confusional state, Dizziness, Panic attack
1188	PAROXETINE HYDROCHLORIDE	UNKNOWN			Drug withdrawal syndrome, Apathy, Fatigue, Agitation, Decreased interest, Paraesthesia, Confusional state, Memory impairment, Dizziness, Lethargy, Mood swings, Dizziness, Vertigo, Ill-defined disorder, Anger, Suicidal ideation, Anger, Hyperhidrosis, Disturbance in attention, Paranoia, Sexual dysfunction, Visual disturbance, Panic attack, Tremor
1189	PAROXETINE HYDROCHLORIDE	UNKNOWN			Paraesthesia, Personality change, Emotional disorder, Morbid thoughts, Hyperhidrosis, Nausea, Anxiety, Headache, Anorexia, Insomnia, Suicidal ideation, Aggression, Nightmare, Mood swings, Mood altered, Crying, Poor quality sleep, Weight increased, Aggression, Abnormal behaviour, Crying, Abnormal behaviour, Tremor, Withdrawal syndrome, Psychomotor hyperactivity
1190	PAROXETINE HYDROCHLORIDE	UNKNOWN			Disturbance in attention, Apathy, Hypersomnia, Decreased appetite, Anxiety, Drug withdrawal syndrome, Depressed mood, Vomiting, Suicidal ideation, Crying, Nausea, Dizziness, Muscle fatigue, Visual disturbance, Ill-defined disorder, Gastroesophageal reflux disease, Headache, Nonspecific reaction, Feeling abnormal, Drug intolerance, Dizziness, Performance status decreased
1191	PAROXETINE HYDROCHLORIDE	UNKNOWN			Vomiting, Nausea, Agitation, Drug withdrawal syndrome, Hyperhidrosis, Joint stiffness, Aggression
1192	PAROXETINE HYDROCHLORIDE	UNKNOWN			Paranoia, Paraesthesia, Muscle twitching, Paraesthesia, Asthenia, Anxiety, Irritability, Feeling abnormal, Mood swings, Fatigue, Paraesthesia, Depressed mood, Suicidal ideation, Vision blurred, Dizziness, Bladder disorder, Disturbance in attention, Loss of libido, Suicidal ideation, Withdrawal syndrome
1193	PAROXETINE HYDROCHLORIDE, PAROXETINE HYDROCHLORIDE	UNKNOWN, ORAL USE			Drug withdrawal syndrome, Balance disorder, Vertigo, Headache, Suicidal ideation, Anxiety, Nausea, Diarrhoea, Panic attack, Tremor, Alopecia, Candidiasis, Candidiasis, Tinea pedis, Onychomycosis, Rhinitis, Affect lability, Dry skin, Urticaria, Glossitis, Arthralgia, Coordination abnormal, Emotional disorder, Mania, Paranoia, Pruritus, Weight increased, Disturbance in attention, Depression, Thinking abnormal, Menorrhagia, Dizziness, Malaise, Arthralgia, Anorexia, Anhedonia, Asthenia, Cough, Depressed mood, Feeling hot, Agitation, Paraesthesia, Hyperhidrosis, Cough, Insomnia
1194	PAROXETINE HYDROCHLORIDE	UNKNOWN	20MG Per day		Visual disturbance, Confusional state, Headache, Vomiting, Nausea, Dizziness, Dizziness, Suicidal ideation, Agitation, Aggression, Gait disturbance, Tremor, Mood swings, Drug withdrawal syndrome, Tearfulness, Visual disturbance
1195	PAROXETINE HYDROCHLORIDE, PAROXETINE HYDROCHLORIDE	UNKNOWN, UNKNOWN			Dizziness, Nausea, Aggression, Paraesthesia, Weight increased, Anger, Hyperhidrosis, Drug withdrawal syndrome, Derealisation, Disturbance in attention, Dissociation, Abnormal dreams, Diarrhoea, Muscle spasms, Insomnia, Disorientation, Vertigo, Panic attack
1196	PAROXETINE HYDROCHLORIDE, PAROXETINE HYDROCHLORIDE	ORAL USE, UNKNOWN			Tearfulness, Ankle fracture, Nightmare, Hyperhidrosis, Dizziness, Dizziness, Fall, Headache, Palpitations, Drug withdrawal syndrome, Withdrawal syndrome, Apathy, Arthralgia, Anxiety, Depressed mood, Poor quality sleep, Fatigue, Heart rate increased, Irritability, Dizziness, Paraesthesia
1197	PAROXETINE HYDROCHLORIDE	UNKNOWN			Drug withdrawal syndrome, Headache, Anxiety, Nausea, Suicidal ideation, Somnolence, Disturbance in attention, Intentional self-injury, Anorexia, Obsessive-compulsive disorder, Mood swings, Psychiatric symptom
1198	PAROXETINE HYDROCHLORIDE	ORAL USE	20MG Per day	730	Suicidal ideation, Weight increased, Poor quality sleep, Visual disturbance, Suicidal ideation, Crying, Hyperhidrosis, Bone pain, Myalgia, Depression, Depressed mood, Insomnia, Muscle spasms, Mood altered, Aggression, Hallucination, Malaise, Headache, Nightmare, Increased appetite, Anxiety, Dizziness, Paraesthesia, Withdrawal syndrome, Panic attack, Agoraphobia, Aggression, Persecutory delusion, Sleep disorder, Malaise, Paranoia, Dysphagia, Disturbance in attention, Compulsions, Anger, Homicidal ideation
1199	PAROXETINE HYDROCHLORIDE, PAROXETINE HYDROCHLORIDE	UNKNOWN, UNKNOWN			Hyperhidrosis, Amnesia, Mood swings, Suicidal ideation, Loss of consciousness, Confusional state, Disorientation, Nightmare, Insomnia, Headache, Nausea, Paraesthesia, Muscle twitching, Paraesthesia, Body temperature fluctuation, Aggression, Aggression, Paraesthesia, Diarrhoea, Vomiting, Withdrawal syndrome
1200	SEROXAT	ORAL USE			Aggression, Suicidal behaviour, Dizziness, Paraesthesia, Nausea, Anger, Emotional disorder, Agitation, Aggression, Withdrawal syndrome
1201	SEROXAT	UNKNOWN			Fatigue, Abnormal behaviour, Nervousness, Suicidal ideation, Aggression, Self-injurious ideation, Depressed mood, Withdrawal syndrome, Gastroesophageal reflux disease

1202	PAROXETINE HYDROCHLORIDE	UNKNOWN		Paroxetine	Headache, Anger, Suicidal ideation, Paraesthesia, Lethargy, Memory impairment, Disturbance in attention, Sleep disorder, Hyperhidrosis, Weight increased, Drug withdrawal syndrome, Loss of libido, Headache, Agitation, Confusional state, Diarrhoea, Dizziness, Nausea, Vomiting, Fatigue, Influenza
1203	PAROXETINE HYDROCHLORIDE	UNKNOWN	20MG per day		Drug withdrawal syndrome, Fatigue, Influenza like illness, Dizziness, Nausea, Confusional state, Diarrhoea, Depression, Agitation, Hyperacusis, Insomnia, Flat affect, Photosensitivity reaction, Intentional self-injury, Insomnia, Suicidal ideation, Vertigo, Diabetes mellitus, Nightmare, Anxiety
1204	PAROXETINE HYDROCHLORIDE	UNKNOWN	20MG per day		Fatigue, Diarrhoea, Influenza like illness, Nightmare, Anxiety, Disturbance in attention, Memory impairment, Dizziness, Drug withdrawal syndrome, Aggression, Sensory disturbance, Paraesthesia, Fatigue, Sleep disorder
1205	PAROXETINE HYDROCHLORIDE	UNKNOWN			Nausea, Influenza like illness, Headache, Anorexia, Sleep disorder, Fatigue, Disturbance in attention, Hyperhidrosis, Depression, Constipation, Aggression, Irritability, Dizziness, Vertigo, Insomnia, Abnormal dreams, Musculoskeletal stiffness, Joint stiffness, Disturbance in attention, Amnesia, Pain, Paraesthesia, Diarrhoea, Abdominal pain, Withdrawal syndrome
1206	PAROXETINE HYDROCHLORIDE	UNKNOWN			Hyperhidrosis, Nausea, Lethargy, Crying, Aggression, Ill-defined disorder, Tearfulness, Depressed mood, Feeling of despair, Withdrawal syndrome, Tremor
1207	PAROXETINE HYDROCHLORIDE	UNKNOWN			Crying, Anxiety, Anxiety, Depression, Depression, Mood swings, Personality change, Hyperhidrosis, Confusional state, Hypervigilance, Insomnia, Restlessness, Dizziness, Dizziness, Stomach discomfort, Gastric ulcer, Suicidal ideation, Vomiting, Dissociation, Anxiety, Generalised anxiety disorder, Withdrawal syndrome, Psychomotor hyperactivity, Tremor, Tremor, Poor quality sleep, Depressed mood, Psychiatric symptom, Dyskinesia, Apathy, Dizziness, Malaise, Panic attack, Anorexia, Panic reaction, Thinking abnormal, Affective disorder, Panic reaction, Thinking abnormal, Emotional disorder
1208	PAROXETINE HYDROCHLORIDE	UNKNOWN	20MG per day		Dizziness, Feelings of worthlessness, Anger, Insomnia, Pupillary disorder, Weight decreased, Thinking abnormal, Aggression, Suicidal ideation, Tremor, Fear, Withdrawal syndrome, Drug dependence
1209	PAROXETINE HYDROCHLORIDE	UNKNOWN			Diarrhoea, Aggression, Weight fluctuation, Nausea, Neck pain, Myalgia, Back pain, Anger, Asthenia, Anxiety, Memory impairment, Apathy, Withdrawal syndrome
1210	PAROXETINE HYDROCHLORIDE	UNKNOWN			Increased appetite, Weight increased, Anxiety, Tearfulness, Loss of libido, Disturbance in attention, Fatigue, Anxiety, Sensory disturbance, Amnesia, Insomnia, Nausea, Headache, Balance disorder, Vomiting, Aggression, Mood swings, Suicidal ideation, Lethargy, Withdrawal syndrome, Panic reaction
1211	PAROXETINE HYDROCHLORIDE	UNKNOWN			Suicidal ideation, Fatigue, Drug withdrawal syndrome, Mood swings, Anger, Paranoia, Social phobia, Nausea, Tremor, Depressed mood, Irritability, Disturbance in attention, Memory impairment, Psychiatric symptom, Hypersomnia, Drug ineffective, Depression, Self-injurious ideation, Sleep disorder, Emotional distress
1212	PAROXETINE HYDROCHLORIDE	UNKNOWN	20MG per day		Dizziness, Sensory disturbance, Paraesthesia, Mood swings, Influenza, Feelings of worthlessness, Suicidal ideation, Dizziness, Diarrhoea, Pain in extremity, Vomiting, Brain neoplasm benign, Apathy, Drug withdrawal syndrome, Crying, Anxiety, Emotional disorder, Paranoia, Nausea
1213	PAROXETINE HYDROCHLORIDE	UNKNOWN			Memory impairment, Disturbance in attention, Sleep disorder, Abnormal dreams, Fatigue, Influenza, Paraesthesia, Lethargy, Visual disturbance, Agitation, Coordination abnormal, Confusional state, Weight decreased, Visual disturbance, Diarrhoea, Suicidal ideation, Nausea, Balance disorder, Hyperhidrosis, Depressed mood, Anxiety, Motion sickness, Blindness, Restless legs syndrome, Headache, Dizziness, Withdrawal syndrome, Panic attack, Tremor
1214	PAROXETINE HYDROCHLORIDE	UNKNOWN	20MG Per day		Paraesthesia, Hyperhidrosis, Anger, Depression, Drug withdrawal syndrome, Intentional self-injury, Suicidal ideation, Malaise, Mood swings, Tremor, Panic attack, Adverse drug reaction, Poor quality sleep
1215	PAROXETINE HYDROCHLORIDE	UNKNOWN			Intentional self-injury, Weight increased, Disturbance in attention, Memory impairment, Lethargy, Paraesthesia, Hyperhidrosis, Sleep disorder, Nightmare, Self-injurious ideation, Dizziness, Dizziness, Diarrhoea, Confusional state, Fatigue, Vomiting, Nausea, Disturbance in attention, Irritability, Anxiety, Memory impairment, Insomnia, Psychotic disorder, Agitation, Hallucination, Agoraphobia, Withdrawal syndrome, Dyskinesia, Tremor
1216	PAROXETINE HYDROCHLORIDE	UNKNOWN	20MG Unknown		Disturbance in attention, Nausea, Confusional state, Memory impairment, Vomiting, Suicidal ideation, Drug withdrawal syndrome, Agitation, Dizziness, Tremor, Suicidal ideation, Emotional distress
1217	PAROXETINE HYDROCHLORIDE	UNKNOWN			Gait disturbance, Paraesthesia, Nausea, Stress, Feeling abnormal, Abscess limb, Hyperacusis, Depression, Fatigue, Dysstasia, Anxiety, Tinnitus, Suicidal ideation, Suicide attempt, Vision blurred, Weight decreased, Vomiting, Aggression, Aggression, Headache, Anger, Withdrawal syndrome, Intentional overdose, Overdose, Overdose, Intentional self-injury, Serotonin syndrome, Hallucination, auditory, Malaise, Dizziness, Adverse drug reaction, Aggression
1218	PAROXETINE HYDROCHLORIDE	UNKNOWN			Social avoidant behaviour, Dry mouth, Lethargy, Fatigue, Sleep disorder, Disturbance in attention, Mood swings, Dizziness, Headache, Suicidal ideation, Pain, Balance disorder, Emotional distress, Libido decreased, Hyperhidrosis, Emotional distress, Aggression, Withdrawal syndrome, Agoraphobia, Panic reaction
1219	PAROXETINE HYDROCHLORIDE	UNKNOWN			Drug withdrawal syndrome, Anorexia, Paraesthesia, Depressed mood, Apathy, Fatigue, Feeling of despair, Aggression, Suicidal ideation, Mood swings, Anxiety, Irritability, Thinking abnormal, Tearfulness, Tremor, Panic attack, Stomach discomfort, Withdrawal syndrome, Depression, Nausea, Palpitations, Tension, Headache
1220	PAROXETINE HYDROCHLORIDE	UNKNOWN			Disorientation, Dizziness postural, Insomnia, Restless legs syndrome, Visual disturbance, Feeling drunk, Paraesthesia, Paraesthesia, Headache, Diarrhoea, Gingiva pain, Weight decreased, Paranoia, Hyperhidrosis, Suicidal ideation, Irritability, Palpitations, Hypoaesthesia, Insomnia, Mania, Pain in extremity, Derealisation, Tinnitus, Personality change, Nausea, Aggression, Rash, Thirst, Emotional disorder, Anorexia, Arthralgia, Withdrawal syndrome, Tremor, Agitation, Influenza like illness, Serotonin syndrome, Lethargy, Libido decreased
1221	PAROXETINE HYDROCHLORIDE	UNKNOWN			Headache, Paraesthesia, Facial spasm, Disability, Influenza like illness, Nightmare, Depressed mood, Anger, Irritability, Anxiety, Malaise, Paranoia, Intentional self-injury, Aggression, Drug withdrawal syndrome, Sleep disorder, Crying, Nightmare, Mood swings, Depressed mood, Night sweats, Chills, Muscular weakness, Hyperhidrosis, Nausea, Dizziness, Paraesthesia, Tremor, Tension, Depression, Decreased appetite, Poor quality sleep, Aggression, Suicidal ideation, Feeling abnormal, Treatment noncompliance, Suicidal ideation
1222	PAROXETINE HYDROCHLORIDE	UNKNOWN			Confusional state, Diarrhoea, Fatigue, Drug withdrawal syndrome, Vertigo, Dizziness, Aggression, Feelings of worthlessness, Suicidal ideation, Lethargy, Memory impairment, Disturbance in attention, Erectile dysfunction, Dizziness

1223	PAROXETINE HYDROCHLORIDE	UNKNOWN		Paroxetine	Stress, Depression, Abnormal dreams, Drug withdrawal syndrome, Nausea, Night sweats, Anxiety, Crying, Mental disorder, Self-injurious ideation, Aggression, Personality change, Somnolence, Anxiety, Malaise, Palpitations, Dependence, Fear, Agoraphobia, Withdrawal syndrome, Pyrexia, Tremor, Panic attack, Dysgeusia, Vomiting
1224	PAROXETINE HYDROCHLORIDE	UNKNOWN			Emotional distress, Drug withdrawal syndrome, Suicidal ideation, Headache, Malaise, Crying, Aggression, Dyspnoea, Malaise, Mood swings, Paraesthesia, Anxiety, Somnolence, Anger, Diarrhoea, Depressed mood, Fatigue, Bruxism, Panic attack, Anxiety, Insomnia
1225	PAROXETINE HYDROCHLORIDE	UNKNOWN			Condition aggravated, Alcohol use, Initial insomnia, Amnesia, Muscle spasms, Loss of libido, Abnormal behaviour, Soliloquy, Myalgia, Mood altered, Weight decreased, Night sweats, Smoker, Aggression, Palpitations, Sleep disorder, Nightmare, Social avoidant behaviour, Palpitations, Lethargy, Drug withdrawal syndrome, Influenza, Suicidal ideation, Anxiety, Headache, Fatigue, Agitation, Ill-defined disorder, Initial insomnia, Panic attack, Tremor, Panic reaction, Dyskinesia, Sleep phase rhythm disturbance, Depression, Paranoia, Anger, Frustration, Erectile dysfunction, Paraesthesia, Treatment noncompliance
1226	PAROXETINE HYDROCHLORIDE, EFEXOR	UNKNOWN,			Anxiety, Vision blurred, Confusional state, Dizziness, Nausea, Intentional self-injury, Suicidal ideation, Mental impairment, Influenza like illness, Pain, Aggression, Agitation, Tremor, Withdrawal syndrome, Agitation
1227	PAROXETINE HYDROCHLORIDE	UNKNOWN			Fatigue, Lethargy, Influenza like illness, Arthralgia, Abdominal pain upper, Suicidal ideation, Nightmare, Headache, Depression, Dizziness, Anxiety, Drug withdrawal syndrome, Aggression, Panic reaction
1228	PAROXETINE HYDROCHLORIDE, PAROXETINE	UNKNOWN,	20MG Unknown,		Initial insomnia, Disturbance in attention, Sensory disturbance, Lethargy, Mood swings, Nightmare, Hyperhidrosis, Vertigo, Memory impairment, Agitation, Confusional state, Diarrhoea, Dizziness, Headache, Nausea, Fatigue, Paraesthesia, Agitation, Aggression, Intentional self-injury, Suicidal ideation, Depressed mood, Tearfulness, Tremor, Panic attack, Withdrawal syndrome, Flushing, Sleep disorder, Anxiety
1229	PAROXETINE HYDROCHLORIDE	UNKNOWN	20MG per day		Tinnitus, Anorexia, Anorexia, Delusion, Mood swings, Confusional state, Vertigo, Sleep disorder, Dizziness, Paraesthesia, Self-injurious ideation, Anxiety, Aggression, Paranoia, Hyperhidrosis, Mood altered, Vision blurred, Suicidal ideation, Withdrawal syndrome, Panic attack
1230	PAROXETINE HYDROCHLORIDE	UNKNOWN			Hyperhidrosis, Headache, Pain, Nightmare, Aggression, Feeling abnormal, Depressed mood, Confusional state, Fatigue, Paraesthesia, Withdrawal syndrome
1231	SEROXAT, SEROXAT	UNKNOWN, UNKNOWN	20MG Per day,		Mood altered, Drug withdrawal syndrome, Headache, Anger, Nausea, Disturbance in attention, Suicidal ideation, Dizziness, Anxiety, Dissociation, Disturbance in attention, Lethargy, Memory impairment, Emotional disorder, Migraine, Apraxia, Dyspraxia
1232	PAROXETINE HYDROCHLORIDE	UNKNOWN			Nausea, Purpura, Paranoia, Dizziness, Suicidal ideation, Pregnancy, Sleep disorder, Depressed mood, Anxiety, Dizziness, Purpura, Withdrawal syndrome, Panic reaction
1233	PAROXETINE HYDROCHLORIDE	UNKNOWN	20MG per day		Night sweats, Agitation, Depressive symptom, Vertigo, Paraesthesia, Abnormal dreams, Drug withdrawal syndrome, Suicidal ideation, Dizziness, Lethargy, Diarrhoea, Nightmare, Influenza like illness, Confusional state, Depression, Mental disorder, Dysphasia, Depressed mood, Hypokinesia
1234	PAROXETINE				Suicidal behaviour, Hot flush, Neck pain, Disturbance in attention, Serotonin syndrome, Balance disorder, Drug dependence, Drug withdrawal syndrome, Pain in extremity, Dizziness, Thinking abnormal, Nausea, Chills, Headache, Adverse drug reaction
1235	PAROXETINE	UNKNOWN	30MG Per day		Dizziness, Vertigo, Hyperhidrosis, Nightmare, Disturbance in attention, Memory impairment, Influenza like illness, Confusional state, Agitation, Suicide attempt, Suicidal ideation, Drug withdrawal syndrome, Tremor, Fatigue, Agitation, Palpitations, Dizziness
1236	PAROXETINE	UNKNOWN		298	Memory impairment, Disturbance in attention, Sleep disorder, Intentional self-injury, Suicidal ideation, Anxiety, Drug withdrawal syndrome, Sensory disturbance, Paraesthesia, Lethargy, Fatigue, Nightmare, Vertigo, Dizziness, Dizziness, Agitation
1237	PAROXETINE	UNKNOWN			Suicidal ideation, Anxiety, Nausea, Depression, Drug withdrawal syndrome, Panic attack
1238	SEROXAT		20MG Per day		Balance disorder, Dysarthria, Aggression, Suicidal ideation, Communication disorder, Drug withdrawal syndrome, Incoherent, Coordination abnormal, Headache, Pain, Amnesia, Paraesthesia, Paraesthesia, Photosensitivity reaction, Visual disturbance
1239	PAROXETINE	UNKNOWN			Lethargy, Paraesthesia, Influenza, Dizziness, Depression, Dizziness, Anxiety, Agitation, Drug withdrawal syndrome, Aggression, Mood swings, Libido increased, Sleep disorder, Nightmare, Disturbance in attention, Memory impairment, Tremor
1240	PAROXETINE, PAROXETINE HYDROCHLORIDE	UNKNOWN, UNKNOWN			Loss of libido, Aggression, Fatigue, Paraesthesia, Disturbance in attention, Sleep disorder, Diarrhoea, Confusional state, Flat affect, Mood swings, Crying, Paranoia, Intentional self-injury, Suicidal ideation, Crying, Agitation, Nausea, Headache, Altered visual depth perception, Visual disturbance, Nightmare, Dizziness, Anger, Hyperhidrosis, Aggression, Personality change, Memory impairment, Lethargy, Influenza, Pruritus, Palpitations, Suicidal ideation, Panic reaction, Withdrawal syndrome, Tremor, Panic attack, Overdose
1241	PAROXETINE	UNKNOWN			Hot flush, Nausea, Vomiting, Dizziness, Hyperhidrosis, Weight increased, Paraesthesia, Anxiety, Mood swings, Anger, Obsessive-compulsive disorder, Suicidal ideation, Feeling cold, Hypoaesthesia, Dyssomnia, Paraesthesia, Headache, Muscle spasms, Condition aggravated, Withdrawal syndrome, Drug withdrawal syndrome
1242	SEROXAT	UNKNOWN			Sleep disorder, Suicidal behaviour, Memory impairment, Agitation, Nightmare, Disturbance in attention, Aggression, Emotional disorder, Insomnia, Suicidal ideation, Panic attack, Anxiety, Mood swings, Physical assault, Violence-related symptom, Anger
1243	SEROXAT, PAROXETINE HYDROCHLORIDE	UNKNOWN, ORAL USE			Confusional state, Lethargy, Memory impairment, Disturbance in attention, Fatigue, Hyperhidrosis, Weight increased, Sleep disorder, Suicidal ideation, Drug withdrawal syndrome, Agitation, Obsessive thoughts, Tremor, Suicidal ideation
1244	PAROXETINE	UNKNOWN			Communication disorder, Nightmare, Drug withdrawal syndrome, Aggression, Social avoidant behaviour, Mood swings, Anger, Suicidal ideation, Anxiety, Headache, Nervousness, Emotional distress, Anger, Emotional distress
1245	SEROXAT	UNKNOWN			Tearfulness, Ill-defined disorder, Dry mouth, Hyperhidrosis, Depression, Anxiety, Tension, Dizziness, Fatigue, Agitation, Suicidal ideation, Nausea, Drug withdrawal syndrome

1246	PAROXETINE	UNKNOWN		Paroxetine	Drug withdrawal syndrome, Nausea, Vomiting, Diarrhoea, Dizziness, Vertigo, Disturbance in attention, Flat affect, Personality change, Agitation, Nightmare, Anxiety, Fatigue, Lethargy, Sensory disturbance, Paraesthesia, Sleep disorder, Aggression, Confusional state, Memory impairment, Tremor, Gastrointestinal disorder, Insomnia
1247	PAROXETINE HYDROCHLORIDE	UNKNOWN			Nightmare, Vertigo, Suicidal ideation, Hyperhidrosis, Memory impairment, Disturbance in attention, Drug withdrawal syndrome, Adverse drug reaction, Visual disturbance, Nausea, Dizziness, Paraesthesia, Fatigue, Tremor, Headache, Palpitations
1248	PAROXETINE				Anger, Loss of consciousness, Aphasia, Fatigue, Tearfulness, Drug withdrawal syndrome, Amnesia, Loss of consciousness, Suicidal ideation, Aggression, Depressed mood, Headache, Agitation, Irritability, Headache, Frustration, Paraesthesia, Staring, Memory impairment, Aphasia, Dizziness, Dizziness, Tremor
1249	PAROXETINE				Drug withdrawal syndrome, Pain, Pain, Balance disorder, Dizziness, Irritability, Diarrhoea, Disturbance in attention
1250	PARACETAMOL, CO-DYDRAMOL, CO-DYDRAMOL, SEROXAT	UNKNOWN, UNKNOWN, UNKNOWN, UNKNOWN			Tension, Paraesthesia, Overdose, Depressed mood, Tearfulness, Headache, Vomiting, Nausea, Agitation, Insomnia, Suicidal ideation, Dizziness, Withdrawal syndrome
1251	SEROXAT, IBUPROFEN, PARACETAMOL, ALCOHOL	UNKNOWN, UNKNOWN, UNKNOWN, UNKNOWN		429	Suicidal behaviour, Confusional state, Adverse drug reaction, Overdose, Abasia, Asthenia, Muscular weakness, Disinhibition, Aggression, Abnormal behaviour, Paraesthesia, Anxiety, Disturbance in attention, Paranoia, Restlessness, Agitation, Tearfulness, Withdrawal syndrome, Fear, Panic attack, Balance disorder, Malaise, Fatigue, Vertigo, Dizziness, Syncope, Tremor, Suicidal ideation, Flat affect, Abnormal behaviour
1252	SEROXAT	ORAL USE			Dizziness, Confusional state, Sleep disorder, Paraesthesia, Headache, Hypoaesthesia, Drug withdrawal syndrome, Abnormal dreams
1253	SEROXAT	UNKNOWN	20MG Per day		Drug withdrawal syndrome, Hyperhidrosis, Depressed mood, Suicidal ideation, Dizziness, Diarrhoea, Paraesthesia, Visual disturbance, Sleep disorder, Lethargy, Dependence, Amnesia, Suicide attempt, Agitation, Confusional state, Tremor, Stress urinary incontinence, Nightmare, Abnormal dreams, Irritability, Memory impairment, Drug dependence, Middle insomnia, Depressed mood, Headache, Emotional distress, Mood altered
1254	SEROXAT	UNKNOWN	20MG Unknown		Mood swings, Aggression, Dizziness, Hyperhidrosis, Nightmare, Paraesthesia, Withdrawal syndrome
1255	PAROXETINE HYDROCHLORIDE	UNKNOWN			Mood swings, Fatigue, Nausea, Paraesthesia, Hallucination, Nightmare, Memory impairment, Disturbance in attention, Anxiety, Depression, Drug withdrawal syndrome, Lethargy
1256	PAROXETINE HYDROCHLORIDE	UNKNOWN	20MG Unknown		Nausea, Agitation, Fatigue, Dizziness, Aggression, Hyperhidrosis, Disturbance in attention, Confusional state, Memory impairment, Drug withdrawal syndrome
1257	PAROXETINE HYDROCHLORIDE			1825	Affect lability, Irritability, Emotional disorder, Aggression, Anxiety, Depression, Diarrhoea, Amnesia, Visual disturbance, Paraesthesia, Paraesthesia, Arthralgia, Hyperaesthesia, Dizziness, Headache, Abdominal pain, Withdrawal syndrome, Anger
1258	PAROXETINE HYDROCHLORIDE, PAROXETINE HYDROCHLORIDE	ORAL USE, UNKNOWN	10MG per day		Depression, Dizziness, Vulvovaginal discomfort, Abdominal pain, Anxiety, Intentional self-injury, Hyperhidrosis, Nausea, Feeling cold, Abnormal behaviour, Fatigue, Insomnia, Confusional state, Suicidal ideation, Psychiatric symptom, Withdrawal syndrome, Panic attack, Paraesthesia, Crying, Disturbance in attention, Abnormal behaviour, Abdominal pain upper, Malaise
1259	PAROXETINE HYDROCHLORIDE	UNKNOWN			Agitation, Dizziness, Nightmare, Sleep disorder, Suicidal ideation, Hyperhidrosis, Paraesthesia, Lethargy, Memory impairment, Syncope, Hyperventilation, Disturbance in attention, Dizziness, Diarrhoea, Confusional state, Influenza, Fatigue, Vomiting, Nausea, Incoherent, Dysgeusia, Vertigo, Mood swings, Sensory disturbance, Erectile dysfunction, Tremor, Withdrawal syndrome, Anxiety, Drug dependence, Feeling abnormal, Hearing impaired
1260	PAROXETINE HYDROCHLORIDE	UNKNOWN			Drug withdrawal syndrome, Suicidal ideation, Crying, Sexual dysfunction, Coordination abnormal, Neuropathy peripheral, Malaise, Emotional disorder, Dizziness
1261	PAROXETINE HYDROCHLORIDE	UNKNOWN			Dizziness, Anorexia, Anxiety, Nausea, Disability, Agitation, Dizziness, Altered visual depth perception, Stress, Suicidal ideation, Fatigue, Nightmare, Visual disturbance, Sensory disturbance, Paraesthesia, Diarrhoea, Insomnia, Confusional state, Vomiting, Adverse drug reaction, Withdrawal syndrome, Malaise, Malaise
1262	PAROXETINE HYDROCHLORIDE	UNKNOWN			Aggression, Anxiety, Suicidal ideation, Nausea, Tearfulness, Irritability, Mood swings, Crying, Drug withdrawal syndrome, Aggression, Agoraphobia, Panic attack
1263	PAROXETINE HYDROCHLORIDE	UNKNOWN			Paraesthesia, Night sweats, Lethargy, Vertigo, Disturbance in attention, Irritability, Anxiety, Poor quality sleep, Agitation, Malaise, Dizziness, Memory impairment, Confusional state, Aggression, Depression, Somnolence, Withdrawal syndrome, Panic attack
1264	PAROXETINE HYDROCHLORIDE	UNKNOWN			Confusional state, Amnesia, Nightmare, Paraesthesia, Nausea, Dizziness, Balance disorder, Aggression, Mood swings, Anxiety, Depression, Dyspepsia, Dysphagia, Myalgia, Fatigue, Headache, Weight increased, Anorexia, Weight decreased, Libido decreased, Thinking abnormal, Depression, Suicidal ideation, Withdrawal syndrome, Dyskinesia, Mood swings, Poor quality sleep
1265	PAROXETINE HYDROCHLORIDE, PAROXETINE HYDROCHLORIDE, CO-DYDRAMOL, CO-DYDRAMOL	UNKNOWN, ORAL USE, ,			Vomiting, Disturbance in attention, Aggression, Insomnia, Legal problem, Aggression, Dizziness, Flat affect, Personality change, Memory impairment, Sleep disorder, Aggression, Suicidal ideation, Paraesthesia, Paraesthesia, Nausea, Agitation, Disturbance in attention, Vertigo, Hyperhidrosis, Anxiety, Dizziness, Headache, Personality change, Judgement impaired, Abnormal behaviour, Abnormal behaviour, Agitation, Lethargy, Flat affect, Abnormal behaviour, Nightmare, Fatigue, Withdrawal syndrome, Tremor, Mood swings, Impulsive behaviour, Anxiety
1266	PAROXETINE HYDROCHLORIDE	UNKNOWN			Weight decreased, Agitation, Nightmare, Anorexia, Sleep disorder, Amnesia, Aggression, Diarrhoea, Hyperhidrosis, Lethargy, Fatigue, Depression, Anxiety, Nausea, Confusional state, Suicidal ideation, Insomnia, Disturbance in attention, Malaise, Malaise, Agitation, Sleep disorder, Phobia, Panic attack, Withdrawal syndrome, Tremor, Nonspecific reaction

1267	PAROXETINE HYDROCHLORIDE	UNKNOWN		Paroxetine	Upper respiratory tract infection, Hostility, Paranoia, Paraesthesia, Insomnia, Weight decreased, Paraesthesia, Coordination abnormal, Hypersomnia, Hyperhidrosis, Disturbance in attention, Cognitive disorder, Flight of ideas, Drug withdrawal syndrome, Aggression, Diarrhoea, Drug dependence, Suicidal ideation, Thinking abnormal, Anxiety, Irritability, Migraine, Impulsive behaviour, Agitation, Gait disturbance, Mood altered, Headache, Abdominal distension, Dizziness, Eye pain, Abnormal dreams, Acne, Panic reaction, Panic attack, Ill-defined disorder, Drug ineffective, Irritability, Memory impairment, Lethargy, Abnormal dreams, Intentional self-injury, Food craving, Personality change, Dyssomnia, Akathisia, Energy increased, Depersonalisation, Musculoskeletal pain, Neck pain, Dry mouth, Constipation, Hallucination, auditory
1268	PAROXETINE HYDROCHLORIDE	UNKNOWN			Depression, Agitation, Hyperhidrosis, Irritability, Paraesthesia, Depression, Anxiety, Fatigue, Influenza, Memory impairment, Anxiety, Affective disorder, Suicidal ideation, Vertigo, Confusional state, Drug withdrawal syndrome, Weight increased
1269	PAROXETINE HYDROCHLORIDE, PAROXETINE HYDROCHLORIDE	UNKNOWN			Sleep disorder, Diarrhoea, Anxiety, Influenza, Chest pain, Dizziness, Sensory disturbance, Suicidal ideation, Decreased appetite, Paraesthesia, Hypoaesthesia, Early morning awakening, Abdominal pain upper, Disturbance in attention, Memory impairment, Convulsion, Suicidal ideation, Malaise, Nightmare, Initial insomnia, Hyperhidrosis, Anxiety, Agitation, Agitation, Vertigo, Hypoaesthesia, Circulatory collapse, Decreased interest, Dizziness, Restlessness, Arthralgia, Affect lability, Eructation, Palpitations, Duodenitis, Ill-defined disorder, Tinnitus, Hypoacusis, Hemiparesis, Panic attack, Withdrawal syndrome, Tremor, Panic reaction, Fear
1270	PAROXETINE HYDROCHLORIDE	UNKNOWN	20MG per day		Nausea, Dizziness, Insomnia, Asthenia, Fatigue, Abnormal dreams, Drug withdrawal syndrome, Hostility, Nightmare, Suicidal ideation, Mood swings, Head titubation, Tremor
1271	PAROXETINE, PAROXETINE HYDROCHLORIDE	UNKNOWN	30MG Per day		Mood swings, Fatigue, Sleep disorder, Drug withdrawal syndrome, Paraesthesia, Paraesthesia, Vertigo, Disturbance in attention, Pain, Aggression
1272	PAROXETINE HYDROCHLORIDE	UNKNOWN			Confusional state, Hypoaesthesia, Sleep disorder, Disturbance in attention, Hypoaesthesia, Lethargy, Suicidal ideation, Vertigo, Agitation, Dizziness, Depression, Sensory disturbance, Paraesthesia, Drug withdrawal syndrome, Micturition disorder, Memory impairment, Tremor, Depressed mood, Tearfulness, Anger, Poor quality sleep, Intentional self-injury, Affective disorder, Anxiety, Psychomotor hyperactivity
1273	PAROXETINE HYDROCHLORIDE	UNKNOWN	20MG Per day		Suicidal ideation, Irritability, Disturbance in attention, Burning sensation, Paraesthesia, Drug withdrawal syndrome, Social avoidant behaviour, Flushing, Hyperhidrosis, Condition aggravated, Emotional distress, Panic reaction
1274	PAROXETINE HYDROCHLORIDE, PAROXETINE HYDROCHLORIDE	UNKNOWN, UNKNOWN			Parosmia, Anger, Suicidal ideation, Irritability, Aggression, Withdrawal syndrome
1275	PAROXETINE HYDROCHLORIDE	UNKNOWN			Anxiety, Dizziness, Insomnia, Appetite disorder, Drug hypersensitivity, Tearfulness, Stomach discomfort, Anorexia, Nausea, Headache, Diarrhoea, Drug withdrawal syndrome, Suicidal ideation, Sleep disorder, Malaise, Night sweats, Dizziness, Dizziness, Panic attack
1276	PAROXETINE HYDROCHLORIDE	UNKNOWN			Suicidal ideation, Dissociation, Depersonalisation, Anxiety, Insomnia, Hyperhidrosis, Derealisation, Dissociation, Suicidal ideation, Hypersomnia, Anxiety, Anorexia, Vomiting, Confusional state, Diarrhoea, Disturbance in attention, Nightmare, Lethargy, Memory impairment, Hallucination, auditory, Paraesthesia, Agitation, Dizziness, Nausea, Feeling abnormal, Disturbance in attention, Feeling abnormal, Tremor, Withdrawal syndrome, Dyskinesia, Panic attack
1277	PAROXETINE HYDROCHLORIDE	UNKNOWN			Influenza like illness, Cognitive disorder, Disturbance in attention, Irritability, Nightmare, Sleep disorder, Muscle spasms, Muscle spasms, Pain in extremity, Restless legs syndrome, Lethargy, Affect lability, Convulsion, Antisocial personality disorder, Anger, Asthenia, Vision blurred, Visual disturbance, Epistaxis, Anxiety, Depression, Nausea, Emotional distress, Suicidal ideation, Disturbance in attention, Suicidal ideation, Regurgitation, Chills, Influenza like illness, Visual disturbance, Apathy, Feeling of despair, Mental impairment, Confusional state, Restlessness, Thinking abnormal, Aggression, Malaise, Pyrexia, Paraesthesia, Muscle twitching, Weight increased, Urinary retention, Decreased appetite, Dizziness, Malaise, Feeling drunk, Malaise, Depressed level of consciousness, Feeling abnormal, Tremor, Dyskinesia, Tremor, Clumsiness, Extrapyramidal disorder, Withdrawal syndrome, Panic reaction
1278	PAROXETINE HYDROCHLORIDE	UNKNOWN			Anxiety, Balance disorder, Anxiety, Derealisation, Agitation, Drug withdrawal syndrome, Headache, Anorexia, Suicidal ideation, Aggression, Dry mouth, Nausea, Dissociation, Insomnia, Disturbance in attention, Muscle twitching, Nightmare, Mood swings, Panic attack, Agoraphobia
1279	PAROXETINE HYDROCHLORIDE	UNKNOWN			Agitation, Dizziness, Nausea, Influenza, Mood swings, Sleep disorder, Drug withdrawal syndrome, Decreased appetite, Nightmare, Hyperhidrosis, Insomnia, Suicidal ideation, Lethargy, Hypoaesthesia, Mood swings, Dizziness, Confusional state, Disturbance in attention, Memory impairment, Fatigue, Vomiting, Trichotillomania, Tremor, Depressed mood, Insomnia, Panic attack
1280	PAROXETINE HYDROCHLORIDE	UNKNOWN			Dizziness, Paraesthesia, Headache, Nightmare, Pain, Nausea, Amnesia, Fatigue, Disturbance in attention, Sleep disorder, Hypoaesthesia, Loss of consciousness, Anger, Pain, Hyperhidrosis, Vertigo, Crying, Visual disturbance, Aggression, Fatigue, Cardiac disorder, Headache, Dyspepsia, Rash, Dizziness, Confusional state, Agitation, Withdrawal syndrome, Panic attack, Tremor, Magnesium deficiency, Hyperventilation, Paraesthesia, Hot flush, Dizziness, Vision blurred
1281	PAROXETINE HYDROCHLORIDE, PAROXETINE HYDROCHLORIDE	UNKNOWN, UNKNOWN			Sleep disorder, Anxiety, Depressed mood, Fatigue, Suicidal ideation, Paranoia, Mood swings, Self esteem decreased, Drug withdrawal syndrome, Anger, Fatigue, Aggression, Irritability, Fatigue
1282	PAROXETINE HYDROCHLORIDE	UNKNOWN			Drug withdrawal syndrome, Irritability, Aggression, Suicidal ideation, Pruritus, Muscle twitching, Paranoia
1283	PAROXETINE HYDROCHLORIDE, PAROXETINE HYDROCHLORIDE	UNKNOWN, UNKNOWN			Mood swings, Unevaluable event, Frustration, Hyperhidrosis, Somnolence, Fatigue, Nasopharyngitis, Lethargy, Anxiety, Malaise, Nightmare, Depressed mood, Drug withdrawal syndrome, Eczema, Depression, Thirst, Anger, Aggression, Panic attack, Fear, Dermatitis, Decreased interest, Insomnia, Poor quality sleep
1284	SEROXAT	UNKNOWN			Drug withdrawal syndrome, Diarrhoea, Vomiting, Influenza like illness, Muscle tightness, Dizziness, Depressed mood, Feeling of despair, Suicidal ideation, Crying, Tearfulness, Fatigue, Headache, Electric shock, Change of bowel habit, Abdominal pain, Panic attack, Tremor, Irritable bowel syndrome
1285	PAROXETINE HYDROCHLORIDE, PAROXETINE	UNKNOWN,	20MG Per day,		Lethargy, Tension, Hyperhidrosis, Fatigue, Drug withdrawal syndrome, Nightmare, Sleep disorder, Suicidal ideation, Memory impairment, Disturbance in attention, Loss of libido, Agitation, Confusional state, Aggression, Paraesthesia, Sleep disorder, Influenza Tremor, Apathy

1286	PAROXETINE HYDROCHLORIDE	UNKNOWN	20MG Per day	Paroxetine	Dizziness, Loss of libido, Speech disorder, Hyperhidrosis, Psychiatric symptom, Mood altered, Memory impairment, Disturbance in attention, Anxiety, Feeling of despair, Insomnia, Drug withdrawal syndrome, Depression, Lethargy, Rash, Mood swings, Weight increased, Aggression, Agitation, Crying, Fatigue, Suicidal ideation, Insomnia
1287	SEROXAT	UNKNOWN			Agitation, Suicidal ideation, Night sweats, Apathy, Agitation, Dyspnoea, Insomnia, Heart rate increased, Decreased appetite, Sleep disorder, Panic attack, Depressed mood, Depression, Withdrawal syndrome, Dizziness, Confusional state, Dysphagia, Drug exposure during pregnancy, Suicidal ideation, Nightmare, Tremor, Liver function test abnormal, Paraesthesia, Flushing, Restlessness, Nausea, Anxiety, Paraesthesia, Hyperventilation, Tearfulness, Abortion spontaneous, Asthenia, Irritability, Weight increased
1288	PAROXETINE HYDROCHLORIDE	UNKNOWN			Anxiety, Self-injurious ideation, Suicidal ideation, Depression, Agitation, Muscle twitching, Insomnia, Constipation, Hyperhidrosis, Emotional distress, Crying, Dyspepsia, Hyperventilation, Muscle twitching, Drug withdrawal syndrome, Dyskinesia, Panic attack, Tremor, Poor quality sleep, Withdrawal syndrome, Malaise, Palpitations, Emotional distress, Libido decreased, Gastrointestinal disorder, Somnolence, Hot flush, Pruritus, Fatigue, Depressed mood, Sleep disorder, Anxiety, Frequent bowel movements, Mood altered, Eructation, Abdominal pain upper, Tearfulness, Lethargy
1289	PAROXETINE HYDROCHLORIDE	UNKNOWN			Hyperhidrosis, Confusional state, Fatigue, Palpitations, Hyperhidrosis, Anxiety, Aggression, Agitation, Depersonalisation, Amnesia, Mood swings, Irritability, Disorientation, Paraesthesia, Panic attack, Withdrawal syndrome, Panic attack, Phobia, Obsessive-compulsive disorder, Anger
1290	PAROXETINE HYDROCHLORIDE, PAROXETINE HYDROCHLORIDE	UNKNOWN, UNKNOWN			Sleep disorder, Weight decreased, Anxiety, Suicidal ideation, Dizziness, Drug withdrawal syndrome, Hyperhidrosis, Vision blurred, Aggression, Nightmare
1291	PAROXETINE HYDROCHLORIDE	UNKNOWN			Influenza like illness, Drug withdrawal syndrome, Loss of consciousness, Anxiety, Anxiety, Adverse event, Anorexia, Abdominal pain upper, Sensory disturbance, Social avoidant behaviour, Anxiety, Tremor, Withdrawal syndrome, Eating disorder
1292	PAROXETINE HYDROCHLORIDE, PRIADEL	UNKNOWN,			Restlessness, Agitation, Anxiety, Suicidal ideation, Suicide attempt, Withdrawal syndrome, Overdose, Somnolence, Therapeutic agent toxicity, Depression, Emotional distress, Tearfulness, Anxiety, Dizziness, Diarrhoea, Vomiting, Tremor, Nausea, Malaise, Feeling of despair, Feeling of despair, Mood swings, Overdose, Self-injurious ideation
1293	SEROXAT, SEROXAT	ORAL USE,			Irritable bowel syndrome, Crying, Tearfulness, Anorexia, Headache, Agitation, Myalgia, Vertigo, Paraesthesia, Vomiting, Anxiety, Insomnia, Nausea, Diarrhoea, Weight decreased, Dizziness, Palpitations, Abortion missed, Panic attack, Withdrawal syndrome
1294	PAROXETINE HYDROCHLORIDE	UNKNOWN		835	Paraesthesia, Anxiety, Hallucination, Memory impairment, Hyperhidrosis, Dizziness, Anger, Nausea, Intentional self-injury, Nervousness, Paranoia, Aggression, Headache, Dizziness, Nightmare, Fatigue, Suicidal ideation, Panic attack, Agoraphobia, Withdrawal syndrome, Tremor
1295	PAROXETINE HYDROCHLORIDE	UNKNOWN			Insomnia, Disorientation, Nausea, Suicidal ideation, Nightmare, Incontinence, Bedridden, Dizziness, Malaise, Panic attack, Withdrawal syndrome, Tremor, Tearfulness, Headache, Depressed mood, Vomiting, Increased tendency to bruise, Asthenia, Mood swings, Agitation
1296	PAROXETINE HYDROCHLORIDE	UNKNOWN			Palpitations, Irritability, Hyperhidrosis, Suicidal ideation, Influenza, Fatigue, Drug withdrawal syndrome, Nausea, Agitation, Alopecia, Weight increased, Paraesthesia, Mood altered, Drug dependence, Personality change, Aggression, Weight decreased, Anxiety
1297	PAROXETINE HYDROCHLORIDE, PAROXETINE HYDROCHLORIDE	UNKNOWN, ORAL USE			Nasopharyngitis, Abnormal dreams, Paraesthesia, Insomnia, Communication disorder, Pruritus, Aggression, Mood altered, Dizziness, Headache, Somnolence, Anxiety, Libido decreased, Nausea, Fatigue, Influenza like illness, Weight increased, Withdrawal syndrome, Panic reaction, Agoraphobia, Tremor
1298	PAROXETINE		20MG Per day		Delusion, Self-injurious ideation, Tearfulness, Malaise, Pain, Cold sweat, Anxiety, Dizziness, Headache, Confusional state, Disturbance in attention, Dissociation, Disorientation, Hyperhidrosis, Apathy, Premenstrual syndrome, Suicidal ideation, Nausea, Convulsion, Paranoia, Flat affect, Thirst, Fatigue, Paraesthesia, Influenza like illness, Fatigue, Abnormal dreams, Insomnia, Abdominal pain upper, Diarrhoea, Agitation, Anxiety, Affect lability, Anger, Intentional self-injury, Fear, Withdrawal syndrome
1299	PAROXETINE				Overdose, Paraesthesia, Paraesthesia, Dizziness, Muscle spasms, Nausea, Diarrhoea, Abnormal dreams, Depression, Irritability, Flatulence, Agitation, Mood swings, Confusional state, Influenza like illness, Somnolence, Derealisation, Suicidal behaviour, Aggression, Drug withdrawal syndrome, Fatigue, Insomnia, Hyperhidrosis, Feeling hot, Feeling cold, Headache, Tremor, Ill-defined disorder, Hallucination, Feeling abnormal, Anxiety
1300	PAROXETINE, PAROXETINE HYDROCHLORIDE	UNKNOWN, ORAL USE			Crying, Agitation, Emotional distress, Obsessive-compulsive disorder, Feeling jittery, Drug ineffective, Crying, Delivery, Memory impairment, Lethargy, Paraesthesia, Influenza, Fatigue, Dizziness, Dizziness, Confusional state, Depressed mood, Suicidal ideation, Vertigo, Hyperhidrosis, Sleep disorder, Nightmare, Disturbance in attention, Galactorrhoea, Withdrawal syndrome, Tremor
1301	PAROXETINE, VENLAFAXINE HYDROCHLORIDE	UNKNOWN,			Anxiety, Self-injurious ideation, Suicidal ideation, Poor quality sleep, Negativism, Personality disorder, Depressed mood, Suicidal ideation, Depression, Intentional overdose, Tearfulness, Early morning awakening, Depressed mood, Social avoidant behaviour, Anxiety, Withdrawal syndrome
1302	PAROXETINE	UNKNOWN			Fatigue, Crying, Fatigue, Depression, Emotional distress, Thirst, Abdominal pain, Tearfulness, Anxiety, Feeling abnormal, Sensory disturbance, Nightmare, Weight increased, Night sweats, Suicidal ideation, Lethargy, Agitation, Dizziness, Influenza, Withdrawal syndrome, Panic attack, Tremor
1303	SEROXAT	UNKNOWN			Diarrhoea, Nausea, Weight increased, Anxiety, Drug withdrawal syndrome, Mental status changes, Feeling abnormal, Vision blurred, Dyslexia, Hallucination, Confusional state, Disturbance in attention, Paranoia, Lethargy, Depersonalisation, Ocular icterus, Dry mouth, Hyperhidrosis, Dyspnoea, Depression, Mental impairment, Musculoskeletal chest pain, Dizziness, Muscle contractions involuntary, Paraesthesia, Tremor, Intentional self-injury, Dyskinesia, Heart rate irregular, Paraesthesia, Myalgia, Self-injurious ideation, Extrasystoles, Palpitations, Feeling of despair, Middle insomnia, Withdrawal syndrome, Suicidal ideation, Mental disorder, Yellow skin, Hunger, Liver tenderness, Hyperacusis, Dissociation, Panic attack, Obsessive-compulsive disorder
1304	SEROXAT, SEROXAT	UNKNOWN, ORAL USE			Hyperventilation, Drug withdrawal syndrome, Muscular weakness, Personality change, Weight increased, Balance disorder, Blood alkaline phosphatase increased, Hypoaesthesia, Adverse event, Malaise, Aggression, Abnormal dreams, Panic reaction, Depressed mood

1305	SEROXAT, SEROXAT	UNKNOWN,		Paroxetine	Weight decreased, Disturbance in attention, Nightmare, Lethargy, Memory impairment, Dizziness, Fatigue, Confusional state, Dizziness, Agitation, Personality change, Suicide ideation, Thinking abnormal, Sleep disorder, Withdrawal syndrome
1306	SEROXAT	UNKNOWN			Nightmare, Dizziness, Paraesthesia, Pruritus, Sleep disorder, Nausea, Vomiting, Hyperhidrosis, Fatigue, Anxiety, Agitation, Aggression, Suicidal ideation, Violence-related symptom, Drug withdrawal syndrome
1307	SEROXAT, SEROXAT	UNKNOWN, ORAL USE			Anxiety, Suicidal ideation, Nightmare, Dizziness, Nausea, Tearfulness, Hyperhidrosis, Headache, Irritable bowel syndrome, Abdominal pain, Confusional state, Memory impairment, Emotional disorder, Depression, Lethargy, Anger, Paraesthesia, Withdrawal syndrome, Delirium, Elevated mood, Aggression, Apathy, Night sweats, Early morning awakening
1308	SEROXAT	UNKNOWN			Thinking abnormal, Disturbance in attention, Suicide attempt, Intentional self-injury, Restlessness, Mood swings, Fatigue, Memory impairment, Aggression, Agitation, Confusional state, Withdrawal syndrome, Panic attack, Depressed mood, Somnolence
1309	SEROXAT	UNKNOWN			Paraesthesia, Lethargy, Drug withdrawal syndrome, Suicidal ideation, Memory impairment, Disturbance in attention, Hallucination, Dizziness, Nausea, Feeling cold, Chills, Panic attack, Fear, Tremor
1310	PAROXETINE HYDROCHLORIDE	ORAL USE	30MG per day		Headache, Nausea, Muscle spasms, Loss of libido, Convulsion, Paraesthesia, Muscle spasms, Pain in extremity, Paraesthesia, Sleep disorder, Aggression, Nightmare, Anxiety, Agitation, Memory impairment, Disturbance in attention, Withdrawal syndrome, Fear, Tremor, Dystonia, Tremor, Dystonia
1311	PAROXETINE HYDROCHLORIDE PAROXETINE HYDROCHLORIDE	ORAL USE, ORAL USE	20MG Per day,		Aggression, Agitation, Hyperhidrosis, Migraine, Palpitations, Drug exposure during pregnancy, Mood altered, Balance disorder, Memory impairment, Sleep disorder, Loss of libido, Lethargy, Hyperhidrosis, Hot flush, Aggression, Mood swings, Pain, Paraesthesia, Anxiety, Nausea, Headache, Vision blurred, Weight increased, Dizziness, Dizziness, Withdrawal syndrome, Tremor, Panic reaction, Dizziness, Visual disturbance
1312	SEROXAT, SEROXAT	ORAL USE, ORAL USE			Restlessness, Insomnia, Aggression, Aggression, Tinnitus, Anxiety, Adverse event, Flight of ideas, Withdrawal syndrome
1313	PAROXETINE HYDROCHLORIDE PAROXETINE HYDROCHLORIDE	ORAL USE, ORAL USE			Anxiety, Sleep disorder, Depressed mood, Paraesthesia, Negativism, Flat affect, Depression, Memory impairment, Disturbance in attention, Dizziness, Influenza like illness, Feeling abnormal, Agitation, Headache, Aggression, Suicidal ideation, Fatigue, Lethargy, Drug withdrawal syndrome, Nightmare, Mood altered, Panic attack, Restlessness, Loss of libido, Tearfulness, Irritability, Diarrhoea, Paraesthesia
1314	SEROXAT	UNKNOWN			Tearfulness, Suicidal ideation, Depressed mood, Emotional distress, Headache, Drug withdrawal syndrome, Nausea, Suicidal ideation, Aggression, Agitation, Psychiatric symptom, Panic attack, Tremor, Erectile dysfunction, Loss of libido
1315	PAROXETINE				Amnesia, Hyperhidrosis, Fatigue, Drug withdrawal syndrome, Suicidal ideation, Headache, Depression, Anxiety, Dizziness, Dizziness, Agitation, Panic attack
1316	PAROXETINE HYDROCHLORIDE	UNKNOWN			Drug withdrawal syndrome, Suicidal ideation, Dizziness, Nightmare, Fatigue, Confusional state, Influenza like illness, Hyperhidrosis, Anxiety, Headache, Agitation, Paraesthesia, Hypoaesthesia facial, Tremor, Panic attack, Tremor, Ill-defined disorder, Negative thoughts, Death of relative, Panic reaction
1317	PAROXETINE HYDROCHLORIDE	UNKNOWN			Constipation, Malaise, Insomnia, Agitation, Proctalgia fugax, Abdominal distension, Anxiety, Negative thoughts, Nausea, Loss of libido, Initial insomnia, Hallucination, Malaise, Mood swings, Diarrhoea, Withdrawal syndrome, Aggression, Tremor, Panic attack, Depression
1318	SEROXAT, PAROXETINE	ORAL USE, ORAL USE			Aggression, Crying, Intentional self-injury, Thinking abnormal, Palpitations, Dyspnoea, Nightmare, Disturbance in attention, Memory impairment, Lethargy, Paranoia, Vertigo, Hyperhidrosis, Agitation, Dissociation, Derealisation, Mood swings, Paraesthesia, Influenza, Fatigue, Confusional state, Tearfulness, Sleep disorder, Pain in extremity, Drug withdrawal syndrome, Anger, Depression, Anxiety, Paraesthesia, Suicide attempt, Anger, Tremor, Headache, Pain, Nausea, Pyrexia, Depressed mood, Panic attack, Intentional self-injury, Screaming, Malaise, Withdrawal syndrome
1319	PAROXETINE	UNKNOWN			Paraesthesia, Mood swings, Vertigo, Dizziness, Nightmare, Malaise, Diarrhoea, Confusional state, Disorientation, Influenza like illness, Fatigue, Violence-related symptom, Depression, Intentional self-injury, Insomnia, Drug dependence, Aggression, Suicidal behaviour, Dizziness, Chest pain, Epistaxis, Withdrawal syndrome, Mood altered
1320	SEROXAT	UNKNOWN	20MG Unknown		Lethargy, Fatigue, Dizziness, Weight increased, Somnolence, Nausea, Suicidal ideation, Diarrhoea, Aggression, Nightmare, Sleep disorder, Anxiety, Sleep disorder, Amnesia, Agitation, Confusional state, Depression, Mood swings, Depressed mood, Hyperhidrosis, Abortion induced, Tremor, Withdrawal syndrome
1321	PAROXETINE HYDROCHLORIDE	UNKNOWN			Anxiety, Malaise, Dizziness, Insomnia, Hallucination, Depression, Anxiety, Memory impairment, Drug withdrawal syndrome, Confusional state, Feelings of worthlessness, Diarrhoea, Nausea, Muscle spasms, Tremor
1322	PAROXETINE HYDROCHLORIDE PAROXETINE	UNKNOWN,			Asthenia, Paraesthesia, Muscle twitching, Disturbance in attention, Anorexia, Insomnia, Memory impairment, Bruxism, Dizziness, Arthralgia, Headache, Drug withdrawal syndrome, Tearfulness, Paraesthesia, Anxiety, Bladder disorder, Loss of libido, Irritability, Suicidal ideation, Nightmare, Fatigue, Influenza, Mood swings, Photopsia, Hypoaesthesia
1323	PAROXETINE				Drug withdrawal syndrome, Anxiety, Crying, Musculoskeletal pain, Malaise, Night sweats, Abnormal dreams, Sleep disorder, Dizziness, Back pain, Headache
1324	PAROXETINE				Disturbance in attention, Derealisation, Dyspnoea, Drug withdrawal syndrome, Decreased interest, Physical assault, Insomnia, Anxiety, Irritability, Anger, Agitation, Disturbance in attention, Asthenia, Anorexia, Memory impairment, Paraesthesia, Lethargy, Fatigue, Confusional state, Flashback, Nightmare, Palpitations, Suicidal ideation, Hyperhidrosis, Feelings of worthlessness, Aggression, Panic attack, Tremor, Fear
1325	PAROXETINE, FLUOXETINE				Amnesia, Paraesthesia, Confusional state, Disorientation, Nausea, Headache, Cerebrovascular accident, Fatigue, Palpitations, Ill-defined disorder, Dyspnoea, Dizziness, Ear pain, Chest discomfort, Myalgia, Eye pain, Dysphemia, Diarrhoea, Dysgeusia, Dysphasia, Pollakiuria, Asthenia, Chest pain, Chest pain, Paraesthesia, Hypoaesthesia, Myocardial infarction, Pericarditis, Chills, Abdominal pain, Gastric disorder, Suicidal ideation, Epilepsy, Influenza like illness, Vomiting, Drug withdrawal syndrome, Duodenal ulcer, Duodenitis, Diarrhoea, Weight decreased, Tremor
1326	PAROXETINE HYDROCHLORIDE	UNKNOWN			Influenza, Dizziness, Nightmare, Sleep disorder, Suicidal ideation, Fatigue, Memory impairment, Disturbance in attention, Drug withdrawal syndrome, Hyperhidrosis, Paraesthesia, Lethargy, Paraesthesia, Agitation, Panic reaction, Tremor, Panic attack

1327	PAROXETINE			Paroxetine	Diarrhoea, Anorexia, Influenza like illness, Dizziness, Nausea, Paraesthesia, Drug withdrawal syndrome
1328	PAROXETINE HYDROCHLORIDE	UNKNOWN			Agitation, Dizziness, Fatigue, Drug withdrawal syndrome, Paranoia, Vertigo, Suicide attempt, Suicidal ideation, Nightmare, Lethargy, Nausea, Confusional state, Disability, Tremor, Agoraphobia, Panic attack
1329	SEROXAT	UNKNOWN			Tearfulness, Depressed mood, Aggression, Nightmare, Hypertension, Fatigue, Lethargy, Drug withdrawal syndrome, Balance disorder, Dizziness, Nausea, Emotional distress, Amnesia, Abnormal behaviour, Anxiety, Feeling abnormal
1330	PAROXETINE				Nausea, Disturbance in attention, Headache, Weight increased, Influenza like illness, Visual disturbance, Infection, Melanocytic naevus, Memory impairment, Headache, Feeling abnormal, Drug withdrawal syndrome, Hyperhidrosis, Somnolence, Pain, Pain in extremity, Gastric disorder, Diarrhoea, Aggression
1331	PAROXETINE, ZOPICLONE, CO-PROXAMOL, CO-PROXAMOL				Drug withdrawal syndrome, Diarrhoea, Nausea, Visual disturbance, Insomnia, Dizziness, Abnormal dreams, Intentional overdose, Nightmare, Confusional state, Vomiting, Paraesthesia, Hyperhidrosis, Hallucination, Suicidal ideation, Headache, Mania, Depression, Tremor
1332	PAROXETINE				Nausea, Confusional state, Dizziness, Vision blurred, Anger, Sensory disturbance, Loss of consciousness, Myalgia, Fatigue, Arthralgia, Mouth ulceration, Fall, Weight decreased, Musculoskeletal stiffness, Drug withdrawal syndrome, Headache, Balance disorder, Amnesia, Hyperhidrosis, Cold sweat, Feeling hot, Metamorphopsia
1333	PAROXETINE, SEROXAT	UNKNOWN, ORAL USE			Dizziness, Flushing, Abnormal dreams, Drug withdrawal maintenance therapy, Drug exposure during pregnancy, Drug withdrawal syndrome
1334	PAROXETINE HYDROCHLORIDE, METHYLENE BLUE	, INTRAVENOUS	, 1.75mg/kg		Serotonin syndrome, Drug interaction, Confusional state, Somnolence, Restlessness, Agitation
1335	PAROXETINE				Intentional self-injury, Drug withdrawal syndrome, Hyperhidrosis, Dizziness, Nausea, Paraesthesia, Sensory disturbance, Condition aggravated, Agitation, Confusional state, Diarrhoea, Tremor, Suicidal ideation, Aggression, Contusion, Memory impairment, Disturbance in attention, Nightmare, Irritability, Lethargy, Mood altered
1336	PAROXETINE				Weight decreased, Energy increased, Affect lability, Suicidal ideation, Drug withdrawal syndrome, Fatigue, Depressed mood, Abdominal pain, Memory impairment, Depression, Disturbance in attention, Feeling of despair, Crying, Back pain, Musculoskeletal pain, Balance disorder
1337	PAROXETINE				Insomnia, Familial tremor, Suicidal ideation, Alcohol withdrawal syndrome, Drug withdrawal syndrome, Depressed mood, Back pain, Tearfulness
1338	PAROXETINE				Fatigue, Anxiety, Insomnia, Daydreaming, Drug withdrawal syndrome
1339	SEROXAT				Suicidal ideation, Headache, Musculoskeletal stiffness, Personality change, Trismus
1340	SEROXAT				Aggression, Nightmare, Anxiety, Hyperhidrosis
1341	PAROXETINE				Depressed mood, Suicidal ideation, Feeling abnormal, Menopausal symptoms, Poor quality sleep, Drug withdrawal syndrome
1342	SEROXAT	ORAL USE	dose reduced in February without consulting doctor, then withdrew		Paraesthesia, Hypoaesthesia, Affect lability, Aggression, Disturbance in attention, Dizziness, Drug withdrawal syndrome, Muscle spasms, Nightmare, Memory impairment, Nausea
1343	PAROXETINE		Started mid 90's		Feeling drunk, Drug withdrawal syndrome
1344	SEROXAT				Disorientation, Headache, Weight increased, Lethargy, Malaise, Fatigue, Metabolic disorder, Vertigo, Anxiety, Dizziness, Drug withdrawal syndrome, Balance disorder, Impaired work ability
1345	PAROXETINE				Insomnia, Irritability, Aggression, Mood swings, Anxiety, Depressed mood, Drug withdrawal syndrome, Alcohol abuse
1346	PAROXETINE HYDROCHLORIDE	UNKNOWN			Malaise, Nasopharyngitis, Abdominal discomfort, Headache, Hot flush, Crying, Hyperhidrosis, Pruritus, Migraine, Irritability, Nausea, Emotional disorder, Suicidal ideation, Drug withdrawal syndrome, Abdominal pain upper, Diarrhoea, Sneezing
1347	PAROXETINE HYDROCHLORIDE	UNKNOWN			Anxiety, Nausea, Loss of libido, Memory impairment, Disturbance in attention, Dizziness, Drug withdrawal syndrome, Suicidal ideation, Headache, Depression, Abdominal pain upper, Tearfulness
1348	PAROXETINE HYDROCHLORIDE	UNKNOWN		582	Hallucination, Drug withdrawal syndrome, Migraine, Anxiety, Eye pain, Nausea, Paraesthesia, Hyperhidrosis, Food craving, Panic attack
1349	PAROXETINE HYDROCHLORIDE	UNKNOWN			Dry mouth, Loss of libido, Agitation, Drug withdrawal syndrome, Depressed mood, Depression, Drug exposure during pregnancy, Suicidal ideation
1350	SEROXAT	ORAL USE			Confusional state, Suicidal ideation, Irritability, Disturbance in attention, Nightmare, Feeling abnormal, Depressed mood, Lethargy, Mood swings, Memory impairment, Anxiety, Depression, Aggression, Agitation, Dizziness, Fatigue, Dizziness, Food craving, Hyperhidrosis, Sleep disorder, Headache, Dry mouth, Vertigo, Tremor, Withdrawal syndrome
1351	PAROXETINE HYDROCHLORIDE	UNKNOWN			Anxiety, Fatigue, Pain, Headache, Malaise, Mood swings, Depression, Hallucination, visual, Depressed mood, Drug withdrawal syndrome, Condition aggravated, Pain, Migraine, Visual disturbance, Hallucination, auditory, Fear
1352	SEROXAT	UNKNOWN			Apathy, Thought insertion, Lethargy, Agitation, Disturbance in attention, Dizziness, Memory impairment, Aggression, Paraesthesia, Irritability, Affective disorder, Headache, Mood swings, Muscle twitching, Flatulence, Musculoskeletal disorder, Gastrointestinal sounds abnormal, Hypoaesthesia facial, Feeling cold, Discomfort, Chills, Visual disturbance, Retching, Photosensitivity reaction, Skin burning sensation, Musculoskeletal discomfort, Psychiatric symptom, Blepharospasm, Tension, Chest pain, Pain in extremity, Palpitations, Paraesthesia, Nervousness, Muscle tightness, Muscle spasms, Paraesthesia, Night sweats, Derealisation, Headache, Anxiety, Drug withdrawal syndrome, Muscular weakness, Restless legs syndrome, Ear pain, Loss of libido, Anxiety, Nightmare, Palpitations, Sleep disorder, Fatigue, Agoraphobia, Panic reaction, Dyskinesia, Phobia
1353	PAROXETINE HYDROCHLORIDE	UNKNOWN			Mood altered, Hypoaesthesia, Suicidal ideation, Stomach discomfort, Drug withdrawal syndrome, Dizziness, Diarrhoea, Nervousness, Paraesthesia, Anxiety, Agitation, Tremor, Poor quality sleep, Vomiting, Nausea, Agitation, Anger
1354	PAROXETINE				Drug withdrawal syndrome, Aggression, Paraesthesia, Disorientation, Depression, Feeling of despair, Tinnitus, Anxiety, Dizziness, Abnormal dreams, Agitation, Tremor
1355	PAROXETINE HYDROCHLORIDE	UNKNOWN			Dependence, Mood swings, Muscle spasms, Depressed mood, Aggression, Dizziness, Agitation, Hyperhidrosis, Drug withdrawal syndrome, Crying, Aggression
1356	PAROXETINE HYDROCHLORIDE	UNKNOWN			Drug withdrawal syndrome, Mood swings, Aggression, Insomnia, Hypoaesthesia, Performance status decreased, Suicide attempt, Hypoaesthesia, Paraesthesia, Disturbance in attention, Lethargy, Suicidal ideation, Headache, Fatigue, Mood altered

1357	PAROXETINE HYDROCHLORIDE, PAROXETINE HYDROCHLORIDE	UNKNOWN,		Paroxetine	Personality change, Depressed mood, Paraesthesia, Erectile dysfunction, Hypomania, Tremor, Withdrawal syndrome, Anxiety, Elevated mood, Nightmare, Abnormal behaviour, Insomnia, Suicidal ideation, Psychiatric symptom, Aggression, Aggression
1358	SEROXAT				Suicidal ideation, Palpitations, Diarrhoea, Abdominal pain, Nausea, Weight decreased, Drug withdrawal syndrome, Feeling jittery, Insomnia, Self-injurious ideation
1359	PAROXETINE HYDROCHLORIDE	UNKNOWN			Dizziness, Withdrawal syndrome, Apathy, Emotional disorder, Drug withdrawal syndrome, Agitation, Memory impairment, Disturbance in attention, Nightmare, Sleep disorder, Paranoia, Suicidal ideation, Hyperhidrosis, Agoraphobia, Vertigo, Psychiatric symptom, Panic attack
1360	SEROXAT	UNKNOWN			Overdose, Suicide attempt, Suicidal ideation, Nightmare, Pain, Paraesthesia, Paraesthesia, Mood swings, Epistaxis, Drug withdrawal syndrome, Weight increased, Agitation, Homicidal ideation
1361	PAROXETINE HYDROCHLORIDE	UNKNOWN			Drug withdrawal syndrome, Withdrawal syndrome, Sleep disorder, Tremor, Hyperhidrosis, Diarrhoea, Dizziness, Nausea, Fatigue, Influenza like illness, Memory impairment, Disturbance in attention, Paranoia, Anxiety, Agitation, Confusional state, Suicidal ideation, Obsessive-compulsive disorder
1362	PAROXETINE HYDROCHLORIDE	UNKNOWN	20MG per day		Suicidal ideation, Dyspepsia, Chest pain, Drug withdrawal syndrome, Headache, Paraesthesia, Hypoaesthesia, Dizziness
1363	PAROXETINE HYDROCHLORIDE, FLUANXOL, DOSULEPIN	UNKNOWN, ,			Insomnia, Agitation, Palpitations, Paraesthesia, Tremor, Crying, Nausea, Psychiatric symptom, Drug withdrawal syndrome, Vomiting, Chest pain, Drug ineffective, Confusional state, Fatigue, Diarrhoea, Suicide attempt, Suicidal ideation, Panic attack, Headache, Vision blurred, Intentional self-injury, Anorexia
1364	PAROXETINE HYDROCHLORIDE	UNKNOWN			Drug withdrawal syndrome, Hyperhidrosis, Hyperhidrosis, Withdrawal syndrome, Memory impairment, Disturbance in attention, Panic attack, Anger, Vertigo, Choking, Aggression, Intentional self-injury, Fatigue, Influenza like illness, Paraesthesia, Tremor, Confusional state, Diarrhoea, Dizziness, Nausea, Anxiety, Myalgia, Nightmare, Agitation, Drug dependence, Alcoholism
1365	PAROXETINE HYDROCHLORIDE, PAROXETINE				Tremor, Headache, Sleep disorder, Pain in extremity, Malaise, Panic attack, Drug withdrawal syndrome, Dizziness, Muscle spasms, Muscle spasms, Palpitations, Disturbance in attention, Nausea, Drug dependence, Tearfulness
1366	PAROXETINE				Balance disorder, Emotional distress, Agoraphobia, Dizziness, Headache, Malaise, Paraesthesia, Depersonalisation, Candidiasis, Panic attack, Depression, Drug dependence, Depressed mood, Drug withdrawal syndrome, Nausea, Libido decreased, Insomnia
1367	PAROXETINE HYDROCHLORIDE, PAROXETINE HYDROCHLORIDE, PAROXETINE HYDROCHLORIDE			186	Alcohol interaction, Aggression, Accidental overdose, Amnesia
1368	PAROXETINE, SEROXAT	, UNKNOWN			Hyperhidrosis, Discomfort, Feeling abnormal, Dizziness, Confusional state, Diarrhoea, Aggression, Drug withdrawal syndrome, Confusional state, Feeling abnormal, Electric shock, Abdominal pain, Nervousness
1369	PAROXETINE HYDROCHLORIDE	UNKNOWN			Sleep disorder, Musculoskeletal pain, Pain, Depressive symptom, Violence-related symptom, Balance disorder, Mood swings, Feeling jittery, Head banging, Agitation, Electric shock, Anorgasmia, Hallucination, visual, Withdrawal syndrome, Feeling abnormal, Disturbance in attention, Irritability, Amnesia, Insomnia, Anger, Influenza like illness, Gait disturbance, Fatigue, Anger, Pain, Hyperhidrosis, Tremor, Tension
1370	PAROXETINE HYDROCHLORIDE	UNKNOWN			Fatigue, Aggression, Tearfulness, Thirst, Withdrawal syndrome, Paraesthesia, Muscle spasms, Stress, Anxiety, Insomnia, Anorexia, Communication disorder, Mood swings, Nightmare, Fatigue, Fatigue, Libido decreased
1371	SEROXAT, SEROXAT	ORAL USE, ORAL USE	20MG Per day,		Drug withdrawal syndrome, Ill-defined disorder, Tearfulness, Agitation, Irritability, Mood swings, Paraesthesia, Paraesthesia, Dizziness, Phobia, Tearfulness, Drug dependence, Nightmare, Dizziness, Anxiety, Anorexia, Tremor, Hypoaesthesia, Insomnia, Depression, Abnormal dreams, Headache, Disturbance in attention, Memory impairment, Lethargy, Night sweats, Fatigue, Confusional state
1372	PAROXETINE HYDROCHLORIDE	UNKNOWN			Headache, Drug withdrawal syndrome, Coordination abnormal, Feeling abnormal, Tremor, Ill-defined disorder, Sleep disorder, Intentional self-injury, Speech disorder
1373	SEROXAT	UNKNOWN			Dependence, Depressed mood, Poor quality sleep, Malaise, Adverse event, Insomnia, Drug withdrawal syndrome
1374	SEROXAT				Diarrhoea, Hyperhidrosis, Suicidal ideation, Drug withdrawal syndrome, Paraesthesia, Aggression, Paraesthesia, Agitation, Poor quality sleep, Confusional state, Self-injurious ideation, Irritability, Depressed mood, Panic attack, Sensory disturbance, Influenza like illness
1375	PAROXETINE HYDROCHLORIDE	UNKNOWN			Hypoaesthesia, Dizziness, Paraesthesia, Disturbance in attention, Overdose, Hyperhidrosis, Tremor, Lethargy, Sleep disorder, Fatigue, Influenza, Nausea, Vomiting, Panic attack, Visual disturbance, Loss of consciousness, Vertigo, Initial insomnia, Palpitations, Memory impairment, Drug withdrawal syndrome, Agitation, Confusional state, Hypoaesthesia
1376	SEROXAT	UNKNOWN			Emotional disorder, Electric shock, Agitation, Memory impairment, Disturbance in attention, Lethargy, Tremor, Respiratory rate increased, Paraesthesia, Panic attack, Suicidal behaviour, Hyperhidrosis, Influenza, Drug withdrawal syndrome, Insomnia, Confusional state, Fatigue, Morbid thoughts, Muscle rigidity, Vomiting, Palpitations, Overdose, Dry mouth, Intentional self-injury, Feeling abnormal, Nightmare, Dizziness, Panic reaction, Paraesthesia, Intentional self-injury, Personality change, Disturbance in attention, Hypervigilance, Hyperacusis, Derealisation, Sensory disturbance, Vision blurred, Tinnitus, Anxiety, Hyperventilation
1377	PAROXETINE HYDROCHLORIDE	UNKNOWN			Tremor, Drug withdrawal syndrome, Irritability, Paraesthesia oral, Crying, Paraesthesia, Depression, Suicidal ideation, Morbid thoughts
1378	PAROXETINE HYDROCHLORIDE	UNKNOWN			Cognitive disorder, Coordination abnormal, Visual disturbance, Paraesthesia, Panic attack, Ill-defined disorder, Drug withdrawal syndrome, Ear pain, Withdrawal syndrome, Ill-defined disorder, Headache, Hyperhidrosis, Depressed mood, Poor quality sleep, Anxiety, Headache, Dizziness, Nausea, Fear, Depressed level of consciousness, Self-injurious ideation
1379	PAROXETINE HYDROCHLORIDE	UNKNOWN			Panic reaction, Anxiety, Weight decreased, Depression, Agitation, Confusional state, Abnormal dreams, Muscle spasms, Loss of libido, Night sweats, Suicidal ideation, Insomnia, Fatigue, Drug withdrawal syndrome, Asthenia, Dyskinesia, Depressed mood, Tremor, Withdrawal syndrome, Back pain, Nausea, Lethargy, Hyperhidrosis

1380	SEROXAT, PAROXETINE HYDROCHLORIDE	, ORAL USE	, 8MG per day	Paroxetine	Abdominal pain upper, Vertigo, Tremor, Hot flush, Visual disturbance, Suicidal ideation, Hyperhidrosis, Influenza, Withdrawal syndrome, Intentional self-injury, Agitation, Confusional state, Dizziness, Dizziness, Nausea, Fatigue, Libido decreased, Tremor, Diarrhoea, Paraesthesia, Impulsive behaviour, Tearfulness, Depressive symptom, Depressed mood, Aggression, Lethargy, Insomnia, Nightmare, Anger, Frustration, Loss of consciousness, Suicide attempt, Dependence, Panic attack, Feeling abnormal, Drug dependence
1381	PAROXETINE HYDROCHLORIDE	UNKNOWN			Ear disorder, Suicidal ideation, Fatigue, Ill-defined disorder, Depressed mood, Affective disorder, Anxiety, Drug withdrawal syndrome, Dizziness, Nausea, Loss of libido, Mood swings
1382	PAROXETINE HYDROCHLORIDE	UNKNOWN			Dyspepsia, Tearfulness, Paraesthesia, Headache, Speech disorder, Dysarthria, Dizziness, Feeling abnormal, Drug dependence, Drug withdrawal syndrome, Headache, Sexual dysfunction, Gait disturbance, Emotional disorder, Mood swings, Malaise, Dizziness, Hangover, Adverse drug reaction, Depression, Feeling drunk, Confusional state, Loss of control of legs, Hypoaesthesia oral, Urinary incontinence, Asthenia, Nausea
1383	SEROXAT				Dizziness, Hyperhidrosis, Skin irritation, Tinnitus, Dyspepsia, Palpitations, Drug withdrawal syndrome, Paraesthesia, Headache, Myalgia
1384	PAROXETINE HYDROCHLORIDE		Tablets and capsules (on different occasions)		Anxiety, Emotional distress, Palpitations, Chest discomfort, Nightmare, Hyperhidrosis, Drug withdrawal syndrome
1385	PAROXETINE	UNKNOWN			Feeling abnormal, Depressed mood, Headache, Dizziness, Withdrawal syndrome, Crying, Screaming, Nausea, Paranoia, Nightmare, Diplopia, Sleep disorder, Vision blurred, Paraesthesia, Dyskinesia, Sensory disturbance, Vertigo, Disturbance in attention, Influenza, Fatigue, Hyperhidrosis, Suicidal ideation, Confusional state, Photosensitivity reaction, Memory impairment
1386	PAROXETINE HYDROCHLORIDE	UNKNOWN			Panic attack, Drug withdrawal syndrome, Disturbance in attention, Confusional state, Suicidal ideation, Agitation, Treatment noncompliance, Tearfulness, Anger
1387	PAROXETINE HYDROCHLORIDE, PAROXETINE	UNKNOWN,			Somnolence, Dry mouth, Epistaxis, Hallucination, Emotional disorder, Psoriasis, Hot flush, Drug withdrawal syndrome, Aggression, Acne, Hirsutism, Hot flush, Tearfulness, Palpitations, Mood swings, Disturbance in attention, Amnesia, Disorientation, Dizziness, Hyperhidrosis, Depressive symptom, Abnormal dreams, Withdrawal syndrome, Feeling abnormal, Hyperhidrosis
1388	ALCOHOL, SEROXAT	, UNKNOWN			Nausea, Agitation, Feeling abnormal, Confusional state, Lethargy, Amnesia, Fatigue, Influenza, Hyperhidrosis, Diarrhoea, Condition aggravated, Tremor, Disturbance in attention, Sleep disorder, Depressed mood, Dizziness, Aggression, Paraesthesia, Drug withdrawal syndrome, Feeling abnormal, Weight decreased, Feeling guilty, Negative thoughts, Tension, Palpitations, Insomnia, Irritability, Tearfulness, Panic attack, Mood swings, Thinking abnormal, Abnormal dreams, Apathy
1389	SEROXAT, PAROXETINE HYDROCHLORIDE	UNKNOWN, UNKNOWN			Hyperhidrosis, Tremor, Nightmare, Suicidal ideation, Memory impairment, Disturbance in attention, Paraesthesia, Lethargy, Dizziness, Fatigue, Agitation, Confusional state, Withdrawal syndrome, Panic attack, Sleep disorder, Anxiety, Feeling abnormal, Dizziness, Headache, Nausea
1390	SEROXAT	UNKNOWN			Somnolence, Aggression, Emotional distress, Dizziness, Drug dependence, Malaise, Tremor, Lethargy, Disturbance in attention, Dizziness, Hyperhidrosis, Anxiety, Sleep disorder, Nightmare, Sensory disturbance, Suicide attempt, Suicidal ideation, Circulatory collapse, Grunting, Weight increased, Alcoholism, Confusional state, Agitation, Memory impairment, Paraesthesia, Tearfulness, Drug withdrawal syndrome, Dizziness, Balance disorder, Memory impairment, Intentional self-injury, Anger, Dependence, Drug dependence, Sensory disturbance, Convulsion, Fear, Emotional distress, Fatigue, Psychotic disorder, Suicidal ideation, Thinking abnormal, Stress, Fatigue, Emotional disorder, Flashback, Influenza like illness, Emotional distress, Tension
1391	PAROXETINE HYDROCHLORIDE	UNKNOWN			Muscle spasms, Sedation, Drug dependence, Mood swings, Muscle spasms, Hyperhidrosis, Drug withdrawal syndrome, Anxiety, Depression, Abnormal dreams, Nightmare, Irritability
1392	PAROXETINE HYDROCHLORIDE	UNKNOWN			Lethargy, Tremor, Hyperhidrosis, Influenza, Vertigo, Suicidal ideation, Agitation, Headache, Electric shock, Electric shock, Diarrhoea, Withdrawal syndrome, Fatigue, Nausea, Vomiting, Memory impairment, Disturbance in attention, Nightmare, Insomnia, Dizziness, Somnolence, Paraesthesia, Toothache, Rash pruritic, Dermatitis artefacta, Drug withdrawal syndrome, Malaise, Aggression, Self-injurious ideation, Aggression
1393	SEROXAT	UNKNOWN			Feeling abnormal, Emotional distress, Palpitations, Coordination abnormal, Headache, Hallucination, auditory, Antisocial personality disorder, Drug withdrawal syndrome, Anger, Depressed mood, Paraesthesia, Burning sensation, Confusional state, Nausea, Fatigue, Headache, Headache, Headache, Hallucination, Nightmare, Balance disorder, Gait disturbance, Coordination abnormal, Sensory disturbance, Paraesthesia, Ear pain, Insomnia
1394	SEROXAT				Dizziness, Drug withdrawal syndrome, Nausea, Tremor, Malaise, Hallucination, Aggression, Sleep disorder, Panic attack, Aggression, Amnesia, Visual disturbance
1395	PAROXETINE HYDROCHLORIDE, FLUPENTHIXOL	UNKNOWN,	, 1MG Per day		Panic attack, Drug dependence, Suicidal ideation, Withdrawal syndrome, Nightmare, Drug withdrawal syndrome, Abnormal dreams, Anxiety, Head titubation, Paraesthesia
1396	SEROXAT	UNKNOWN			Suicidal behaviour, Influenza, Nausea, Overdose, Malaise, Suicidal ideation, Condition aggravated, Paraesthesia, Paranoia, Drug withdrawal syndrome, Agitation
1397	SEROXAT				Aggression, Drug withdrawal syndrome, Nausea, Sleep disorder, Tearfulness, Mental disorder, Dizziness, Panic attack, Mental impairment, Amnesia, Thinking abnormal, Hallucination, Aggression
1398	PAROXETINE HYDROCHLORIDE	UNKNOWN			Paraesthesia, Irritability, Balance disorder, Aggression, Drug withdrawal syndrome, Hyperhidrosis, Feeling abnormal, Tremor, Dizziness
1399	PAROXETINE HYDROCHLORIDE			200	Paraesthesia, Hypersomnia, Paraesthesia, Sleep disorder, Tearfulness, Mental change, Abnormal behaviour, Nightmare, Lethargy, Drug withdrawal syndrome, Intentional self-injury
1400	PAROXETINE HYDROCHLORIDE	UNKNOWN			Overdose, Vomiting, Abdominal pain, Nausea, Anxiety, Jaundice, Disturbance in attention, Sensory disturbance, Suicidal ideation, Tremor, Insomnia, Fatigue, Paraesthesia, Dizziness, Agitation, Drug withdrawal syndrome, Confusional state, Tearfulness
1401	PAROXETINE HYDROCHLORIDE				Vertigo, Abortion missed, Paraesthesia, Palpitations, Irritable bowel syndrome, Tearfulness, Headache, Anxiety, Vomiting, Nausea, Insomnia, Weight decreased, Agitation, Myalgia, Anorexia, Crying, Panic attack, Diarrhoea, Withdrawal syndrome, Dizziness

1402	PAROXETINE HYDROCHLORIDE	ORAL USE		Paroxetine	Drug withdrawal syndrome, Suicidal ideation, Lethargy, Aggression, Apathy, Decreased appetite, Irritability, Hypoaesthesia, Tearfulness, Anxiety, Homicidal ideation, Panic attack
1403	PAROXETINE HYDROCHLORIDE				Suicidal ideation, Agoraphobia, Anxiety, Emotional disorder, Weight increased, Mood swings, Panic attack, Nausea, Delusion, Drug withdrawal syndrome, Inappropriate affect
1404	SEROXAT				Drug withdrawal syndrome, Depressed mood, Insomnia, Personality disorder, Performance status decreased, Migraine, Headache, Emotional disorder, Weight increased, Dissociation, Diarrhoea, Intentional self-injury, Fatigue, Mood swings, Agoraphobia, Nightmare, Tension, Negative thoughts, Drug dependence, Bipolar I disorder, Suicide attempt, Vision blurred, Suicidal ideation
1405	PAROXETINE HYDROCHLORIDE, PAROXETINE	UNKNOWN			Nightmare, Hyperhidrosis, Tremor, Vertigo, Anger, Suicidal ideation, Dyspepsia, Disturbance in attention, Drug withdrawal syndrome, Agitation, Diarrhoea, Paraesthesia, Tinnitus
1406	PAROXETINE HYDROCHLORIDE	UNKNOWN		717	Intentional self-injury, Agitation, Drug withdrawal syndrome, Suicidal ideation, Paranoia, Affect lability, Suicide attempt, Aggression, Abnormal dreams
1407	SEROXAT	UNKNOWN			Depression, Condition aggravated, Dizziness, Confusional state, Confusional state, Disturbance in attention, Aggression, Drug withdrawal syndrome, Suicidal ideation
1408	PAROXETINE HYDROCHLORIDE, PARACETAMOL, ALCOHOL, PENICILLIN, ASPIRIN, NUROFEN, PROPRANOLOL, FLUOXETINE, CITALOPRAM		, 25TAB per day, , 10TAB per day, , , , ,		Drug withdrawal syndrome, Judgement impaired, Intentional overdose, Dizziness, Hyperhidrosis, Insomnia, Balance disorder, Nightmare, Disturbance in attention, Intentional self-injury, Intentional overdose, Headache, Nausea, Agitation, Fatigue, Nausea, Tremor, Intentional overdose, Vomiting
1409	PAROXETINE		20MG Per day		Paraesthesia, Disturbance in attention, Memory impairment, Insomnia, Nightmare, Suicidal ideation, Tremor, Fatigue, Confusional state, Suicide attempt, Drug withdrawal syndrome, Dizziness, Headache, Lethargy
1410	SEROXAT				Paraesthesia, Appetite disorder, Sleep disorder, Fatigue, Suicidal ideation, Visual disturbance, Panic attack, Fear, Drug withdrawal syndrome, Anxiety, Constipation, Paraesthesia, Depressed mood, Intentional self-injury
1411	PAROXETINE				Drug withdrawal syndrome, Anxiety, Agitation, Confusional state, Dizziness, Nausea, Fatigue, Influenza, Paraesthesia, Lethargy, Memory impairment, Disturbance in attention, Nightmare, Hyperhidrosis, Vertigo, Tremor, Dry mouth, Aggression, Feeling abnormal, Headache, Impaired driving ability
1412	SEROXAT	UNKNOWN			Hyperhidrosis, Confusional state, Diarrhoea, Visual disturbance, Irritability, Balance disorder, Suicidal ideation, Tremor, Suicidal behaviour, Rash, Drug withdrawal syndrome, Dizziness, Dizziness, Headache, Nausea, Paraesthesia, Insomnia, Mood swings
1413	SEROXAT				Mood swings, Depressed mood, Emotional distress, Thinking abnormal, Anger, Drug withdrawal syndrome, Suicidal ideation, Morbid thoughts
1414	SEROXAT				Malaise, Crying, Anger, Aggression, Agitation, Nightmare, Depressed mood, Aggression, Drug withdrawal syndrome, Insomnia, Verbal abuse, Emotional disorder, Aggression
1415	PAROXETINE				Depression, Paranoia, Crying, Hallucination, auditory, Heart rate increased, Influenza like illness, Lethargy, Drug withdrawal syndrome, Suicidal ideation, Intentional self-injury, Insomnia, Tinnitus, Hyperhidrosis, Tremor, Disturbance in attention, Nightmare, Confusional state, Diarrhoea, Panic attack, Palpitations, Malaise, Irritability, Vertigo, Aggression, Vomiting, Fatigue, Dizziness, Nausea, Memory impairment, Paraesthesia, Insomnia, Paranoia, Anxiety, Agitation
1416	SEROXAT	UNKNOWN			Amnesia, Loss of libido, Intentional self-injury, Anxiety, Agitation, Abnormal behaviour, Mania, Affect lability, Panic disorder, Suicidal ideation, Drug withdrawal syndrome, Anger, Emotional distress
1417	SEROXAT				Obsessive-compulsive disorder, Drug withdrawal syndrome, Suicidal ideation, Malaise, Feeling abnormal, Hyperhidrosis, Depression
1418	SEROXAT				Psychiatric symptom, Suicidal ideation, Mood swings, Amnesia, Fear, Crying, Paranoia, Hyperhidrosis, Anxiety, Drug withdrawal syndrome, Nightmare
1419	FENTANYL, PAROXETINE, FENTANYL	INTRAVENOUS BOLUS, ORAL USE, INTRAVENOUS			Glasgow coma scale abnormal, Dissociation, Hypertonia, Agitation, Hyperreflexia, Hypertension, Drug interaction, Serotonin syndrome
1420	PAROXETINE HYDROCHLORIDE	UNKNOWN			Nausea, Vertigo, Insomnia, Anxiety, Somnolence, Malaise, Disturbance in attention, Drug dependence, Vomiting, Vision blurred, Drug withdrawal syndrome, Headache, Agitation, Dizziness, Nightmare, Paraesthesia, Muscle spasms, Nervous system disorder, Tremor, Myalgia, Dizziness
1421	PAROXETINE HYDROCHLORIDE	UNKNOWN			Rash macular, Aggression, Abnormal dreams, Drug withdrawal syndrome, Anger, Nausea, Somnolence, Nightmare, Drug exposure during pregnancy, Fatigue, Depression
1422	PAROXETINE HYDROCHLORIDE				Fatigue, Vertigo, Agitation, Panic attack, Drug withdrawal syndrome, Apathy, Influenza, Tremor, Nausea, Confusional state, Aggression, Hyperhidrosis, Paraesthesia, Disturbance in attention, Depressed mood, Sleep disorder, Restlessness, Withdrawal syndrome, Suicidal ideation, Headache, Balance disorder, Weight increased, Dizziness
1423	SEROXAT	UNKNOWN			Visual disturbance, Balance disorder, Disturbance in attention, Fatigue, Nightmare, Thought insertion, Decreased appetite, Hyperhidrosis, Tearfulness, Suicidal ideation, Confusional state, Anxiety, Photosensitivity reaction, Loss of libido, Aggression, Condition aggravated, Apathy, Hearing impaired, Depressed mood, Palpitations, Vision blurred, Drug withdrawal syndrome, Myalgia, Vision blurred, Anhedonia, Vertigo, Derealisation, Vitreous floaters, Memory impairment, Dizziness
1424	PAROXETINE HYDROCHLORIDE	UNKNOWN			Increased appetite, Depression, Pollakiuria, Pharyngolaryngeal pain, Conversion disorder, Mood swings, Headache, Nausea, Drug withdrawal syndrome, Mutism, Malaise, Aggression, Diarrhoea, Suicidal ideation, Tearfulness, Weight increased, Nightmare, Irritability, Accidental overdose, Sedation
1425	SEROXAT	ORAL USE	Taken every other day	2372.5	Decreased appetite, Arthralgia, Dizziness, Chills, Crying, Diarrhoea, Anxiety, Drug withdrawal syndrome, Nausea, Myalgia

PAROXETINE	
Patient characteristics	
AGE RANGE	Number of reports
<18	45
18-24	111
25-34	280
35-44	282
45-54	198

55-64	74
65-74	34
75-84	34
>85	6
Unspecified	361
TOTAL	1425
GENDER	Number of reports
Male	503
Female	876
Unspecified	46
TOTAL	1425

Paroxetine

No	Drug	Route of Administration	Dose	Treatment duration (days)	Reaction
1	PROZAC 20 MG CAPSULES	ORAL USE	DOSE: 20MG		Agitation, Weight decreased, Decreased appetite
2	PROZAC 20 MG CAPSULES	ORAL USE	DOSE: 20 MG	22	Akathisia
3	PROZAC 20 MG CAPSULES	ORAL USE			Body temperature decreased, Agitation, Cyanosis, Tremor
4	PROZAC	ORAL USE			Suicidal ideation, Agitation
5	PROZAC 20 MG CAPSULES	ORAL USE	DOSE: 20 MG	28	Agitation, Restlessness
6	PROZAC 20 MG CAPSULES	ORAL USE	DOSE: 20 MG	4	Agitation
7	PROZAC 20 MG CAPSULES	ORAL USE			Agitation
8	PROZAC	ORAL USE	DOSE: 20 MG	397	Depression, Aggression
9	PROZAC 20 MG CAPSULES	ORAL USE	DOSE: 20MG	1	Agitation
10	PROZAC	ORAL USE	DOSE: 20 MG	22	Aggression, Dizziness, Suicidal ideation, Nausea
11	PROZAC 20 MG CAPSULES	ORAL USE	DOSE: 20 MG	27	Insomnia, Decreased appetite, Agitation, Gait disturbance
12	PROZAC 20 MG CAPSULES	ORAL USE	DOSE: 20 MG	13	Disorientation, Agitation
13	PROZAC 20 MG CAPSULES	ORAL USE	DOSE: 1TBOD		Aggression
14	FLUOXETINE	ORAL USE	DOSE: 30 X 20MG		Intentional overdose, Aggression, Somnolence, Amnesia
15	PROZAC	ORAL USE	DOSE: 20 MG		Paranoia
16	PROZAC 20 MG CAPSULES	ORAL USE	DOSE: 20 MG		Abdominal pain, Agitation, Diarrhoea, Restlessness
17	PROZAC 20 MG CAPSULES	ORAL USE	DOSE: 20MG	11	Nausea, Agitation, Hyperhidrosis, Illusion, Tremor
18	PROZAC 20 MG CAPSULES	ORAL USE			Agitation, Aggression
19	PROZAC	ORAL USE	DOSE: 20 MG	24	Thinking abnormal, Personality change, Aggression
20	PROZAC	UNKNOWN		2	Abnormal behaviour
21	PROZAC	UNKNOWN			Agitation, Anxiety
22	FLUOXETINE	ORAL USE		204	Aggression, Drug withdrawal syndrome, Dyskinesia
23	FLUOXETINE	ORAL USE	DOSE: 20 MG OD		Aggression
24	PROZAC	ORAL USE		11	Agitation, Suicidal ideation, Aggression
25	FLUOXETINE	ORAL USE	DOSE: 20 MG ALTERNATE DAYS	6	Aggression, Irritability
26	PROZAC	ORAL USE	DOSE: 20MG	4	Aggression
27	PROZAC	UNKNOWN			Abnormal behaviour
28	PROZAC	UNKNOWN			Abnormal behaviour
29	PROZAC	UNKNOWN			Agitation, Panic attack
30	PROZAC	UNKNOWN			Aggression, Irritability, Agitation
31	PROZAC	UNKNOWN	DOSE: 20 MGS OD		Mania, Paranoia, Psychotic disorder
32	PROZAC	ORAL USE	DOSE: 20 MG	28	Dysphonia, Nausea, Anxiety, Tension, Skin burning sensation, Agitation, Abdominal discomfort, Poor quality sleep, Glossitis, Poor quality sleep
33	PROZAC 20 MG CAPSULES	ORAL USE	DOSE: 20 MG	30	Aggression, Suicidal ideation
34	FLUOXETINE	UNKNOWN			Agitation
35	PROZAC 20 MG CAPSULES	ORAL USE	DOSE: 20-40 MG	33	Aggression, Suicidal ideation, Fatigue
36	PROZAC 20 MG CAPSULES	ORAL USE	DOSE: 20 MG	20	Irritability, Insomnia, Fatigue
37	PROZAC 20 MG CAPSULES	ORAL USE	DOSE: 20MG		Aggression
38	PROZAC 20 MG CAPSULES	ORAL USE	DOSE: 20 MG		Aggression, Agitation, Amnesia
39	PROZAC 20 MG CAPSULES	ORAL USE	DOSE: 60 MG		Agitation
40	PROZAC 20 MG CAPSULES	ORAL USE	DOSE: 20 MG	7	Aggression
41	PROZAC 20 MG CAPSULES	ORAL USE	DOSE: 20 MG	11	Agitation
42	PROZAC 20 MG CAPSULES	ORAL USE	DOSE: 20 MG DAILY	12	Agitation
43	PROZAC 20 MG CAPSULES	ORAL USE			Aggression
44	PROZAC 20 MG CAPSULES	ORAL USE	DOSE: 20 MG		Irritability, Suicidal ideation
45	PROZAC 20 MG CAPSULES	ORAL USE	DOSE: 20 MG DAILY	3	Anxiety, Agitation
46	PROZAC	ORAL USE	DOSE: 20 MG	118	Dissociation, Aggression
47	PROZAC	ORAL USE	DOSE: 20 MG	4	Aggression
48	PROZAC 20 MG CAPSULES	ORAL USE	DOSE: 20 MG	7	Agitation, Muscle twitching, Anorexia, Poor quality sleep, Panic reaction, Tremor
49	PROZAC 20 MG CAPSULES	ORAL USE	DOSE: 40-20 mg	76	Aggression, Abnormal behaviour, Confusional state
50	CAMCOLIT, PROZAC	UNKNOWN, UNKNOWN	,	21	Confusional state, Nightmare, Aggression, Tremor
51	PROZAC 20 MG CAPSULES	ORAL USE			Agitation, Arthritis
52	PROZAC	ORAL USE	DOSE: 20 MG	4	Cold sweat, Circulatory collapse, Asthenia, Nausea, Agitation, Tremor, Panic attack
53	PROZAC	UNKNOWN			Agitation
54	PROZAC	UNKNOWN			Agitation
55	PROZAC	UNKNOWN		5	Agitation, Vomiting, Panic attack
56	PROZAC 20 MG CAPSULES	ORAL USE	DOSE: 20 MG OD	14	Insomnia, Agitation
57	PROZAC	ORAL USE	DOSE: 20 MG	50	Agitation, Tremor
58	PROZAC 20 MG CAPSULES	ORAL USE	DOSE: 40 MG	121	Inappropriate antidiuretic hormone secretion, Hyponatraemia, Abnormal behaviour
59	PROZAC 20 MG CAPSULES	ORAL USE			Insomnia, Agitation
60	PROZAC 20 MG CAPSULES	ORAL USE	DOSE: 20 MG	5	Insomnia, Nausea, Agitation, Nervousness
61	PROZAC 20 MG CAPSULES	ORAL USE			Agitation, Suicide attempt
62	PROZAC 20 MG CAPSULES	ORAL USE	DOSE: 20MG	37	Mood swings, Depersonalisation, Agitation, Mental impairment
63	PROZAC	ORAL USE	DOSE: 20 MG		Aggression, Agitation
64	PROZAC 20 MG CAPSULES	ORAL USE	DOSE: 20MG	16	Abnormal behaviour, Decreased appetite, Nausea, Headache
65	PROZAC 20 MG CAPSULES	ORAL USE			Agitation
66	PROZAC	ORAL USE	DOSE: 20 MG OD		Metrorrhagia, Nausea, Aggression
67	FLUOXETINE	ORAL USE	DOSE: 20 MG	24	Feeling abnormal, Agitation, Fall, Tremor
68	PROZAC 20 MG CAPSULES	ORAL USE	DOSE: 20 MG		Agitation, Completed suicide

69	PROZAC 20 MG CAPSULES	ORAL USE	DOSE: 20MG	5	Agitation, Decreased appetite
70	PROZAC 20 MG CAPSULES	ORAL USE	DOSE: 40 MG	Fluoxetine	Muscle twitching, Agitation, Abnormal behaviour, Hypomania
71	PROZAC 20 MG CAPSULES	ORAL USE		8	Nausea, Hyperhidrosis, Dizziness, Agitation
72	PROZAC 20 MG CAPSULES	ORAL USE			Agitation, Suicidal ideation, Dissociative fugue
73	PROZAC	ORAL USE	DOSE: 1 OD	5	Personality change
74	PROZAC 20 MG CAPSULES	ORAL USE	DOSE: 20 MG	6	Agitation
75	PROZAC 20 MG CAPSULES	ORAL USE	DOSE: 40 MG	10	Irritability
76	PROZAC	ORAL USE	DOSE: 20 MG	15	Aggression, Mania
77	PROZAC 20 MG CAPSULES	ORAL USE	DOSE: 20 MG MANE		Agitation, Restlessness, Tremor
78	FLUOXETINE	ORAL USE	DOSE: 20 MG	28	Aggression
79	PROZAC 20 MG CAPSULES	ORAL USE	DOSE: 20MG	14	Inappropriate affect, Hyperhidrosis, Agitation, Insomnia
80	PROZAC 20 MG CAPSULES	ORAL USE	DOSE: 20MG		Agitation
81	FLUOXETINE	UNKNOWN	DOSE: 20 MG OM	33	Anxiety, Agitation, Asthenia
82	PROZAC 20 MG CAPSULES	ORAL USE	DOSE: 20 MG	4	Personality change, Aggression
83	FLUOXETINE	ORAL USE	DOSE: 60 MG		Aggression, Irritability, Aggression
84	PROZAC	ORAL USE	DOSE: 20 MG	21	Diarrhoea, Headache, Stomach discomfort, Agitation
85	PROZAC 20 MG CAPSULES	ORAL USE			Agitation
86	PROZAC 20 MG CAPSULES	ORAL USE			Agitation
87	PROZAC 20 MG CAPSULES	ORAL USE	DOSE: 20MG	4	Agitation
88	PROZAC 20 MG CAPSULES	ORAL USE	DOSE: 20MG	27	Dizziness, Agitation, Feeling abnormal, Lethargy
89	PROZAC 20 MG CAPSULES	ORAL USE	DOSE: 20 MG	113	Agitation, Depression, Suicidal ideation
90	PROZAC 20 MG CAPSULES	ORAL USE			Agitation
91	PROZAC 20 MG CAPSULES	ORAL USE	DOSE: 20MG		Aggression, Insomnia, Speech disorder, Hallucination
92	PROZAC	ORAL USE	DOSE: 20 MG	72	Euphoric mood, Aggression
93	FLUOXETINE	ORAL USE	DOSE: 20 MG	7	Agitation
94	PROZAC 20 MG CAPSULES	ORAL USE	DOSE: 20 MG OD	3	Agitation
95	PROZAC 20 MG CAPSULES	ORAL USE	DOSE: 20 MG	47	Agitation
96	PROZAC 20 MG CAPSULES	ORAL USE	DOSE: 20 MG	12	Agitation
97	PROZAC	ORAL USE	DOSE: 1 TAB		Aggression
98	PROZAC	ORAL USE	DOSE: 20 MG	8	Agitation, Tremor
99	PROZAC	ORAL USE	DOSE: 1 TAB		Agitation, Premenstrual syndrome
100	PROZAC 20 MG CAPSULES	ORAL USE	DOSE: 20 MG	7	Restlessness, Akathisia
101	PROZAC	ORAL USE	DOSE: 20 MG	20	Paranoia, Hallucination, auditory
102	PROZAC 20 MG CAPSULES	ORAL USE	DOSE: 20MG	10	Agitation
103	PROZAC	ORAL USE	DOSE: 20 MG	822	Aggression
104	PROZAC 20 MG CAPSULES	ORAL USE	DOSE: 20 MG OD		Aggression, Headache, Tension, Agitation
105	PROZAC 20 MG CAPSULES	ORAL USE	DOSE: 1 TABLET	32	Suicidal ideation, Agitation, Restlessness
106	PROZAC 20 MG CAPSULES	ORAL USE	DOSE: 20MG		Agitation
107	PROZAC 20 MG CAPSULES	ORAL USE	DOSE: 20 MG OD	3	Agitation
108	PROZAC 20 MG CAPSULES	ORAL USE	DOSE: OD	2	Insomnia, Aggression
109	PROZAC 20 MG CAPSULES	ORAL USE			Rash, Agitation
110	PROZAC 20 MG CAPSULES	ORAL USE	DOSE: 20 MG		Poor quality sleep, Nightmare, Agitation
111	PROZAC 20 MG CAPSULES	ORAL USE	DOSE: 20MG		Aggression
112	PROZAC 20 MG CAPSULES	ORAL USE	DOSE: 20MG	109	Agitation, Tremor
113	PROZAC 20 MG CAPSULES	ORAL USE	DOSE: 20 MG	35	Paranoia, Suicidal ideation
114	PROZAC 20 MG CAPSULES	ORAL USE	DOSE: 20 MG	7	Agitation, Restlessness, Agitation, Muscle rigidity
115	FLUOXETINE	ORAL USE	DOSE: 20 MG	30	Restlessness, Aggression, Agitation
116	PROZAC 20 MG CAPSULES	ORAL USE	DOSE: 1 TAB MANE	11	Restlessness, Aggression
117	PROZAC 20 MG CAPSULES	ORAL USE	DOSE: 20 MG	8	Atrioventricular block first degree, Aggression, Loss of consciousness, Non-cardiac chest pain
118	PROZAC 20 MG CAPSULES	ORAL USE	DOSE: 20 MG	5	Agitation, Palpitations, Anxiety, Insomnia, Paraesthesia
119	PROZAC 20 MG CAPSULES	ORAL USE			Agitation
120	PROZAC 20 MG CAPSULES	ORAL USE	DOSE: 20 MG	61	Aggression, Aggression
121	PROZAC 20 MG CAPSULES	ORAL USE	DOSE: 20MG	174	Aggression
122	PROZAC 20 MG CAPSULES	ORAL USE	DOSE: 40 MG	2	Nausea, Agitation
123	PROZAC 20 MG CAPSULES	ORAL USE	DOSE: 20 MG		Agitation, Aggression, Restlessness
124	PROZAC	ORAL USE	DOSE: 20 MG INC 40 MG		Hallucination, visual, Thought blocking, Paranoia
125	PROZAC 20 MG CAPSULES	ORAL USE	DOSE: 20 MG	44	Irritability, Tension
126	PROZAC 20 MG CAPSULES	ORAL USE	DOSE: 20 MG		Agitation, Restlessness
127	PROZAC 20 MG CAPSULES	ORAL USE	DOSE: 20 MG	2	Agitation, Insomnia, Depression
128	PROZAC 20 MG CAPSULES	ORAL USE	DOSE: 60 MG		Agitation, Nausea, Tremor
129	PROZAC 20 MG CAPSULES	ORAL USE	DOSE: 40 MG		Anxiety, Hyperhidrosis, Insomnia, Agitation, Aggression, Agitation
130	PROZAC 20 MG CAPSULES	ORAL USE	DOSE: 20 MG		Feeling abnormal, Agitation, Confusional state
131	PROZAC 20 MG CAPSULES	ORAL USE	DOSE: 20 MG		Agitation, Anxiety
132	PROZAC 20 MG CAPSULES	ORAL USE			Agitation
133	PROZAC 20 MG CAPSULES	ORAL USE	DOSE: 20 MG	53	Agitation, Suicidal ideation, Anxiety
134	PROZAC 20 MG CAPSULES	ORAL USE	DOSE: 1 OD	3	Irritability, Nausea, Agitation, Suicidal ideation, Feeling abnormal
135	PROZAC 20 MG CAPSULES	ORAL USE	DOSE: 20MG	36	Aggression, Agitation, Suicidal ideation
136	PROZAC 20 MG CAPSULES	ORAL USE	DOSE: 20 MG	22	Headache, Agitation
137	PROZAC 20 MG CAPSULES	ORAL USE	DOSE: 20 MG		Paranoia
138	PROZAC 20 MG CAPSULES	ORAL USE	DOSE: 20 MG DAILY	8	Dizziness, Agitation, Confusional state, Hyperhidrosis, Anxiety, Nausea, Headache, Panic reaction
139	PROZAC 20 MG CAPSULES	ORAL USE	DOSE: 20 MG		Feeling abnormal, Insomnia, Aggression, Irritability
140	PROZAC 20 MG CAPSULES	ORAL USE	DOSE: 20 MG	5	Agitation
141	PROZAC 20 MG CAPSULES	ORAL USE	DOSE: 20 MG		Irritability, Aggression
142	PROZAC 20 MG CAPSULES	ORAL USE			Aggression
143	PROZAC 20 MG CAPSULES	ORAL USE			Aggression
144	PROZAC	ORAL USE	DOSE: 20 MG	342	Nervousness, Agitation, Withdrawal syndrome
145	PROZAC 20 MG CAPSULES	ORAL USE		55	Aggression

146	PROZAC 20 MG CAPSULES	ORAL USE	DOSE: 20 MG ON	10	Agitation, Depersonalisation, Paraesthesia, Hyperventilation, Akathisia
147	PROZAC 20 MG CAPSULES	ORAL USE	DOSE: 40 MG		Suicidal ideation, Aggression
148	PROZAC	ORAL USE	DOSE: 1 DAILY	25	Aggression
149	PROZAC	ORAL USE	DOSE: 20 MG OM		Aggression, Overdose
150	FLUOXETINE	ORAL USE	DOSE: 20 MG	50	Nausea, Agitation, Vomiting, Intentional overdose
151	PROZAC	UNKNOWN	DOSE: 1 OD	61	Personality change
152	FLUOXETINE	ORAL USE	DOSE: 20-40 MG	42	Suicidal ideation, Agitation
153	PROZAC	ORAL USE	DOSE: 40 MG		Aggression
154	PROZAC	ORAL USE	DOSE: 20 MG	134	Rash, Aggression
155	PROZAC	ORAL USE	DOSE: 20 MG		Agitation, Anosmia
156	PROZAC	TRANSPLACENTAL	DOSE: 40 MG		Irritability, Screaming
157	PROZAC 20 MG CAPSULES	ORAL USE	DOSE: 20 MG	62	Agitation
158	PROZAC 20 MG CAPSULES	ORAL USE	DOSE: 20 MG		Aggression, Mania
159	PROZAC 20 MG CAPSULES	ORAL USE	DOSE: 20 MG		Alcohol interaction, Mood swings, Aggression
160	PROZAC 20 MG CAPSULES	ORAL USE	DOSE: 20 MG	51	Aggression
161	FLUOXETINE	ORAL USE	DOSE: 20 MG	30	Restlessness, Agitation
162	FLUOXETINE	ORAL USE	DOSE: 20 ->40 MG/DAY	172	Aggression, Tremor
163	PROZAC 20 MG CAPSULES	UNKNOWN			Agitation
164	PROZAC 20 MG CAPSULES	ORAL USE	DOSE: 20 MG		Aggression, Mania, Disturbance in attention
165	FLUOXETINE	ORAL USE	DOSE: 20 MG		Myoclonus, Abnormal behaviour
166	PROZAC 20 MG CAPSULES	ORAL USE			Disinhibition, Aggression
167	PROZAC 20 MG CAPSULES	ORAL USE			Agitation, Suicidal ideation
168	PROZAC	ORAL USE	DOSE: 20 MG	133	Agitation, Hallucination
169	FLUOXETINE, TRAZODONE	ORAL USE, ORAL USE	DOSE: 40 MG, DOSE: 50 MG NOCTE		Somnolence, Agitation, Tension, Dry mouth
170	PROZAC	ORAL USE	DOSE: 20 MG	72	Suicidal ideation, Aggression
171	PROZAC 20 MG CAPSULES	ORAL USE	DOSE: 20 MG	9	Agitation, Anxiety
172	PROZAC	ORAL USE	DOSE: 20 MG OD		Aggression
173	PROZAC 20 MG CAPSULES	ORAL USE			Anxiety, Agitation
174	PROZAC	ORAL USE	DOSE: 20 MG	2	Agitation, Palpitations, Chest pain, Panic reaction
175	PROZAC 20 MG CAPSULES	ORAL USE			Agitation
176	FLUOXETINE	ORAL USE	DOSE: 20 MG	7	Depression, Paranoia, Panic attack
177	PROZAC	ORAL USE	DOSE: 20 MG	2	Insomnia, Agitation, Nausea, Feeling cold
178	PROZAC	ORAL USE	DOSE: 20 MG	40	Musculoskeletal stiffness, Myalgia, Agitation, Personality change, Condition aggravated, Post viral fatigue syndrome
179	PROZAC 20 MG CAPSULES	ORAL USE	DOSE: 20 MG	10	Nausea, Anorexia, Sleep disorder, Agitation
180	FLUOXETINE	ORAL USE	DOSE: 20 MG	7	Rash, Agitation, Derealisation
181	FLUOXETINE	ORAL USE	DOSE: 20 MG		Inappropriate antidiuretic hormone secretion, Agitation, Hyponatraemia, Confusional state
182	PROZAC 20 MG CAPSULES	ORAL USE	DOSE: 20 MG Daily		Aggression
183	PROZAC	ORAL USE	DOSE: 20 MG	13	Aggression
184	PROZAC 20 MG CAPSULES	ORAL USE	DOSE: 20 MG ALT.DAYS	3	Agitation, Diarrhoea, Dyspepsia
185	PROZAC	ORAL USE	DOSE: 20 MG	22	Depression, Abnormal behaviour, Overdose, Anxiety
186	PROZAC	ORAL USE	DOSE: 20 MG MANE		Disinhibition, Aggression
187	PROZAC 20 MG CAPSULES	ORAL USE	DOSE: 20 MG	43	Agitation, Aggression
188	PROZAC 20 MG CAPSULES	ORAL USE	DOSE: 20 MG		Hyperhidrosis, Insomnia, Agitation, Asthenia
189	PROZAC	ORAL USE	DOSE: 20 MG		Circulatory collapse, Agitation
190	PROZAC	ORAL USE	DOSE: 20 MG		Insomnia, Agitation
191	PROZAC 20 MG CAPSULES	ORAL USE	DOSE: 20 MG	19	Agitation, Insomnia
192	FLUOXETINE	ORAL USE	DOSE: 20 MG	13	Agitation
193	PROZAC 20 MG CAPSULES	ORAL USE	DOSE: 20 MG	6	Feeling cold, Somnolence, Irritability
194	PROZAC 20 MG CAPSULES	ORAL USE	DOSE: 20 MG	7	Nausea, Agitation, Insomnia, Tremor
195	FLUOXETINE	ORAL USE	DOSE: 20 MG	362	Agitation
196	PROZAC	ORAL USE	DOSE: 20 MG ALTERNATE DAYS	21	Agitation, Anorexia, Insomnia, Stomach discomfort
197	PROZAC 20 MG CAPSULES	ORAL USE	DOSE: 20 MG DAILY	3	Anxiety, Agitation
198	PROZAC	ORAL USE	DOSE: 20 MG	29	Agitation, Rash maculo-papular, Tremor
199	FLUOXETINE	UNKNOWN			Akathisia, Dyskinesia
200	PROZAC	ORAL USE	DOSE: 20 MG	5	Malaise, Anxiety, Agitation
201	FLUOXETINE	TRANSMAMMARY		54	Irritability, Tremor, Tremor, Opisthotonus
202	FLUOXETINE	ORAL USE	DOSE: 20 MG		Akathisia
203	PROZAC	ORAL USE	DOSE: 20 MG	20	Aggression
204	Seroxat Tablets 20mg, PROZAC	ORAL USE, ORAL USE		36	Agitation, Abdominal pain, Vomiting
205	PROZAC	ORAL USE	DOSE: 20 MG		Aggression, Withdrawal syndrome
206	PROZAC	ORAL USE	DOSE: 20 MG	12	Agitation, Nausea, Insomnia, Tremor
207	PROZAC 20 MG CAPSULES, DOTHIEPIN	ORAL USE, ORAL USE	DOSE: 40 MG OD, DOSE: 100 MG/DAY	83	Hypomania, Inappropriate affect, Disinhibition, Aggression, Hostility, Grandiosity
208	PROZAC	ORAL USE	DOSE: 20 MG	182	Aggression
209	PROZAC	ORAL USE	DOSE: 20 -> 40 MG		Drug ineffective, Aggression
210	FLUOXETINE	ORAL USE	DOSE: 20 MG		Abnormal behaviour
211	PROZAC	ORAL USE	DOSE: 1 TAB DAILY	28	Orthostatic hypotension, Agitation, Depression, Insomnia, Syncope
212	PROZAC	ORAL USE	DOSE: 20 MG	4	Anxiety, Confusional state, Irritability, Restlessness

213	FLUOXETINE	ORAL USE	DOSE: 20 MG	11	Agitation, Malaise, Restlessness
214	PROZAC	UNKNOWN			Fluoxetine Delusion, Alcohol interaction, Paranoia
215	PROZAC	ORAL USE	DOSE: 20 MG	294	Agitation, Sleep disorder
216	PROZAC	ORAL USE	DOSE: 20 MG	18	Agitation, Palpitations, Fall, Panic reaction
217	PROZAC	ORAL USE	DOSE: 20MG	2	Agitation, Insomnia
218	PROZAC	ORAL USE	DOSE: 20 MG	756	Vision blurred, Irritability
219	PROZAC 20 MG CAPSULES	ORAL USE	DOSE: 40 MG		Hypomania, Disinhibition
220	PROZAC	ORAL USE	DOSE: 20 MG	5	Loss of consciousness, Insomnia, Agitation
221	PROZAC	ORAL USE	DOSE: 20 MG	28	Aggression
222	PROZAC	ORAL USE	DOSE: 20 MG	4	Pain in extremity, Agitation
223	PROZAC	ORAL USE	DOSE: 20 MG	7	Anxiety, Agitation, Nausea
224	PROZAC 20 MG CAPSULES	ORAL USE	DOSE: 1	8	Tachycardia, Agitation
225	PROZAC	ORAL USE	DOSE: 20MG		Aggression
226	PROZAC	ORAL USE	DOSE: 1 CAPSULE	9	Agitation, Suicidal ideation
227	FLUOXETINE	ORAL USE	DOSE: 20 MG	67	Suicidal ideation, Abnormal behaviour, Withdrawal syndrome
228	PROZAC	ORAL USE	DOSE: 20 MG	152	Insomnia, Agitation, Psychomotor hyperactivity
229	FLUOXETINE	ORAL USE	DOSE: 20 MG	9	Aggression
230	FLUOXETINE	ORAL USE	DOSE: 20MG OD	15	Agitation, Suicidal ideation
231	FLUOXETINE	ORAL USE	DOSE: 20 MG OD	7	Decreased appetite, Anxiety, Paranoia, Dry mouth, Suicidal ideation, Crying, Insomnia
232	FLUOXETINE	ORAL USE	DOSE: 20 MG	69	Aggression, Personality change, Depersonalisation
233	PROZAC	ORAL USE	DOSE: 20 MG		Agitation, Extrapryramidal disorder
234	FLUOXETINE	ORAL USE	DOSE: 20 MG	8	Aggression, Suicidal ideation
235	PROZAC	ORAL USE	DOSE: 20 MG OD	15	Restlessness, Agitation, Dyskinesia
236	CODEINE, ZOPICLONE, PROZAC	UNKNOWN, UNKNOWN, UNKNOWN			Abnormal behaviour, Hypoxic encephalopathy, Miosis, Alcohol interaction, Intentional overdose, Cardiac arrest, Respiratory rate decreased
237	PROZAC	ORAL USE	DOSE: 20 MG	10	Agitation, Nervousness, Nausea, Obsessive-compulsive disorder, Decreased appetite
238	PROZAC	ORAL USE	DOSE: 20 MG	65	Suicidal ideation, Personality change
239	FLUOXETINE	UNKNOWN		273	Aggression, Agitation, Paraesthesia, Pain, Withdrawal syndrome
240	FLUOXETINE	ORAL USE	DOSE: 20 MG	38	Aggression
241	FLUOXETINE	ORAL USE	DOSE: 20 MG		Aggression, Aggression
242	FLUOXETINE	ORAL USE	DOSE: 20 MG	32	Judgement impaired
243	PROZAC	ORAL USE	DOSE: 20 MG	823	Aggression
244	FLUOXETINE	ORAL USE	DOSE: 1500 MG		Convulsion, Intentional overdose, Restlessness, Agitation
245	FLUOXETINE HYDROCHLORIDE	ORAL USE	DOSE: 20 MG	93	Hangover, Headache, Sedation, Irritability, Agitation
246	FLUOXETINE	ORAL USE	DOSE: 20 MG	12	Agitation, Hyperhidrosis, Tremor
247	FLUOXETINE	ORAL USE	DOSE: 20 MG	23	Insomnia, Agitation
248	FLUOXETINE	ORAL USE	DOSE: 20 MG	7	Insomnia, Agitation
249	PROZAC	ORAL USE	DOSE: 20 MG od	23	Abnormal behaviour
250	PROZAC	ORAL USE	DOSE: 2 TABS	66	Aggression, Increased appetite, Insomnia
251	PROZAC	ORAL USE	DOSE: 20 MG	13	Agitation, Dyskinesia
252	FLUOXETINE	ORAL USE	DOSE: 20 MG		Aggression, Mania
253	PROZAC	ORAL USE	DOSE: 20 MG	24	Nightmare, Suicidal ideation, Agitation, Akathisia, Panic attack
254	FLUOXETINE	ORAL USE	DOSE: 20 MG	11	Agitation, Vision blurred, Periorbital oedema, Nausea
255	PROZAC	ORAL USE	DOSE: 40 MG red 20 MG Day		Akathisia
256	PROZAC 20 MG CAPSULES	ORAL USE	DOSE: 20 MG	5	Aggression
257	PROZAC	ORAL USE	DOSE: 20 MG	33	Aggression
258	PROZAC	ORAL USE	DOSE: 20 MG	6	Agitation, Palpitations, Panic reaction
259	FLUOXETINE	ORAL USE	DOSE: 20 MG	45	Aggression
260	FLUOXETINE	ORAL USE	DOSE: 20 MG	17	Paranoia, Agitation, Nausea
261	PROZAC	ORAL USE	DOSE: 1 DAILY	7	Aggression
262	PROZAC	ORAL USE	DOSE: 20 MG		Agitation
263	FLUOXETINE	ORAL USE	DOSE: 20 MG	2	Feeling abnormal, Disinhibition, Hallucination, auditory
264	FLUOXETINE	ORAL USE	DOSE: 20 MG	15	Agitation, Panic reaction, Fear
265	PROZAC	ORAL USE	DOSE: 20 MG	201	Agitation, Nervousness
266	PROZAC	ORAL USE	DOSE: 1 Tab Daily	14	Agitation
267	PROZAC	ORAL USE	DOSE: 20 MG	3	Agitation, Suicidal ideation
268	PROZAC	ORAL USE	DOSE: 20 MG		Insomnia, Malaise, Dizziness, Depression, Nausea, Aggression, Suicide attempt
269	PROZAC	ORAL USE	DOSE: 20 MG	58	Paranoia, Persecutory delusion
270	MADOPAR, MADOPAR, PROZAC	ORAL USE, ORAL USE, ORAL USE	, , DOSE: 20 MG	12	Agitation, Insomnia, Drug interaction, Parkinson's disease
271	PROZAC 20 MG CAPSULES	ORAL USE	DOSE: 20 MG	19	Priapism, Akathisia
272	PROZAC 20 MG CAPSULES	ORAL USE	DOSE: 20 MG	14	Paranoia, Sexual dysfunction
273	FLUOXETINE	ORAL USE	DOSE: 20 MG	184	Irritability, Libido decreased, Fluid retention, Influenza like illness, Myalgia, Hypoaesthesia, Withdrawal syndrome
274	PROZAC	ORAL USE	DOSE: 20 MG	54	Agitation, Anxiety
275	PROZAC 20 MG CAPSULES	ORAL USE	DOSE: 20 MG	32	Agitation, Anxiety, Hypertension, Tremor
276	PROZAC	ORAL USE	DOSE: 20 MG 1 TAB		Aggression
277	PROZAC	ORAL USE	DOSE: 1 TAB		Amnesia, Sleep disorder, Irritability
278	PROZAC 20 MG CAPSULES	ORAL USE	DOSE: 20 MG		Speech disorder, Agitation, Dystonia
279	PROZAC	ORAL USE	DOSE: 20 MG	384	Agitation, Anxiety
280	PROZAC	ORAL USE	DOSE: 20 MG		Drug withdrawal syndrome, Psychotic behaviour
281	FLUOXETINE	ORAL USE	DOSE: 10 MG	13	Aggression
282	PROZAC 20 MG CAPSULES	ORAL USE	DOSE: 20 MG	4	Suicidal ideation, Paranoia

283	PROZAC 20 MG CAPSULES	ORAL USE			Agitation
284	FLUOXETINE	UNKNOWN	DOSE: 20MG OD/ALT DAYS		Anxiety, Agitation, Withdrawal syndrome
285	FLUOXETINE HYDROCHLORIDE, DOTHIEPIN HYDROCHLORIDE	ORAL USE, ORAL USE	DOSE: 1 DAILY, DOSE: one daily	15	Hallucination, visual, Agitation, Somnolence
286	PROZAC 20 MG CAPSULES	ORAL USE			Tachycardia, Agitation
287	FLUOXETINE	ORAL USE	DOSE: 20 MG	71	Aggression
288	PROZAC	ORAL USE	DOSE: 20MG	32	Agitation, Anxiety
289	CLOMIPRAMINE, FLUOXETINE	ORAL USE, ORAL USE	DOSE: 300 MG, DOSE: 20 MG	82	Obsessive-compulsive disorder, Emotional distress, Agitation
290	FLUOXETINE	ORAL USE	DOSE: 20MG OD	1	Anxiety, Agitation
291	PROZAC	ORAL USE	DOSE: 20-40 MG	109	Aggression
292	FLUOXETINE, ZOTON	ORAL USE, ORAL USE	DOSE: 20 MG,		Aggression
293	PROZAC 20 MG CAPSULES	ORAL USE	DOSE: 20 MG		Aggression, Irritability, Hypoglycaemia, Electroencephalogram abnormal, Clumsiness
294	PROZAC	ORAL USE	DOSE: 20MG DAILY		Agitation, Self-injurious ideation, Akathisia
295	PROZAC	ORAL USE	DOSE: 20 MG		Aggression, Mood swings, Somnolence, Personality change
296	FLUOXETINE	ORAL USE	DOSE: 20 MG	15	Poor quality sleep, Agitation, Anxiety, Restlessness, Panic reaction
297	PROZAC	ORAL USE	DOSE: 20 MG	76	Paranoia
298	PROZAC	ORAL USE			Aggression
299	PROZAC 20 MG CAPSULES	ORAL USE			Aggression
300	PROZAC	ORAL USE	DOSE: 20 MG	164	Diarrhoea, Abnormal behaviour, Galactorrhoea
301	PROZAC	ORAL USE	DOSE: 20 MG	74	Abnormal behaviour, Violence-related symptom
302	PROZAC	ORAL USE	DOSE: 20-40 MG		Paranoia, Disinhibition, Suicidal ideation, Delirium
303	FLUOXETINE	ORAL USE	DOSE: 20 MG	40	Agitation, Panic attack, Tremor
304	PROZAC	ORAL USE	DOSE: 20 MG	59	Paranoia
305	FLUOXETINE	ORAL USE	DOSE: 20 MG	7	Aggression, Condition aggravated, Agitation, Suicidal ideation
306	PROZAC	ORAL USE	DOSE: 20 MG	326	Aggression, Withdrawal syndrome
307	FLUOXETINE	ORAL USE	DOSE: 20 MG		Disinhibition
308	PROZAC	ORAL USE	DOSE: 20 MG	2	Agitation, Nausea, Tremor
309	PROZAC	ORAL USE	DOSE: 20 MG	12	Personality change, Suicidal ideation
310	PROZAC	ORAL USE	DOSE: 40 MG	65	Hallucinations, mixed, Aggression, Tremor
311	FLUOXETINE	ORAL USE	DOSE: 20 MG	15	Agitation, Nervousness, Contusion
312	AMITRIPTYLINE, PROZAC 20 MG CAPSULES	ORAL USE, ORAL USE	DOSE: 20 MG, DOSE: 4-10 MG	30	Psychotic disorder, Agitation, Confusional state
313	PROZAC 20 MG CAPSULES	ORAL USE			Agitation, Hypertension
314	PROZAC	ORAL USE	DOSE: 20 MG	20	Irritability, Muscle twitching
315	PROZAC	ORAL USE	DOSE: 20 MG	1	Agitation
316	PROZAC	ORAL USE	DOSE: 20 MG	1	Rash, Loss of consciousness, Alcohol interaction, Aggression
317	PROZAC 20 MG CAPSULES	ORAL USE	DOSE: 20 MG	14	Agitation
318	PROZAC 20 MG CAPSULES	ORAL USE	DOSE: 20 MG	35	Agitation
319	FLUOXETINE	ORAL USE	DOSE: 20 MG	10	Abnormal behaviour, Completed suicide
320	FLUOXETINE	ORAL USE	DOSE: 20 MG	11	Anxiety, Agitation, Insomnia
321	FLUOXETINE	ORAL USE	DOSE: 20 MG	2	Confusional state, Restlessness, Muscle disorder, Irritability, Hallucination
322	PROZAC	ORAL USE	DOSE: 20 MG	17	Akathisia
323	FLUOXETINE	ORAL USE	DOSE: 20 MG	21	Paranoia
324	FLUOXETINE, ZYPREXA	ORAL USE, ORAL USE	DOSE: 20 MG, DOSE: 20 MG	39	Dizziness, Hallucination, Agitation, Drug interaction
325	PROZAC	ORAL USE	DOSE: 40 MG		Aggression
326	FLUOXETINE	ORAL USE	DOSE: 20 MG	8	Agitation, Tremor
327	PROZAC	ORAL USE	DOSE: 20 MG	3	Drug interaction, Mania, Homicide, Agitation
328	Fluoxetine Capsules 20mg	ORAL USE	DOSE: 40 MG		Akathisia
329	PROZAC	ORAL USE	DOSE: 40 MG OD		Irritability, Feeling jittery
330	PROZAC 20 MG CAPSULES	ORAL USE	DOSE: 20 MG		Aggression, Alcohol interaction, Amnesia
331	PROZAC	ORAL USE	DOSE: 20 MG	74	Aggression
332	PROZAC	ORAL USE	DOSE: 20 MG	1091	Irritability, Personality change, Withdrawal syndrome
333	PROZAC	ORAL USE	DOSE: 20 MG	458	Aggression
334	FLUOXETINE	ORAL USE	DOSE: 20 MG		Aggression
335	FLUOXETINE	ORAL USE	DOSE: 20 MG	21	Abnormal behaviour
336	PROZAC	ORAL USE	DOSE: 20 MG		Abnormal behaviour
337	FLUOXETINE	UNKNOWN	DOSE: 20 MG	16	Asthenia, Dizziness, Dyspnoea, Agitation, Chest discomfort, Hyperhidrosis
338	FLUOXETINE	ORAL USE	DOSE: 10 MG		Drug withdrawal syndrome, Aggression, Serotonin syndrome, Proteinuria, Neutropenia, Dyskinesia
339	FLUOXETINE	UNKNOWN			Violence-related symptom
340	FLUOXETINE	ORAL USE	DOSE: 20 MG	24	Nausea, Paranoia, Diarrhoea, Dyspnoea, Tremor, Dyskinesia
341	TRAMADOL, FLUOXETINE	ORAL USE, ORAL USE	DOSE: 50-100 MG Q6H, DOSE: 20 MG		Blepharospasm, Agitation, Dysphemia, Hyperhidrosis, Muscle twitching, Serotonin syndrome, Headache, Hyperprolactinaemia, Anxiety, Pyrexia, Drug interaction, Tremor
342	FLUOXETINE	ORAL USE	DOSE: 20 MG		Hallucination, visual, Aggression
343	PROZAC	ORAL USE	DOSE: 60 MG		Myalgia, Vision blurred, Liver function test abnormal, Dizziness, Agitation, Fatigue, Tremor
344	PROZAC	ORAL USE	DOSE: 20 MG	250	Aggression, Agitation
345	PROZAC	ORAL USE	DOSE: ?	55	Paranoia, Nightmare, Weight decreased, Depression, Sleep disorder, Emotional disorder

346	FLUOXETINE	ORAL USE	DOSE: 20 MG	6	Suicidal ideation, Eye pain, Agitation, Self-injurious ideation, Anorexia, Fear, Tremor
347	PROZAC	ORAL USE	DOSE: 40 MG	15	Restless legs syndrome, Suicidal ideation, Akathisia
348	PROZAC	ORAL USE	DOSE: OM	28	Nausea, Agitation, Urticaria
349	PROZAC 20 MG CAPSULES	ORAL USE	DOSE: 20 MG	3	Muscle rigidity, Vision blurred, Agitation, White blood cell count increased, Insomnia, Nystagmus, Anxiety, Tremor
350	FLUOXETINE HYDROCHLORIDE	ORAL USE			Cerebral atrophy, Lethargy, Parkinsonism, Akathisia
351	ZYDOL, PROZAC	ORAL USE, ORAL USE	DOSE: 25 MG PRN,		Anxiety, Agitation
352	PAROXETINE, FLUOXETINE	ORAL USE, ORAL USE	DOSE: 20 MG/DAY, DOSE: 20 MG/DAY	1	Akathisia, Dyskinesia, Dystonia
353	FLUOXETINE	ORAL USE	DOSE: 20 MG	145	Aggression, Alcohol abuse
354	FLUOXETINE	ORAL USE	DOSE: 20 MG OD		Aggression, Alcohol interaction
355	SEPTRIN, SEPTRIN, PROZAC	ORAL USE, ORAL USE, ORAL USE	DOSE: 10 ML BD, DOSE: 10 ML BD, DOSE: 20 MG/DAY	5	Agitation, Dizziness, Drug interaction, Nausea, Dysstasia, Ataxia, Panic attack
356	PROZAC	ORAL USE		2	Insomnia, Dyspnoea, Respiratory failure, Agitation
357	FLUOXETINE	ORAL USE	DOSE: 20 MG/DAY	8	Agitation, Malaise
358	PROZAC	ORAL USE	DOSE: 20 MG	15	Mood swings, Aggression
359	PROZAC	ORAL USE			Aggression
360	FLUOXETINE	ORAL USE	DOSE: 20 MG	64	Irritability, Mood altered
361	PROZAC	ORAL USE	DOSE: 20 MG	13	Aggression
362	PROZAC	ORAL USE	DOSE: 20 MG	220	Paranoia, Hallucination, visual, Aggression, Disinhibition
363	PROZAC	ORAL USE	DOSE: ONE	3	Agitation, Nightmare, Suicidal ideation
364	PROZAC 20 MG CAPSULES	ORAL USE		11	Agitation
365	PROZAC	ORAL USE	DOSE: 20 MG	10	Insomnia, Dystonia, Akathisia
366	PROZAC	ORAL USE			Aggression
367	PROZAC	ORAL USE	DOSE: 20 MG	13	Anxiety, Agitation, Depressed mood, Tremor
368	PROZAC	ORAL USE	DOSE: 20 MG	3	Insomnia, Agitation
369	PROZAC 20 MG CAPSULES	ORAL USE			Agitation
370	FLUOXETINE	ORAL USE	DOSE: 20 MG	98	Aggression, Personality change
371	FLUOXETINE	ORAL USE	DOSE: 80 MG		Suicidal ideation, Aggression
372	PROZAC 20 MG CAPSULES	ORAL USE	DOSE: 20 MG		Agitation, Completed suicide, Aggression, Restlessness, Anxiety
373	PROZAC	ORAL USE	DOSE: 20 MG	5	Irritability, Aggression
374	PROZAC	UNKNOWN	DOSE: 20 MG	14	Confusional state, Delusion, Encephalopathy, Aggression
375	PROZAC	ORAL USE	DOSE: 20 MG	9	Restlessness, Agitation, Tremor
376	PROZAC	ORAL USE	DOSE: 20 MG	5	Grand mal convulsion, Paranoia, Mental disorder due to a general medical condition
377	PROZAC	ORAL USE	DOSE: 20 MG	13	Headache, Agitation, Pain in jaw, Nervousness, Tremor
378	PROZAC 20 MG CAPSULES	TRANSPLACENTAL			Hypertonia, Chills, Irritability, Drug withdrawal syndrome neonatal, Psychomotor hyperactivity
379	PROZAC 20 MG CAPSULES	ORAL USE	DOSE: 20MG	10	Agitation
380	FLUOXETINE	ORAL USE	DOSE: 20 MG	5	Insomnia, Chest pain, Agitation
381	PROZAC 20 MG CAPSULES	UNKNOWN	DOSE:		Agitation, Extrapryramidal disorder
382	FLUOXETINE, METHYLENE BLUE	, INTRAVENOUS			Haemoglobin decreased, Respiratory acidosis, Agitation, Flushing, Mydriasis, Nystagmus, Aggression, Hyperhidrosis, Skin discolouration, Vomiting, Dyskinesia, Serotonin syndrome, Drug interaction, Chromaturia
383	FLUOXETINE	ORAL USE	DOSE: 20 MG	6	Confusional state, Aggression
384	PROZAC 20 MG CAPSULES	ORAL USE	DOSE: 1	10	Depression, Agitation, Tremor
385	PROZAC 20 MG CAPSULES	ORAL USE	DOSE: 1	34	Agitation
386	PROZAC 20 MG CAPSULES	ORAL USE	DOSE: 1	3	Nightmare, Agitation
387	PROZAC 20 MG CAPSULES	ORAL USE	DOSE: 1	1	Dizziness, Agitation
388	PROZAC 20 MG CAPSULES	ORAL USE	DOSE: 20MG	39	Disorientation, Anxiety, Nervousness, Paranoia, Tremor
389	PROZAC 20 MG CAPSULES	ORAL USE	DOSE: 20MG	6	Tachycardia, Agitation, Sweat gland disorder, Nausea, Paraesthesia
390	FLUOXETINE	ORAL USE	DOSE: 20MGALTDIE	22	Depression, Agitation
391	PROZAC 20 MG CAPSULES	ORAL USE	DOSE: 20MG	4	Dizziness, Agitation, Nausea, Headache
392	PROZAC 20 MG CAPSULES	ORAL USE	DOSE: 20MG		Agitation
393	PROZAC 20 MG CAPSULES	ORAL USE	DOSE: 20MG		Aggression
394	PROZAC 20 MG CAPSULES	ORAL USE	DOSE: 20MG	5	Dysgeusia, Abdominal pain, Headache, Diarrhoea, Nausea, Dry mouth, Irritability, Paraesthesia, Vomiting
395	FLUOXETINE	ORAL USE	DOSE: 20 MG DAILY		Emotional disorder, Aggression
396	FLUOXETINE	ORAL USE	DOSE: 20MG	11	Agitation, Hyperkinesia
397	PROZAC 20 MG CAPSULES	UNKNOWN	DOSE:		Aggression
398	PROZAC 20 MG CAPSULES	ORAL USE	DOSE: 20MG	7	Vomiting, Nausea, Agitation, Insomnia
399	PROZAC 20 MG CAPSULES	ORAL USE	DOSE: 20MG		Anxiety, Agitation, Tongue disorder, Akathisia
400	PROZAC 20 MG CAPSULES	ORAL USE	DOSE: 20MG		Agitation
401	FLUOXETINE	ORAL USE	DOSE: 20MG		Agitation, Anxiety
402	PROZAC 20 MG CAPSULES	ORAL USE	DOSE: 20MG	10	Insomnia, Agitation
403	FLUOXETINE	ORAL USE	DOSE: 20 MG	6	Aggression
404	PROZAC 20 MG CAPSULES	ORAL USE	DOSE: 20MGOD	20	Nausea, Agitation, Anxiety
405	PROZAC 20 MG CAPSULES	ORAL USE	DOSE: 20MG	7	Akathisia
406	PROZAC 20 MG CAPSULES	ORAL USE	DOSE: 20 MG		Hallucination, auditory, Disinhibition, Psychotic disorder
407	TRANLYCYPROMINE, PROZAC 20 MG CAPSULES	ORAL USE, ORAL USE	DOSE: 30 MG, DOSE: 40 MG		Agitation, Drug interaction, Tremor
408	FLUOXETINE	ORAL USE	DOSE: 20MG	65	Agitation, Nervousness

409	PROZAC 20 MG CAPSULES	ORAL USE	DOSE: 1	32	Tachycardia, Nausea, Chest pain, Agitation, Lethargy, Dizziness
410	PROZAC 20 MG CAPSULES	ORAL USE	DOSE: 20MG	Fluoxetine	Agitation, Akathisia
411	PROZAC 20 MG CAPSULES	ORAL USE	DOSE: 20MG	10	Nervousness, Agitation
412	PROZAC 20 MG CAPSULES	ORAL USE	DOSE: 20MGBD	11	Dizziness, Palpitations, Agitation, Headache, Nightmare
413	FLUOXETINE	ORAL USE	DOSE: 20MG	4	Somnolence, Dysgeusia, Hyperhidrosis, Agitation, Nausea, Anxiety, Dry mouth
414	PROZAC	ORAL USE	DOSE: 1	8	Agitation, Confusional state
415	PROZAC	ORAL USE	DOSE: 20 MG	2	Insomnia, Agitation
416	PROZAC 20 MG CAPSULES	ORAL USE	DOSE: 80MG	8	Agitation, Headache, Insomnia
417	PROZAC 20 MG CAPSULES	ORAL USE	DOSE: 20MG	9	Nausea, Agitation
418	PROZAC 20 MG CAPSULES	ORAL USE	DOSE:		Agitation, Confusional state
419	PROZAC 20 MG CAPSULES	ORAL USE	DOSE: 1DAILY		Depersonalisation, Euphoric mood, Agitation
420	PROZAC 20 MG CAPSULES	ORAL USE	DOSE: 20MG	41	Agitation
421	FLUOXETINE	ORAL USE	DOSE: 40MG	12	Hyperhidrosis, Insomnia, Suicide attempt, Agitation, Depression, Tremor
422	FLUOXETINE	ORAL USE	DOSE: 20MG		Hallucination, Confusional state, Agitation, Depersonalisation, Tremor
423	PROZAC 20 MG CAPSULES	ORAL USE	DOSE: 1		Euphoric mood, Agitation, Aggression
424	PROZAC 20 MG CAPSULES	ORAL USE	DOSE: 20MG	6	Agitation
425	FLUOXETINE	ORAL USE	DOSE: 20MG	43	Gastritis, Aggression, Suicidal ideation
426	FLUOXETINE	ORAL USE	DOSE: 20MG	30	Depression, Agitation
427	PROZAC 20 MG CAPSULES	ORAL USE	DOSE: 20MGNOCTE	56	Insomnia, Seborrhoea, Rosacea, Irritability, Agitation
428	FLUOXETINE	ORAL USE	DOSE: 20 MG	4	Aggression, Visual disturbance
429	PROZAC 20 MG CAPSULES	ORAL USE	DOSE: 20MG	6	Headache, Agitation
430	FLUOXETINE	ORAL USE	DOSE: 20MG	38	Aggression, Agitation, Insomnia
431	PROZAC 20 MG CAPSULES	ORAL USE	DOSE: 20MG	31	Insomnia, Rash maculo-papular, Agitation, Tremor
432	PROZAC 20 MG CAPSULES	ORAL USE	DOSE: 20MG		Agitation
433	PROZAC 20 MG CAPSULES	UNKNOWN	DOSE:		Agitation, Tremor
434	PROZAC	ORAL USE	DOSE: 20 MG OD	70	Crying, Aggression
435	PROZAC 20 MG CAPSULES	ORAL USE	DOSE: 1DAILY	7	Insomnia, Agitation
436	PROZAC 20 MG CAPSULES	ORAL USE	DOSE:	7	Anxiety, Agitation, Tremor
437	FLUOXETINE	ORAL USE	DOSE: 20MGNOCTE	9	Nervousness, Depression, Anxiety, Dysphagia, Agitation, Agitation, Hyperhidrosis, Tremor
438	PROZAC 20 MG CAPSULES	ORAL USE	DOSE: 20MG	13	Agitation, Nausea, Headache, Vomiting, Chest pain
439	PROZAC 20 MG CAPSULES	ORAL USE	DOSE: 1	14	Agitation, Paraesthesia, Anxiety
440	PROZAC 20 MG CAPSULES	ORAL USE	DOSE: 20MG	7	Agitation, Tremor
441	PROZAC 20 MG CAPSULES	ORAL USE	DOSE: 20MG	4	Agitation, Insomnia
442	FLUOXETINE	ORAL USE	DOSE: 20 MG	13	Dyspnoea, Restlessness, Agitation, Palpitations, Insomnia, Tremor
443	PROZAC 20 MG CAPSULES	ORAL USE	DOSE: 10MG		Aggression
444	PROZAC 20 MG CAPSULES	ORAL USE	DOSE:		Agitation
445	PROZAC 20 MG CAPSULES	ORAL USE	DOSE: SEECOMMENT	97	Headache, Insomnia, Akathisia
446	PROZAC 20 MG CAPSULES	ORAL USE	DOSE: 20MG	7	Nervousness, Nausea, Agitation
447	PROZAC 20 MG CAPSULES	ORAL USE	DOSE: 1	23	Agitation, Insomnia, Anxiety
448	PROZAC 20 MG CAPSULES	ORAL USE	DOSE: 20MG		Agitation
449	FLUOXETINE	ORAL USE	DOSE: 20MG	6	Agitation, Anxiety, Psychotic disorder
450	PROZAC 20 MG CAPSULES	ORAL USE	DOSE:		Agitation
451	PROZAC 20 MG CAPSULES	ORAL USE	DOSE: 1	2	Rhinorrhoea, Insomnia, Irritability, Muscle twitching
452	PROZAC 20 MG CAPSULES	ORAL USE	DOSE: 1DAILY	5	Anorexia, Agitation, Tremor
453	PROZAC 20 MG CAPSULES	ORAL USE	DOSE: 20MG	9	Nausea, Aggression, Erectile dysfunction
454	PROZAC 20 MG CAPSULES	ORAL USE	DOSE: 10MG		Muscle spasms, Hypertension, Abdominal pain, Diarrhoea, Oesophagitis, Hyperhidrosis, Dysgeusia, Agitation, Headache
455	FLUOXETINE	ORAL USE	DOSE: 20MG	15	Insomnia, Agitation
456	PROZAC 20 MG CAPSULES	ORAL USE	DOSE: 20MGNOCTE	3	Agitation, Dry mouth, Tremor
457	PROZAC 20 MG CAPSULES	ORAL USE	DOSE: 1		Aggression
458	PROZAC 20 MG CAPSULES	ORAL USE	DOSE: 20MG		Hallucination, Nightmare, Agitation, Insomnia
459	PROZAC 20 MG CAPSULES	ORAL USE	DOSE: 1NOCTE	23	Dyspepsia, Pruritus, Fatigue, Dysgeusia, Weight decreased, Headache, Aggression, Influenza like illness, Irritability
460	FLUOXETINE	ORAL USE	DOSE: 20MG	84	Aggression, Pharyngitis, Tremor
461	PROZAC 20 MG CAPSULES	ORAL USE	DOSE: 20MG	215	Aggression, Irritability
462	PROZAC 20 MG CAPSULES	ORAL USE	DOSE: 1	5	Agitation, Hallucination, Insomnia, Skin ulcer
463	PROZAC 20 MG CAPSULES	ORAL USE	DOSE: 20MG		Agitation
464	PROZAC 20 MG CAPSULES	ORAL USE	DOSE: 20MG		Agitation
465	PROZAC 20 MG CAPSULES	ORAL USE	DOSE: 20MGBD	24	Agitation
466	PROZAC 20 MG CAPSULES	ORAL USE	DOSE: 1	77	Aggression
467	FLUOXETINE	ORAL USE	DOSE: 20MG	29	Agitation
468	PROZAC 20 MG CAPSULES	ORAL USE	DOSE: 20MG	41	Hyperhidrosis, Agitation, Tremor
469	FLUOXETINE	ORAL USE	DOSE: 20MG	26	Aggression
470	FLUOXETINE	ORAL USE	DOSE: 40 MG/DAY		Suicidal ideation, Insomnia, Akathisia
471	FLUOXETINE	ORAL USE	DOSE: 20MG	85	Weight decreased, Agitation
472	PROZAC 20 MG CAPSULES	ORAL USE	DOSE: 20MGX1QDS		Aggression
473	PROZAC 20 MG CAPSULES	ORAL USE	DOSE: 20MG	8	Myoclonus, Akathisia
474	PROZAC 20 MG CAPSULES	ORAL USE	DOSE: 20MG	4	Myoclonus, Akathisia
475	PROZAC 20 MG CAPSULES	ORAL USE	DOSE: ONCE	45	Suicide attempt, Aggression
476	PROZAC 20 MG CAPSULES	ORAL USE	DOSE: 2X40MGOD	51	Aggression
477	PROZAC 20 MG CAPSULES	ORAL USE	DOSE: 20MG	7	Agitation, Anxiety

478	PROZAC 20 MG CAPSULES	ORAL USE	DOSE: 20MGMANEFluoxetine ²		Psychotic disorder, Delusion, Agitation
479	PROZAC 20 MG CAPSULES	ORAL USE	DOSE:		Akathisia
480	PROZAC 20 MG CAPSULES	ORAL USE	DOSE: 20MG	33	Suicide attempt, Aggression
481	PROZAC 20 MG CAPSULES	ORAL USE	DOSE: 20MG	16	Aggression
482	PROZAC 20 MG CAPSULES	ORAL USE	DOSE:	121	Aggression
483	PROZAC 20 MG CAPSULES	ORAL USE	DOSE: 40MG		Aggression, Suicide attempt
484	PROZAC 20 MG CAPSULES	ORAL USE	DOSE: 2		Depersonalisation, Aggression
485	PROZAC 20 MG CAPSULES	ORAL USE	DOSE: 20MG	6	Aggression, Psychotic disorder
486	PROZAC 20 MG CAPSULES	ORAL USE	DOSE: 20MG	6	Aggression
487	PROZAC 20 MG CAPSULES	ORAL USE	DOSE:		Agitation
488	PROZAC 20 MG CAPSULES	ORAL USE	DOSE: 20MG		Thinking abnormal, Nausea, Anorexia, Agitation, Insomnia
489	PROZAC 20 MG CAPSULES	ORAL USE	DOSE: 40MG	37	Paraesthesia, Aggression, Ataxia
490	PROZAC 20 MG CAPSULES	ORAL USE	DOSE: 20MGNOCTE	79	Suicide attempt, Aggression
491	FLUOXETINE	ORAL USE	DOSE: 20MG	2	Agitation
492	PROZAC 20 MG CAPSULES	ORAL USE	DOSE: 20MG	50	Agitation
493	FLUOXETINE	ORAL USE	DOSE: 20MG	15	Aggression
494	PROZAC 20 MG CAPSULES	ORAL USE	DOSE: 20MG		Amnesia, Suicide attempt, Agitation
495	PROZAC 20 MG CAPSULES	ORAL USE	DOSE: 40MG		Suicide attempt, Aggression
496	PROZAC 20 MG CAPSULES	ORAL USE	DOSE: 40MG		Suicide attempt, Agitation, Aggression
497	PROZAC 20 MG CAPSULES	ORAL USE	DOSE: 20MG	123	Suicide attempt, Aggression
498	FLUOXETINE	ORAL USE	DOSE: 20MG	4	Agitation
499	PROZAC 20 MG CAPSULES	ORAL USE	DOSE: 40MG		Aggression
500	PROZAC 20 MG CAPSULES	ORAL USE	DOSE: 20MG		Depersonalisation, Paranoia, Mania
501	PROZAC 20 MG CAPSULES	ORAL USE	DOSE: 20MG	42	Insomnia, Headache, Agitation
502	PROZAC 20 MG CAPSULES	ORAL USE	DOSE: 20MG	71	Aggression
503	PROZAC 20 MG CAPSULES	ORAL USE	DOSE: 1TAB	36	Paranoia, Anorexia, Hallucination
504	PROZAC 20 MG CAPSULES	ORAL USE	DOSE: 20MG	53	Depression, Agitation
505	PROZAC 20 MG CAPSULES	ORAL USE	DOSE: 20MG		Depersonalisation, Irritability, Aggression
506	FLUOXETINE	ORAL USE	DOSE: 20MG	4	Irritability, Fatigue, Insomnia, Vomiting, Diarrhoea
507	PROZAC 20 MG CAPSULES	ORAL USE	DOSE:		Aggression
508	PROZAC 20 MG CAPSULES	ORAL USE	DOSE:		Aggression
509	PROZAC 20 MG CAPSULES	ORAL USE	DOSE: 20MG	14	Aggression
510	PROZAC 20 MG CAPSULES	ORAL USE	DOSE:		Anxiety, Agitation
511	PROZAC	ORAL USE	DOSE: 1 DAILY	9	Diarrhoea, Agitation, Insomnia, Hyperhidrosis, Chest discomfort, Nausea
512	PROZAC 20 MG CAPSULES	ORAL USE	DOSE: 20 MG	622	Agitation, Muscle rigidity, Perseveration
513	FLUOXETINE	ORAL USE	DOSE: 20MG	16	Migraine, Anxiety, Agitation
514	PARAMAX, PARAMAX, PROZAC	ORAL USE, ORAL USE, ORAL USE	DOSE: 2, DOSE: 2, DOSE: 20 MG	32	Anxiety, Agitation, Drug interaction
515	PROZAC 20 MG CAPSULES	ORAL USE	DOSE: 20MG	4	Aggression
516	PROZAC 20 MG CAPSULES	ORAL USE	DOSE: 20 MG	11	Agitation
517	PROZAC 20 MG CAPSULES	ORAL USE			Agitation, Aggression, Suicidal ideation
518	PROZAC	ORAL USE	DOSE: 20MG	15	Anxiety, Agitation, Aggression
519	PROZAC 20 MG CAPSULES	ORAL USE	DOSE: 40MG	3	Hypomania, Agitation
520	PROZAC 20 MG CAPSULES	TRANSMAMMARY	DOSE: 60- 80MG		Irritability, Restlessness
521	PROZAC	ORAL USE	DOSE: 20 MG/DAY	70	Intentional overdose, Agitation, Insomnia
522	PROZAC	ORAL USE	DOSE: 20 MG		Agitation, Alcohol interaction, Visual disturbance
523	FLUOXETINE	ORAL USE	DOSE: 20 MG	14	Disturbance in attention, Agitation, Psychomotor hyperactivity
524	PROZAC	ORAL USE	DOSE: 20 MG	18	Amnesia, Agitation
525	PROZAC 20 MG CAPSULES	ORAL USE	DOSE: 20 MG	56	Akathisia
526	PROZAC 20 MG CAPSULES	ORAL USE	DOSE: 20 MG		Irritability, Aggression, Withdrawal syndrome
527	FLUOXETINE, LEVOMEPRMAZINE, SERDOLECT	ORAL USE, UNKNOWN, ORAL USE	DOSE: 60 MG, , DOSE: 16 MG	382	Hallucination, Abnormal behaviour, Speech disorder, Confusional state, Overdose, Hyperthyroidism
528	PROZAC 20 MG CAPSULES	ORAL USE		21	Restlessness, Agitation
529	FLUOXETINE	ORAL USE	DOSE: 20MG	2	Emotional distress, Agitation
530	FLUOXETINE	ORAL USE	DOSE: 20 MG	21	Akathisia
531	PROZAC	ORAL USE	DOSE: 40 MG	183	Agitation, Feeling abnormal, Euphoric mood, Tremor
532	PROZAC	ORAL USE	DOSE: 20 MG		Agitation, Retching, Malaise, Dysuria, Abdominal pain, Diarrhoea, Poor quality sleep
533	FLUOXETINE	ORAL USE	DOSE: 20 MG	22	Agitation, Abnormal behaviour, Anxiety
534	PROZAC	ORAL USE	DOSE: 20MG		Aggression
535	PROZAC	ORAL USE	DOSE: 20 MG	89	Agitation
536	PROZAC 20 MG CAPSULES	ORAL USE	DOSE: 20MG		Agitation, Delusion
537	PROZAC	ORAL USE	DOSE: 20MG	17	Agitation, Muscle spasms
538	PROZAC	ORAL USE	DOSE: 20 MG		Hallucination, Anxiety, Agitation
539	FLUOXETINE	ORAL USE	DOSE: 20 MG	20	Aggression
540	PROZAC 20 MG CAPSULES	ORAL USE	DOSE: 60 MG		Inappropriate affect, Abnormal behaviour, Aggression
541	FLUOXETINE	ORAL USE	DOSE: 20 MG	18	Agitation, Dysphoria, Akathisia
542	PROZAC	ORAL USE	DOSE: 20 MG	6	Agitation, Pharyngolaryngeal pain, Anorexia, Insomnia, Rash
543	PROZAC 20 MG CAPSULES	ORAL USE	DOSE: 20-40- 20 MG THEN DEC	113	Mood swings, Paranoia, Aggression, Hallucination, Abnormal dreams
544	PROZAC	ORAL USE	DOSE: 20 MG		Personality change, Completed suicide
545	FLUOXETINE	ORAL USE	DOSE: 20 MG	22	Restlessness, Insomnia, Agitation, Tremor
546	PROZAC	ORAL USE	DOSE: 20 MG	6	Mydriasis, Rash, Agitation, Poor quality sleep
547	FLUOXETINE, PALUDRINE	UNKNOWN, ORAL USE	DOSE: 20 MG,		Bipolar I disorder, Drug interaction, Agitation
548	PROZAC 20 MG CAPSULES	ORAL USE	DOSE: 10 MG	6	Aggression, Convulsion, Confusional state
549	FLUOXETINE	ORAL USE	DOSE: 20 MG BD	21	Visual disturbance, Agitation
550	FLUOXETINE	ORAL USE	DOSE: 20 MG	3	Insomnia, Agitation
551	PROZAC	ORAL USE	DOSE: 20 MG	8	Agitation, Panic attack

552	PROZAC	ORAL USE	DOSE: 20 MG	7	Hallucination, auditory, Insomnia, Hyperhidrosis, Violence-related symptom
553	PROZAC	ORAL USE	DOSE: 20 MG	7	Completed suicide, Social avoidant behaviour, Agitation, Abnormal behaviour
554	PROZAC	ORAL USE	DOSE: 60 MG	322	Aggression
555	FLUOXETINE	ORAL USE	DOSE: 20 MG OD	5	Insomnia, Anxiety, Aggression, Psychomotor hyperactivity
556	FLUOXETINE	TRANSPLACENTAL	DOSE: 20 MG		Irritability, Meningitis chemical, Intraventricular haemorrhage, Hypocalcaemia, Hypoglycaemia, Jaundice, Type 1 diabetes mellitus
557	PROZAC	ORAL USE	DOSE: 20 MG OD	14	Insomnia, Agitation, Akathisia
558	PROZAC 20 MG CAPSULES, CLOMIPRAMINE	ORAL USE, ORAL USE	DOSE: 20 mg to 40 mg, DOSE: 25-100 MG	22	Akathisia, Dyskinesia
559	FLUOXETINE HYDROCHLORIDE	ORAL USE	DOSE: one to be taken daily	34	Paranoia
560	PROZAC	ORAL USE	DOSE: 20 MG	41	Aggression, Nausea, Irritability, Agitation, Tearfulness
561	PROZAC	ORAL USE	DOSE: 20 MG	15	Agitation
562	FLUOXETINE	ORAL USE			Tension headache, Irritability
563	PROZAC	ORAL USE	DOSE: 20 MG	14	Nausea, Agitation
564	PROZAC	ORAL USE	DOSE: 20 MG	112	Abnormal behaviour
565	PROZAC	ORAL USE	DOSE: 20 MG		Aggression, Alcohol interaction
566	PROZAC 20 MG CAPSULES	ORAL USE	DOSE: 20-40 MG		Agitation, Insomnia, Suicidal ideation
567	Seroxat Tablets 20mg, PROZAC	ORAL USE, ORAL USE	DOSE: 20 MG daily, DOSE: 20 MG daily	15	Akathisia
568	PROZAC 20 MG CAPSULES	ORAL USE	DOSE: 20-40 MG		Aggression, Irritability
569	PROZAC	ORAL USE	DOSE: 20 MG	6	Agitation, Panic attack
570	PROZAC	ORAL USE	DOSE: 20 MG	43	Aggression
571	FLUOXETINE	ORAL USE	DOSE: 20 MG	30	Aggression
572	FLUOXETINE	TRANSMAMMARY	DOSE: 20MG OD	6	Irritability, Abdominal pain, Sleep disorder, Flatulence
573	FLUOXETINE	ORAL USE	DOSE: 20MG		Depersonalisation, Suicidal ideation, Violence-related symptom
574	PROZAC	ORAL USE	DOSE: 20 MG	25	Insomnia, Dysarthria, Agitation, Dyskinesia
575	PROZAC	ORAL USE	DOSE: 20mg	11	Agitation, Completed suicide
576	PROZAC	ORAL USE	DOSE: 20 MG	11	Akathisia
577	PROZAC	ORAL USE	DOSE: 20 MG OD	84	Agitation, Nervousness, Insomnia, Tremor
578	PROZAC	ORAL USE	DOSE: 20 MG	10	Memory impairment, Tinnitus, Agitation, Suicidal ideation, Irritability, Confusional state, Disturbance in attention, Tremor
579	FLUOXETINE	ORAL USE	DOSE: 20MG	5	Agitation, Depression
580	FLUOXETINE	ORAL USE	DOSE: 20mg		Mood swings, Headache, Suicidal ideation, Nausea, Aggression
581	PROZAC 20 MG CAPSULES	ORAL USE	DOSE: 20 MG	43	Chest pain, Abnormal behaviour
582	FLUOXETINE	ORAL USE	DOSE: 20 MG	42	Agitation, Anxiety
583	FLUOXETINE	ORAL USE	DOSE: 20 MG	8	Tearfulness, Confusional state, Agitation, Sleep disorder
584	FLUOXETINE	ORAL USE	DOSE: 20 MG	15	Aggression, Asthenia, Confusional state, Malaise, Tachycardia, Fatigue, Palpitations, Pyrexia, Ataxia
585	FLUOXETINE	ORAL USE	DOSE: 20 MG	6	Insomnia, Muscle twitching, Agitation, Nightmare
586	FLUOXETINE	ORAL USE	DOSE: 20 MG AM		Aggression, Intentional self-injury
587	PROZAC	ORAL USE	DOSE: 1 OD		Violence-related symptom, Psychomotor hyperactivity
588	PROZAC 20 MG CAPSULES	ORAL USE		16	Malaise, Somnolence, Completed suicide, Agitation, Fear
589	FLUOXETINE	ORAL USE	DOSE: 20 MG		Abnormal behaviour, Physical assault
590	FLUOXETINE	ORAL USE	DOSE: 30 MG		Aggression
591	FLUOXETINE	ORAL USE	DOSE: 40mg		Muscle twitching, Dyskinesia, Akathisia
592	FLUOXETINE	ORAL USE	DOSE: 10 MG (LIQUID PREP)	10	Aggression, Irritability
593	FLUOXETINE HYDROCHLORIDE	UNKNOWN	DOSE: 60 MG/DAY		Restlessness, Agitation, Suicidal ideation, Emotional distress
594	RANBAXY UK FLUOXETINE	ORAL USE	DOSE: 20 MG (Ranbaxy)	7	Anxiety, Aggression, Irritability, Depression, Headache, Poor quality sleep
595	PROZAC	ORAL USE	DOSE: 20 MG	20	Decreased appetite, Agitation, Headache, Rhinorrhoea, Nausea, Tremor
596	FLUOXETINE	ORAL USE	DOSE: 20 MG DAY		Cerebrovascular accident, Social avoidant behaviour, Aggression, Communication disorder, Confusional state, Oral intake reduced, Fluid intake reduced
597	PROZAC	ORAL USE	DOSE: 20 MG	24	Aggression, Abnormal behaviour
598	FLUOXETINE	ORAL USE	DOSE: 20 MG		Paranoia
599	PROZAC	ORAL USE	DOSE: 20-40 MG		Diarrhoea, Aggression
600	FLUOXETINE	ORAL USE	DOSE: 20 MG	4	Agitation, Hyperhidrosis
601	PROZAC	ORAL USE			Agitation, Intentional self-injury
602	FLUOXETINE	ORAL USE	DOSE: 20-40 MG	56	Impulsive behaviour, Suicide attempt, Agitation
603	PROZAC	UNKNOWN	DOSE: 20 MG		Aggression, Amnesia, Confusional state, Hypomania, Alcohol interaction, Impulsive behaviour, Affect lability
604	FLUOXETINE HYDROCHLORIDE	ORAL USE	DOSE: 1 DAILY	309	Aggression, Withdrawal syndrome
605	FLUOXETINE HYDROCHLORIDE	ORAL USE	DOSE: 1 MANE	28	Abnormal dreams, Aggression
606	FLUOXETINE	ORAL USE	DOSE: 20 MG	5	Restlessness, Suicidal ideation, Agitation, Poor quality sleep
607	FLUOXETINE	ORAL USE	DOSE: 20 MG	25	Agitation, Sleep disorder, Suicidal ideation

608	SONATA, PROZAC	ORAL USE, ORAL USE	DOSE: 10 MG NOCTE, DOSE: 20 MG	Fluoxetine	Drug interaction, Palpitations, Agitation, Headache
609	FLUOXETINE	ORAL USE	DOSE: 20 to 60 MG	28	Aggression
610	DOTHIEPIN, PROZAC	ORAL USE, ORAL USE	DOSE: 75 MG, DOSE: 20 MG	6	Hypomania, Aggression
611	FLUOXETINE	ORAL USE	DOSE: 1	4	Urticaria, Disinhibition
612	PROZAC	ORAL USE	DOSE: 20 MG	89	Abnormal behaviour, Personality change, Tremor
613	PROZAC	ORAL USE	DOSE: 20 MG		Paranoia, Completed suicide, Suicidal ideation
614	FLUOXETINE HYDROCHLORIDE	ORAL USE	DOSE: 1 MANE	6	Agitation, Tremor
615	FLUOXETINE, ZISPIN	ORAL USE, ORAL USE	DOSE: ?20 MG, DOSE: 45 MG		Akathisia
616	PROZAC	ORAL USE	DOSE: 20 MG DAILY		Paranoia, Anxiety
617	FLUOXETINE, FLUANXOL	UNKNOWN, UNKNOWN			Dyspnoea, Completed suicide, Hyperhidrosis, Back pain, Anxiety, Agitation, Abdominal pain upper
618	FLUOXETINE, ZYBAN PROLONGED RELEASE TABLETS 150MG	UNKNOWN, UNKNOWN	, DOSE: 300MG	46	Intentional self-injury, Disinhibition, Drug interaction
619	FLUOXETINE	ORAL USE	DOSE: 20-40 MG		Irritability, Somnolence, Aggression, Depression, Withdrawal syndrome
620	AMIAS, FLUOXETINE, OMEPRAZOLE	ORAL USE, ORAL USE, ORAL USE	DOSE: 2-4 MG, DOSE: 20 MG, DOSE: 20 MG	50	Confusional state, Somnolence, Aggression, Hyponatraemia
621	FLUOXETINE	UNKNOWN	DOSE: 20 MG INC TO 40 MG		Aggression
622	SULPIRIDE, FLUOXETINE, CLOZARIL	UNKNOWN, UNKNOWN, UNKNOWN	, , DOSE: 100 MG OD		Muscle rigidity, Neuroleptic malignant syndrome, Confusional state, Drug withdrawal syndrome, Abnormal behaviour, Heart rate irregular, Hyperhidrosis, Blood creatine phosphokinase increased, Tremor
623	FLUOXETINE	ORAL USE	DOSE: 5 -> 20MG SYRUP	52	Irritability, Impulsive behaviour, Pruritus
624	PROZAC 20 MG CAPSULES	ORAL USE	DOSE: 20 MG	28	Suicidal ideation, Irritability, Anxiety
625	PROZAC 20 MG CAPSULES	ORAL USE	DOSE: 40 MG	12	Agitation, Suicidal ideation, Aggression, Intentional self-injury
626	FLUOXETINE	ORAL USE	DOSE: 20 MG	71	Depersonalisation, Abnormal dreams, Aggression
627	PROZAC	ORAL USE	DOSE: 20 MG OD	440	Aggression
628	FLUOXETINE	ORAL USE	DOSE: 20 MG - 40 MG		Aggression, Agitation
629	PROZAC	ORAL USE	DOSE: 20 MG	13	Feeling abnormal, Agitation, Insomnia, Burning sensation
630	FLUOXETINE	ORAL USE	DOSE: 20 MG	2	Agitation, Tremor
631	PROZAC	ORAL USE	DOSE: 20 MG	6	Insomnia, Delusion, Agitation, Paranoia, Hallucination, visual
632	FLUOXETINE	ORAL USE	DOSE: 20 MG		Aggression
633	PROZAC	ORAL USE	DOSE: 25 MG ONE A DAY		Nausea, Insomnia, Completed suicide, Suicidal ideation, Agitation, Anorexia
634	PROZAC, SEROXAT, CITALOPRAM	ORAL USE, ORAL USE, ORAL USE	DOSE: 20 MG, DOSE: 20 MG, DOSE: 20 MG	349	Weight increased, Insomnia, Self-injurious ideation, Formication, Aggression, Anxiety, Completed suicide, Palpitations, Suicidal ideation, Paranoia, Obsessive-compulsive disorder, Panic attack, Depression, Headache
635	PROZAC	ORAL USE	DOSE: 20 MG ONCE DAILY	20	Aggression, Violence-related symptom
636	PROZAC 20 MG CAPSULES	ORAL USE	DOSE: 20 MG	317	Irritability, Abnormal behaviour
637	PROZAC	ORAL USE		80	Headache, Disorientation, Agitation, Panic reaction
638	PAROXETINE, FLUOXETINE	ORAL USE, ORAL USE			Dry mouth, Hyperhidrosis, Nausea, Constipation, Dizziness, Drug withdrawal syndrome, Paranoia
639	FLUOXETINE, PROZAC	UNKNOWN, UNKNOWN	, DOSE: 20 MG LIQUID		Drug withdrawal syndrome, Anger, Disturbance in attention, Agitation, Dizziness
640	FLUOXETINE	ORAL USE	DOSE: 2 MG	8	Abnormal behaviour, Somnambulism
641	FLUOXETINE	ORAL USE			Anxiety, Agitation
642	FLUOXETINE, CHLORPROMAZINE	ORAL USE, ORAL USE			Drug withdrawal syndrome, Nausea, Photosensitivity reaction, Diarrhoea
643	PROZAC	ORAL USE	dose: 20 mg then increased to 40 mg		Mood swings, Sexual dysfunction, Confusional state, Aggression, Restlessness, Irritability, Lethargy, Feeling abnormal, Anxiety
644	FLUOXETINE	ORAL USE		4	Suicidal ideation, Agitation
645	FLUOXETINE	ORAL USE			Irritability, Abdominal pain upper, Abnormal dreams, Headache, Withdrawal syndrome
646	TEMAZEPAM, GAMANIL, SEROXAT, PROZAC	ORAL USE, ORAL USE, , ORAL USE			Homicidal ideation, Anxiety, Heart rate increased, Obsessive-compulsive disorder, Violence-related symptom
647	FLUOXETINE	ORAL USE		9	Hyperhidrosis, Agitation, Insomnia, Mood swings, Suicidal ideation, Intentional overdose, Hepatic failure
648	FLUOXETINE	ORAL USE		6	Loss of libido, Suicidal ideation, Akathisia
649	FLUOXETINE	ORAL USE		21	Agitation, Suicidal ideation
650	PROZAC		Increased dosage after 2 weeks from 20mg daily to two 20mg capsules in morning daily.		Irritability, Anxiety, Confusional state, Syncope, Abnormal behaviour, Dry mouth, Suicidal ideation, Palpitations, Dizziness
651	FLUOXETINE	ORAL USE	Took 10mg for 1 week	27	Intentional self-injury, Suicidal ideation, Agitation

652	FLUOXETINE, FLUOXETINE	UNKNOWN,	, each morning	Fluoxetine	Impulsive behaviour, Emotional disorder, Therapeutic response decreased, Aggression, Flat affect, Physical assault, Theft, Child neglect
653	PROZAC	ORAL USE		95	Incontinence, Hot flush, Drug withdrawal syndrome, Irritability, Agitation, Nausea, Constipation, Diarrhoea, Night sweats
654	PROZAC, PROZAC, PROZAC			19	Suicidal ideation, Fall, Intentional self-injury, Aggression, Anxiety, Suicide attempt, Completed suicide
655	FLUOXETINE HYDROCHLORIDE	ORAL USE			Akathisia
656	FLUOXETINE	ORAL USE			Suicidal ideation, Suicidal ideation, Aggression
657	CYCLOSPORIN, PROZAC				Erythema, Abdominal distension, Personality change, Rash generalised, Eye pain, Swelling face, Pruritus generalised, Weight increased, Skin infection, Skin swelling, Insomnia
658	DIHYDROCODEINE, ACOMPLIA, FLUOXETINE	, ORAL USE,		24	Feeling jittery, Psychotic disorder, Delusion, Anger, Irritability, Agitation, Confusional state, Hallucinations, mixed, Withdrawal syndrome
659	FLUOXETINE	ORAL USE			Homicide, Abnormal behaviour
660	ZYPREXA, TRIMEPRAZINE, FLUOXETINE HYDROCHLORIDE		5mg in morning, 2x5mg tabs at night., ,		Hyperhidrosis, Abnormal behaviour, Cough, Pallor, Cold sweat, Headache, Emotional distress, Lower respiratory tract infection, Syncope, Sudden death
661	PAROXETINE, FLUOXETINE	,	,		Paraesthesia, Dizziness, Chest pain, Ill-defined disorder, Pollakiuria, Chest pain, Dysgeusia, Asthenia, Dysphemia, Dysphasia, Gastric disorder, Myocardial infarction, Chills, Paraesthesia, Pericarditis, Ear pain, Eye pain, Dyspnoea, Chest discomfort, Palpitations, Abdominal pain, Diarrhoea, Influenza like illness, Drug withdrawal syndrome, Cerebrovascular accident, Nausea, Fatigue, Confusional state, Disorientation, Amnesia, Myalgia, Headache, Diarrhoea, Weight decreased, Duodenal ulcer, Duodenitis, Vomiting, Hypoaesthesia, Tremor
662	ACOMPLIA, FLUOXETINE	, ORAL USE	,	274	Mental impairment, Depressed mood, Feelings of worthlessness, Decreased interest, Agitation, Fatigue, Mood swings
663	FLUOXETINE	ORAL USE			Abnormal dreams, Agitation, Somnambulism
664	PAROXETINE, CIPRALEX, FLUOXETINE, PAROXETINE, SERTRALINE	ORAL USE, , , ORAL USE,	, , , ,		Tearfulness, Anxiety, Mood altered, Eye disorder, Irritability, Nausea, Dizziness, Suicidal ideation, Headache, Aggression, Intentional overdose, Nausea, Drug withdrawal syndrome, Self-injurious ideation, Migraine
665	PROZAC	ORAL USE		208	Intentional self-injury, Homicidal ideation
666	AMITRIPTYLINE, PROZAC				Somnolence, Abnormal behaviour
667	LEVOMEPRMAZINE, CYCLIZINE, HALOPERIDOL, FLUOXETINE	ORAL USE, SUBCUTANEOUS USE, SUBCUTANEOUS USE, ORAL USE			Drug interaction, Akathisia
668	PAROXETINE, FLUOXETINE				Amnesia, Paraesthesia, Confusional state, Disorientation, Nausea, Headache, Cerebrovascular accident, Fatigue, Palpitations, Ill-defined disorder, Dyspnoea, Dizziness, Ear pain, Chest discomfort, Myalgia, Eye pain, Dysphemia, Diarrhoea, Dysgeusia, Dysphasia, Pollakiuria, Asthenia, Chest pain, Chest pain, Paraesthesia, Hypoaesthesia, Myocardial infarction, Pericarditis, Chills, Abdominal pain, Gastric disorder, Suicidal ideation, Epilepsy, Influenza like illness, Vomiting, Drug withdrawal syndrome, Duodenal ulcer, Duodenitis, Diarrhoea, Weight decreased, Tremor
669	RISPERDAL, RISPERDAL, PROZAC	ORAL USE, ORAL USE,			Agitation, Hyponatraemia, Brain oedema, Blood potassium decreased, Loss of consciousness, Convulsion, Syncope
670	FLUOXETINE				Insomnia, Stomach discomfort, Agitation, Suicidal behaviour
671	FLUOXETINE		Taken for "over a year"		Serotonin syndrome, Speech disorder, Status epilepticus, Confusional state, Dysphemia, Dyskinesia, Tremor, Agitation, Tremor, Gait disturbance, Musculoskeletal stiffness
672	PROZAC			30	Paranoia, Crying, Suicidal ideation, Anxiety, Depression, Tremor
673	FLUOXETINE				Anger, Agitation
674	FLUOXETINE	ORAL USE			Aggression, Alcohol interaction
675	PROZAC				Urticaria, Sexual dysfunction, Alopecia, Anxiety, Infection, Headache, Insomnia, Gastrointestinal disorder, Fatigue, Agitation, Ecchymosis, Hyperhidrosis
676	FLUOXETINE	ORAL USE		35	Depression, Agitation, Suicide attempt, Insomnia
677	FLUOXETINE			1	Anxiety, Tremor, Hyperhidrosis, Aggression
678	PAROXETINE HYDROCHLORIDE, PARACETAMOL, ALCOHOL, PENICILLIN, ASPIRIN, NUROFEN, PROPRANOLOL, FLUOXETINE, CITALOPRAM		, 25TAB per day, , 10TAB per day, , , , ,		Drug withdrawal syndrome, Judgement impaired, Intentional overdose, Dizziness, Hyperhidrosis, Insomnia, Balance disorder, Nightmare, Disturbance in attention, Intentional self-injury, Intentional overdose, Headache, Nausea, Agitation, Fatigue, Nausea, Tremor, Intentional overdose, Vomiting
679	FLUOXETINE				Agitation, Completed suicide
680	FLUOXETINE	ORAL USE	20mg	170	Microcytic anaemia, Gastrointestinal haemorrhage, Iron deficiency, Haemoglobin decreased, Multiple drug overdose, Suicidal behaviour, Mean cell volume decreased, Drug withdrawal syndrome

FLUOXETINE	
Patient characteristics	
AGE RANGE	Number of reports
<18	21
18-24	52
25-34	123

35-44	118
45-54	102
55-64	70
65-74	56
75-84	34
>85	11
Not stated	93
Total	680
GENDER	Number of reports
Male	266
Female	384
Unknown	30
TOTAL	680

Fluoxetine

No	Drug	Route	Dose	Treatment duration (days)	Reaction
1	FAVERIN	UNKNOWN		2	Anxiety, Agitation
2	FAVERIN	ORAL USE	DOSE: 2	4	Libido increased, Agitator
3	FAVERIN	ORAL USE	DOSE: 50.00 MG	22	Agitation
4	FAVERIN	ORAL USE	DOSE: 100 MG BD		Aggression, Tension, Agitator
5	FAVERIN	ORAL USE	DOSE: 20 MG	23	Suicidal ideation, Insomnia, Aggressor
6	FAVERIN	ORAL USE	DOSE: 100 MG	2	Agitation
7	FAVERIN	ORAL USE	DOSE: 100 MG	36	Abnormal behaviour
8	FLUVOXAMINE	ORAL USE		3	Agitation, Akathisia
9	FLUVOXAMINE	ORAL USE	DOSE: 200MG		Confusional state, Akathisia
10	FAVERIN	ORAL USE	DOSE: 100 MG	6	Agitation, Vomiting
11	FLUVOXAMINE	ORAL USE		1	Agitation
12	FLUVOXAMINE	ORAL USE	DOSE: 50MG OD-BD	13	Agitation, Psychotic disorder
13	FLUVOXAMINE	ORAL USE	DOSE: 50MG	3	Diarrhoea, Agitation, Vomiting
14	FAVERIN	ORAL USE	DOSE: 100MG	4	Vomiting, Agitation, Palpitations, Tremor
15	FAVERIN	ORAL USE	DOSE: 50MG BD	6	Trismus, Agitation
16	FAVERIN	ORAL USE	DOSE: 50MG	2	Convulsion, Agitation
17	FLUVOXAMINE	ORAL USE	DOSE: 200MG	8	Akathisia
18	FLUVOXAMINE	ORAL USE	DOSE: 50MG	3	Agitation
19	FAVERIN	ORAL USE	DOSE: 100 MG		Agitation, Insomnia
20	FAVERIN	ORAL USE	DOSE: 100 MG	2	Nausea, Agitation, Abdominal pain, Tremor
21	FAVERIN	ORAL USE	DOSE: 100 MG		Abnormal behaviour
22	FLUVOXAMINE	ORAL USE	DOSE: 100 MG	2	Agitation
23	FLUVOXAMINE	ORAL USE	DOSE: 50MG	19	Agitation, Hyperhidrosis, Pallor, Depressed level of consciousness, Tremor
24	FAVERIN	ORAL USE	DOSE: 150 MG		Agitation, Dysarthria, Feeling drunk, Tremor
25	FAVERIN	ORAL USE	DOSE: 100 MG	2	Agitation, Nausea, Tremor
26	FLUVOXAMINE	ORAL USE	DOSE: 100MG	5	Agitation, Anorexia, Nausea, Insomnia, Tremor
27	FLUVOXAMINE	ORAL USE	DOSE: 100 MG	2	Nausea, Agitation, Insomnia
28	FAVERIN	ORAL USE	DOSE: 50MG	1	Agitation, Tachycardia
29	FLUVOXAMINE	ORAL USE	DOSE: 50MG	2	Disorientation, Agitation, Confusional state
30	FAVERIN	ORAL USE	DOSE: 50MG	6	Paranoia, Insomnia, Agitation, Panic attack
31	FLUVOXAMINE	ORAL USE	DOSE: 100 MG	7	Suicide attempt, Agitation
32	FLUVOXAMINE	ORAL USE	DOSE: 2N	4	Nausea, Paraesthesia, Akathisia
33	FLUVOXAMINE	ORAL USE	DOSE: 100MG	2	Agitation, Rash maculo-papular
34	FAVERIN	ORAL USE	DOSE: 2	5	Headache, Agitation, Nausea
35	FAVERIN	ORAL USE	DOSE: 300MG	32	Diarrhoea, Agitation, Vomiting
36	FAVERIN	ORAL USE	DOSE: 100MG	28	Dizziness, Agitation, Disorientation, Nausea
37	FAVERIN	ORAL USE	DOSE: 100MG	1	Fatigue, Nausea, Dizziness, Agitator
38	FAVERIN	ORAL USE	DOSE: 100MG	3	Muscle twitching, Nausea, Vomiting, Depression, Agitator
39	FAVERIN	ORAL USE	DOSE: 100MG	4	Irritability, Agitation, Mydriasis, Nausea
40	FAVERIN	ORAL USE	DOSE: 100MG	4	Agitation, Anorexia, Lethargy, Tremor
41	FAVERIN	ORAL USE	DOSE: 100MG	1	Aggression, Irritability
42	FAVERIN	ORAL USE	DOSE: 100MG	2	Dry mouth, Agitation, Tremor
43	FAVERIN	ORAL USE	DOSE: 50MGBD	2	Hyperventilation, Agitator
44	FAVERIN	ORAL USE	DOSE: 100MG	3	Insomnia, Agitation, Diarrhoea, Nausea, Tremor
45	FAVERIN	ORAL USE	DOSE: 50MGOD		Nausea, Agitation, Insomnia
46	FAVERIN	ORAL USE	DOSE: 100MG	4	Agitation
47	FAVERIN	ORAL USE	DOSE: 100MG	2	Diarrhoea, Hallucination, Nausea, Agitation, Insomnia
48	FAVERIN	ORAL USE	DOSE: 100MG	13	Dyspnoea, Drug withdrawal headache, Agitator
49	FAVERIN	ORAL USE	DOSE: 150MG	4	Agitation, Insomnia, Diarrhoea
50	FAVERIN	ORAL USE	DOSE: 100MG		Agitation, Insomnia
51	FAVERIN	ORAL USE	DOSE: 100MG		Anxiety, Agitation, Insomnia
52	FAVERIN	ORAL USE	DOSE: 50MG2OD	2	Agitation, Syncope, Tremor
53	FAVERIN	ORAL USE	DOSE: 100MG	6	Diarrhoea, Agitator
54	FAVERIN	ORAL USE	DOSE: 100MG	1	Agitation, Dizziness, Nausea
55	FAVERIN	ORAL USE	DOSE: 2	6	Agitation, Nausea
56	FAVERIN	ORAL USE	DOSE: 50MG		Chest pain, Agitation
57	FAVERIN	ORAL USE	DOSE: 200MG	45	Agitation
58	FAVERIN	ORAL USE	DOSE: 50MG2NOCTE	4	Nausea, Agitation
59	FAVERIN	ORAL USE	DOSE: 1TAB		Agitation
60	FAVERIN	ORAL USE	DOSE: 2TABS	10	Aggression
61	FAVERIN	ORAL USE	DOSE: 150MG	12	Agitation, Visual disturbance
62	FAVERIN	ORAL USE	DOSE: 50MG		Dizziness, Nausea, Anxiety, Agitation, Tremor
63	FLUVOXAMINE	ORAL USE	DOSE: 50MG	3	Anorexia, Agitation, Stupor, Confusional state, Somnambulism, Ataxia, Tremor
64	FAVERIN	ORAL USE	DOSE: 100MG	5	Agitation, Nausea
65	FAVERIN	ORAL USE	DOSE: 2XNOCTE	2	Agitation, Nausea
66	FAVERIN	ORAL USE	DOSE: 200MG	1	Nausea, Insomnia, Agitation, Hyperkinesia
67	FAVERIN	ORAL USE	DOSE: 100MG BD	9	Nausea, Agitation
68	FAVERIN	ORAL USE	DOSE: 100MG	60	Aggression
69	FLUVOXAMINE	ORAL USE	DOSE: 100MG		Agitation, Depersonalisation
70	FAVERIN	ORAL USE	DOSE: 2ON	6	Nausea, Agitation
71	FAVERIN	ORAL USE	DOSE: 1		Anorexia, Nausea, Agitation, Malaise, Screaming, Depersonalisation
72	FLUVOXAMINE	ORAL USE	DOSE: 200MG	7	Insomnia, Nausea, Agitator
73	FLUVOXAMINE	ORAL USE	DOSE: 100MG		Vomiting, Anorexia, Dyspnoea, Nausea, Encephalopathy Agitation
74	FAVERIN	ORAL USE	DOSE: 50MG2BD	1	Agitation, Dyspepsia
75	FAVERIN	ORAL USE	DOSE: 100MG	10	Palpitations, Agitation

76	FAVERIN	ORAL USE	DOSE: 100MG	4	Palpitations, Agitation, Dizziness, Tremor
77	FLUVOXAMINE	ORAL USE	DOSE: 100MG	2	Nausea, Agitation, Tremor
78	FLUVOXAMINE	ORAL USE		55	Akathisia
79	FAVERIN	ORAL USE	DOSE: 100MG	16	Agitation, Anxiety
80	FAVERIN	ORAL USE	DOSE: 50MG	46	Dizziness, Agitation, Tremor
81	FAVERIN	ORAL USE	DOSE: 50MG	2	Agitation, Tremor
82	FAVERIN	ORAL USE	DOSE: 100MG	40	Agitation
83	FAVERIN	ORAL USE	DOSE: 100MG	10	Agitation
84	FAVERIN	ORAL USE	DOSE: 200MG	17	Insomnia, Nausea, Malaise, Agitation, Tremor
85	FAVERIN	ORAL USE	DOSE: 50MGNOCTE	2	Agitation
86	FAVERIN	ORAL USE	DOSE: 50MGX2OD	3	Agitation, Nausea
87	FAVERIN	ORAL USE	DOSE: 200MG		Tachycardia, Agitation, Tremor
88	FAVERIN	ORAL USE	DOSE: 100MG	3	Agitation, Insomnia, Tremor
89	FAVERIN	ORAL USE	DOSE: 100MG	64	Nausea, Agitation, Tremor
90	FAVERIN	ORAL USE	DOSE: 50MG2NOCTE	115	Agitation, Nausea
91	FAVERIN	ORAL USE	DOSE: 3XBD	3	Paranoia
92	FAVERIN	ORAL USE	DOSE: 100MG	19	Agitation, Oedema, Diarrhoea, Tremor
93	FAVERIN	ORAL USE		365	Diarrhoea, Depersonalisation, Agitation, Syncope, Myalgia Weight decreased, Anorexia, Convulsion
94	FAVERIN	ORAL USE	DOSE: 50MGX2TID	367	Agitation
95	FLUVOXAMINE	ORAL USE	DOSE: 50MGX2NOCT	3	Hyperhidrosis, Agitation, Tremor
96	FAVERIN	ORAL USE	DOSE: 2NOCTE	2	Agitation
97	FAVERIN	ORAL USE	DOSE: 2	2	Agitation
98	FLUVOXAMINE	ORAL USE	DOSE: 100MG	3	Agitation, Hyperhidrosis, Malaise, Insomnia
99	FAVERIN	ORAL USE	DOSE: 100MG	4	Agitation
100	FAVERIN	ORAL USE	DOSE: 50MGTDSD	102	Headache, Agitation
101	FAVERIN	ORAL USE	DOSE: 50M	6	Nausea, Agitation
102	FAVERIN	ORAL USE	DOSE: 100MG	20	Aggression
103	FAVERIN	ORAL USE	DOSE: 50MG	1	Flushing, Agitation
104	FLUVOXAMINE	ORAL USE	DOSE: 100MG	13	Insomnia, Hallucination, Agitation, Dizziness
105	FAVERIN	ORAL USE	DOSE: 50MGON	30	Syncope, Agitation
106	FAVERIN	ORAL USE	DOSE: 100MG	20	Aggression
107	FAVERIN	ORAL USE	DOSE: 50MG	14	Agitation, Tremor
108	FAVERIN	ORAL USE	DOSE: 100MG		Depression, Agitation, Tremor
109	FAVERIN	ORAL USE	DOSE: 100MG	2	Akathisia
110	FAVERIN	ORAL USE	DOSE: 100MG		Agitation, Anxiety, Withdrawal syndrome
111	FAVERIN	ORAL USE	DOSE: 100MG	6	Aggression, Fatigue
112	FAVERIN	ORAL USE	DOSE: 100MG	4	Haemorrhoids, Insomnia, Agitation, Screaming, Tremor
113	FAVERIN	ORAL USE	DOSE: 100MG	14	Agitation, Tremor
114	FAVERIN	ORAL USE	DOSE: 100MG	6	Agitation, Insomnia
115	FAVERIN	ORAL USE	DOSE: 100MG	21	Agitation, Vomiting, Nausea
116	FAVERIN	ORAL USE	DOSE: 100MG		Agitation
117	FLUVOXAMINE	ORAL USE	DOSE: 200MG	22	Vomiting, Anorexia, Nausea, Insomnia, Agitation, Diarrhoea Tremor
118	FAVERIN	ORAL USE	DOSE: 100MG	2	Nausea, Agitation, Abdominal pain, Tremor
119	FAVERIN	ORAL USE	DOSE: 100MG	1	Palpitations, Chills, Hyperhidrosis, Agitation
120	FAVERIN	ORAL USE	DOSE: 50MGX2NOCT	2	Agitation, Tremor
121	FLUVOXAMINE	ORAL USE	DOSE: 50MGQID	9	Dizziness, Nausea, Insomnia, Vomiting, Agitation, Orthostatic hypotension
122	FAVERIN	ORAL USE	DOSE: 100MG	3	Agitation
123	FAVERIN	ORAL USE	DOSE: 1BD	1	Visual disturbance, Agitation, Palpitations, Insomnia
124	FAVERIN	ORAL USE	DOSE: 2TABS		Agitation, Disorientation
125	FAVERIN	ORAL USE	DOSE: 1ON	5	Agitation, Nausea, Hyperhidrosis
126	FLUVOXAMINE	ORAL USE	DOSE: 50MGBD	4	Agitation, Hyperkinesia
127	FAVERIN	ORAL USE	DOSE: 50MGX1BD	1	Headache, Agitation, Malaise, Nausea
128	FAVERIN	ORAL USE	DOSE: 2NOCTE	1	Malaise, Vomiting, Abdominal pain, Agitation
129	FAVERIN	ORAL USE	DOSE: 100MG	1	Agitation, Paraesthesia, Disturbance in attention, Ataxia
130	FAVERIN	ORAL USE	DOSE: 100MG	11	Agitation
131	FAVERIN	ORAL USE	DOSE: 100MG		Agitation, Tremor
132	FAVERIN	ORAL USE	DOSE: 100MG	24	Agitation
133	FLUVOXAMINE	ORAL USE	DOSE: 200MG	3	Agitation, Ejaculation disorder, Hyperkinesia
134	FAVERIN	ORAL USE	DOSE: 50MGNOCTE	6	Confusional state, Agitation, Tremor
135	FAVERIN	ORAL USE	DOSE: 50MG	4	Insomnia, Nausea, Vomiting, Agitation, Tremor
136	FAVERIN	ORAL USE	DOSE: 100MG		Weight decreased, Agitation, Insomnia
137	FAVERIN	ORAL USE	DOSE: 100MG	5	Insomnia, Agitation, Nausea, Vomiting
138	FAVERIN	ORAL USE	DOSE: 100MG		Agitation, Insomnia, Abdominal pain, Tremor
139	FAVERIN	ORAL USE	DOSE: 50MGX2BD		Paranoia
140	FAVERIN	ORAL USE	DOSE: 50MG	4	Insomnia, Agitation, Hallucination, Nightmare, Nausea, Headache Anorexia
141	FAVERIN	ORAL USE	DOSE: 50MG	2	Insomnia, Agitation, Nausea
142	FAVERIN	ORAL USE	DOSE: 100MG	14	Ejaculation disorder, Agitation
143	FAVERIN	ORAL USE	DOSE: 100MG		Agitation
144	FAVERIN	ORAL USE	DOSE: 100MG	3	Agitation, Palpitations, Insomnia, Headache
145	FAVERIN	ORAL USE	DOSE: 50MG BD		Confusional state, Agitation
146	FAVERIN	ORAL USE	DOSE: 50MG		Tachycardia, Dizziness, Agitation, Asthenia
147	FAVERIN	ORAL USE	DOSE: 100MG	3	Hyperhidrosis, Agitation
148	FLUVOXAMINE	ORAL USE		12	Agitation, Suicide attempt, Insomnia
149	FAVERIN	ORAL USE	DOSE: 100 MG	3	Headache, Agitation, Anxiety, Tremor
150	FLUVOXAMINE	ORAL USE	DOSE: 50MG	1	Restlessness, Agitation, Anxiety
151	FLUVOXAMINE	ORAL USE	DOSE: 100 MG	2	Agitation, Confusional state

152	FLUVOXAMINE	ORAL USE	DOSE: 150 MG	12	Akathisia
153	FLUVOXAMINE	ORAL USE		Fluvoxamine	Agitation, Nausea, Headache, Vomiting, Tremor
154	FAVERIN	ORAL USE	DOSE: 100 MG	7	Agitation, Suicidal ideation, Aggression, Tremor
155	FLUVOXAMINE MALEATE	ORAL USE	DOSE: 100 MG		Attention deficit/hyperactivity disorder, Aggression
156	FLUVOXAMINE	ORAL USE	DOSE: 100 MG	3	Agitation, Anorexia, Hallucination, Insomnia
157	FAVERIN	ORAL USE	DOSE: 100 MG		Agitation, Diarrhoea
158	FAVERIN	ORAL USE	DOSE: 50-100 MG	2	Insomnia, Agitation, Chorea
159	FAVERIN	ORAL USE	DOSE: 100 MG DAILY	3	Agitation, Diarrhoea, Tremor
160	FAVERIN	UNKNOWN	DOSE: 100MG		Depersonalisation, Aggression, Depression, Crying, Asthenia, Anxiety, Disturbance in attention, Blood pressure increased
161	FLUVOXAMINE	UNKNOWN			Sleep disorder, Restlessness, Breath holding, Dyspnoea Somnolence, Respiratory rate decreased, Heart rate decreased, Disorientation, Miosis, Panic reaction

FLUVOXAMINE	
Patient characteristics	
AGE RANGE	Number of reports
<18	33
18-24	3
25-34	21
35-44	30
45-54	26
55-64	16
65-74	14
75-84	9
>85	4
Unspecified	5
Total	161
GENDER	Number of reports
Male	0
Female	0
Unspecified	1
TOTAL	161

No	Drug	Route	Dose	Treatment duration (days)	Reaction
1	LUSTRAL	ORAL USE	DOSE: 50 MG	1	Agitation, Diarrhoea
2	LUSTRAL	UNKNOWN		14	Intentional self-injury, Agitation, Restlessness, Suicide attempt
3	SERTRALINE	ORAL USE	DOSE: 100 MG		Crying, Irritability, Drug withdrawal syndrome, Chills
4	TRAMADOL, SERTRALINE	ORAL USE, ORAL USE	DOSE: 50 MG, DOSE: 2X 50 MG QDS PRN	5	Anxiety, Dissociation, Aggression, Dizziness, Vomiting, Eczema
5	LUSTRAL	ORAL USE			Agitation, Yawning
6	SERTRALINE	ORAL USE	DOSE: 100 MG	30	Agitation, Depression, Nausea
7	SERTRALINE	ORAL USE	DOSE: 50 MG	5	Psychomotor hyperactivity, Agitation
8	SERTRALINE, ZYBAN	ORAL USE, ORAL USE	DOSE: 150 MG BD, DOSE: 100 MG	7	Depression, Drug interaction, Irritability
9	SERTRALINE	ORAL USE	DOSE: 50 MG	2	Aggression, Hallucination, visual, Disorientation
10	SERTRALINE, DOXYCYCLINE	UNKNOWN, ORAL USE	DOSE: 100 MG OD	7	Mania, Drug interaction, Aggression, Decreased appetite
11	LUSTRAL	ORAL USE	DOSE: 50MG	3	Dyspepsia, Insomnia, Agitation, Dyspepsia
12	LUSTRAL	ORAL USE	DOSE: 50 MG	49	Dysphagia, Aggression
13	SERTRALINE	ORAL USE	DOSE: 50 MG	50	Frequent bowel movements, Weight decreased, Abnormal behaviour, Hallucinations, mixed
14	LUSTRAL	ORAL USE	DOSE: 200 MG DEC 100 MG		Insomnia, Akathisia, Muscle spasms
15	LUSTRAL	ORAL USE	DOSE: 200 MG		Akathisia, Dystonia, Dyskinesia
16	LUSTRAL	ORAL USE	DOSE: 50 MG	10	Agitation, Psychomotor hyperactivity
17	LUSTRAL	ORAL USE	DOSE: 50 MG	13	Hyperacusis, Aggression, Irritability
18	LUSTRAL	ORAL USE			Agitation, Anxiety, Aggression, Restlessness
19	SERTRALINE	ORAL USE	DOSE: 50 MG		Abnormal behaviour, Mydriasis, Dysarthria, Amnesia, Dizziness, Coordination abnormal
20	LUSTRAL	ORAL USE	DOSE: 50 MG DAILY	31	Irritability, Aggression
21	LUSTRAL	ORAL USE	DOSE: 100 MG	175	Withdrawal syndrome, Agitation
22	LUSTRAL	ORAL USE	DOSE: 50 MG	2	Aggression
23	LUSTRAL	ORAL USE	DOSE: 50 MG	1	Restlessness, Anxiety, Agitation
24	LUSTRAL	ORAL USE	DOSE: 50 MG	5	Tremor, Paranoia, Confusional state, Agitation
25	SERTRALINE	ORAL USE	DOSE: 50 MG	1	Suicidal ideation, Psychomotor hyperactivity, Depression, Agitation
26	SERTRALINE	ORAL USE	DOSE: 100-50 MG NOCTE		Suicidal ideation, Disturbance in attention, Abnormal behaviour, Hyperphagia, Irritability, Insomnia
27	LUSTRAL	ORAL USE	DOSE: 100-150 MG		Akathisia
28	LUSTRAL	ORAL USE	DOSE: 50 MG	4	Paranoia, Confusional state
29	LUSTRAL	ORAL USE	DOSE: 50 MG OD	1	Agitation, Nausea, Headache, Rash, Vomiting, Oedema peripheral
30	LUSTRAL	ORAL USE	DOSE: 100MG	146	Panic attack, Aggression, Anxiety disorder
31	LUSTRAL	ORAL USE	DOSE: 50 MG		Aggression
32	LUSTRAL	ORAL USE	DOSE: 50 MG	7	Nausea, Agitation
33	LUSTRAL	ORAL USE	DOSE: 50 MG OD		Paranoia, Aggression, Withdrawal syndrome, Hallucination, Cold sweat, Agitation
34	SERTRALINE	ORAL USE	DOSE: 50 MG	1	Paranoia, Panic reaction, Anxiety
35	LUSTRAL	ORAL USE	DOSE: 50 MG		Abdominal pain upper, Hyperventilation, Confusional state, Vomiting, Agitation
36	LUSTRAL	ORAL USE	DOSE: 100 MG	59	Aggression, Hypomania, Insomnia, Delusion
37	LUSTRAL	ORAL USE	DOSE: 100 MG	41	Diarrhoea, Nervousness, Aggression, Disturbance in sexual arousal
38	SERTRALINE	ORAL USE	DOSE: 50 MG	179	Aggression
39	SERTRALINE	ORAL USE	DOSE: 100 MG	50	Akathisia, Agitation
40	LUSTRAL	ORAL USE			Aggression
41	SERTRALINE	UNKNOWN	DOSE: 150 MG		Agitation
42	SERTRALINE	ORAL USE	DOSE: 50 MG		Agitation, Withdrawal syndrome
43	SERTRALINE	ORAL USE	DOSE: 50 MG	5	Insomnia, Agitation, Irritability, Nausea
44	LUSTRAL	ORAL USE	DOSE: 50 MG		Fatigue, Withdrawal syndrome, Social avoidant behaviour, Dissociation
45	SERTRALINE	ORAL USE	DOSE: 50 MG		Disturbance in sexual arousal, Disinhibition, Agitation
46	LUSTRAL	ORAL USE	DOSE: 50 MG	8	Oedema, Agitation
47	SERTRALINE	ORAL USE	DOSE: 50 MG		Feeling drunk, Coordination abnormal, Disturbance in attention, Muscular weakness, Agitation
48	LUSTRAL	ORAL USE	DOSE: 50 MG	4	Insomnia, Agitation, Irritability
49	LUSTRAL	ORAL USE	DOSE: 50 MG - 100 MG	21	Delusion, Agitation
50	SERTRALINE	ORAL USE	DOSE: 50 MG	2	Fatigue, Expressive language disorder, Pain, Agitation
51	LUSTRAL	ORAL USE		7	Agitation, Nightmare
52	SERTRALINE	ORAL USE	DOSE: 50 MG		Abnormal behaviour, Amnesia
53	LUSTRAL	ORAL USE	DOSE: 50 MG	7	Aggression
54	LUSTRAL	ORAL USE	DOSE: 50MG DAILY	3	Sleep disorder, Agitation
55	LUSTRAL	ORAL USE	DOSE: 1 tab OD		Agitation
56	LUSTRAL	ORAL USE	DOSE: 100 MG		Aggression, Memory impairment, Job dissatisfaction
57	LUSTRAL	ORAL USE	DOSE: 50 MG	11	Personality change, Cerebrovascular accident
58	LUSTRAL	ORAL USE	DOSE: 100 MG DAILY	21	Agitation, Irritability
59	LUSTRAL	ORAL USE	DOSE: 50 MG		Personality change, Malaise
60	SERTRALINE	ORAL USE	DOSE: 50 MG	8	Social avoidant behaviour, Delusion, Confusional state, Hyponatraemia
61	LUSTRAL	ORAL USE	DOSE: 50 MG	32	Confusional state, Pyrexia, Muscle rigidity, Paranoia, Neuroleptic malignant syndrome
62	LUSTRAL	ORAL USE	DOSE: 50 MG		Social avoidant behaviour, Paranoia, Ataxia, Hyponatraemia, Confusional state
63	SERTRALINE	ORAL USE	DOSE: 50 MG	52	Agitation, Myoclonus
64	LUSTRAL	ORAL USE	DOSE: 50 MG	16	Muscle rigidity, Opisthotonus, Agitation
65	SERTRALINE	ORAL USE	DOSE: 50 MG	3	Abnormal behaviour, Hallucination
66	LUSTRAL	ORAL USE	DOSE: 25 MG	3	Hypoesthesia oral, Agitation
67	SERTRALINE	ORAL USE	DOSE: 50 MG	2	Insomnia, Agitation
68	LUSTRAL	ORAL USE	DOSE: 50 MG OD		Agitation
69	LUSTRAL	ORAL USE	DOSE: 50 MG	457	Gastroenteritis, Withdrawal syndrome, Aggression
70	LUSTRAL	ORAL USE	DOSE: 50 MG		Euphoric mood, Agitation, Tremor, Nausea, Rash
71	LUSTRAL	ORAL USE	DOSE: 50 MG	224	Withdrawal syndrome, Agitation, Derealisation
72	LUSTRAL	ORAL USE	DOSE: 50 MG		Dizziness, Withdrawal syndrome, Irritability, Cough, Nausea
73	LUSTRAL	ORAL USE	DOSE: 150 MG		Schizophrenia, Thinking abnormal, Abnormal behaviour
74	SERTRALINE	ORAL USE	DOSE: 100 MG		Paranoia, Pruritus, Depressed mood, Aggression
75	LUSTRAL	ORAL USE	DOSE: 150 MG		Agitation, Hallucinations, mixed, Delusion, Intentional overdose
76	SERTRALINE	ORAL USE	DOSE: 50 MG DAILY	15	Confusional state, Aggression
77	SERTRALINE	ORAL USE	DOSE: 50 MG	57	Insomnia, Agitation
78	LUSTRAL	ORAL USE	DOSE: 50 MG		Agitation, Nausea, Anxiety

79	LUSTRAL	ORAL USE	DOSE: 50MG	24	Sertraline	Nausea, Agitation, Hyperhidrosis, Aggression, Depression, Fatigue, Headache, Myalgia, Paraesthesia, Arthralgia, Anxiety, Crying
80	LUSTRAL	ORAL USE	DOSE: 50 MG	4		Agitation, Insomnia
81	SERTRALINE	ORAL USE	DOSE: 50 MG			Intentional self-injury, Agitation
82	LUSTRAL	ORAL USE	DOSE: 50 MG OD			Abnormal behaviour, Mouth ulceration
83	SERTRALINE	ORAL USE	DOSE: 50 MG	29		Aggression, Memory impairment
84	LUSTRAL	ORAL USE	DOSE: 150MG	42		Serotonin syndrome, Dyspepsia, Akathisia
85	SERTRALINE	ORAL USE	DOSE: 50 MG ONCE DAILY	27		Paranoia, Personality change, Hallucination
86	LUSTRAL	ORAL USE	DOSE: 50 - 100 MG			Aggression, Fall, Head injury, Alcohol interaction, Agitation
87	SERTRALINE	ORAL USE	DOSE: 50 MG			Withdrawal syndrome, Tinnitus, Palpitations, Irritability, Paraesthesia
88	LUSTRAL	ORAL USE	DOSE: 12.5-25 MG			Psychomotor hyperactivity, Agitation, Abnormal behaviour
89	ATENOLOL, EFEXOR XL, SERTRALINE, ACETYLSALICYLIC ACID, ANADIN PARACETAMOL	ORAL USE, ORAL USE, ORAL USE, ORAL USE	DOSE: OVERDOSE, DOSE: OVERDOSE, DOSE: 14 x 100 MG (OVERDOSE), DOSE: 75 MG X 8 (OVERDOSE), DOSE: 14 X 25 MG (OVERDOSE)			Disorientation, Cyanosis, Hypotension, Tachycardia, Retching, Nausea, Depressed level of consciousness, Serotonin syndrome, Personality disorder, Agitation, Peripheral coldness, Malaise, Intentional overdose, Grand mal convulsion, Cardiac arrest
90	LUSTRAL	ORAL USE	DOSE: 50 MG			Agitation
91	LUSTRAL	ORAL USE	DOSE: 100 MG			Restless legs syndrome, Akathisia
92	SERTRALINE	ORAL USE	DOSE: 20-40 MG			Aggression
93	LUSTRAL	ORAL USE	DOSE: 100MG	10		Nausea, Agitation
94	SERTRALINE	ORAL USE	DOSE: 50 MG			Anxiety, Dissociation, Agitation
95	LUSTRAL	ORAL USE	DOSE: 50-100 MG	34		Psychotic disorder, Aggression, Confusional state
96	LUSTRAL	ORAL USE	DOSE: 50 MG	11		Agitation, Panic attack
97	LUSTRAL	ORAL USE	DOSE: OD	1		Agitation, Mydriasis, Tremor
98	LUSTRAL	ORAL USE	DOSE: 50 MG			Agitation, Hallucination, Paraesthesia
99	LUSTRAL	ORAL USE	DOSE: 1 TAB			Myoclonus, Hypertonia, Pyrexia, Agitation
100	SERTRALINE	ORAL USE	DOSE: 50 MG	2		Nausea, Pain in extremity, Headache, Abnormal dreams, Chest pain, Agitation
101	LUSTRAL	ORAL USE	DOSE: 50 MG BD	2		Agitation, Insomnia
102	SERTRALINE	ORAL USE	DOSE: 50 MG			Akathisia
103	LUSTRAL	ORAL USE	DOSE: 100MG	12		Agitation, Muscle spasms, Insomnia
104	SERTRALINE	ORAL USE	DOSE: 50 MG	7		Dyspepsia, Diarrhoea, Hyperhidrosis, Nausea, Agitation
105	LUSTRAL	ORAL USE	DOSE: 50 MG	6		Aggression, Agitation
106	SERTRALINE	ORAL USE	DOSE: 50MG BD	1		Aggression, Tension
107	LUSTRAL	ORAL USE	DOSE: 50-150 MG DAILY			Agitation, Drug toxicity
108	LUSTRAL	ORAL USE	DOSE: 50 MG OM 100 MG ON			Depression, Aggression
109	LUSTRAL	ORAL USE	DOSE: 1 TAB	4		Dizziness, Aggression, Disorientation, Vision blurred, Myalgia, Dissociation
110	SERTRALINE	ORAL USE	DOSE: 100MG	262		Anxiety, Drug withdrawal syndrome, Anger, Dizziness
111	SERTRALINE	ORAL USE	DOSE: 50 MG	35		Agitation, Tremor, Sensation of heaviness
112	SERTRALINE	ORAL USE	DOSE: 50 MG	2		Hallucination, visual, Convulsion, Aggression, Agitation
113	SERTRALINE	ORAL USE	DOSE: 50 MG	216		Aggression
114	SERTRALINE	UNKNOWN				Completed suicide, Agitation
115	LUSTRAL	ORAL USE	DOSE: 100 MG			Withdrawal syndrome, Paranoia, Suicidal ideation, Sleep disorder, Mood altered
116	LUSTRAL	ORAL USE	DOSE: 50 MG	105		Feeling abnormal, Nervousness, Agitation, Withdrawal syndrome
117	SERTRALINE	ORAL USE	DOSE: 50 MG	3		Confusional state, Paranoia
118	LUSTRAL	ORAL USE	DOSE: 50 MG	79		Aggression, Schizophrenia, paranoid type, Agitation
119	LUSTRAL	ORAL USE	DOSE: 100 MG	5		Agitation, Confusional state, Diarrhoea, Asthenia, Tremor, Hyperhidrosis, Early morning awakening, Hyperacusis, Nausea, Dizziness
120	SERTRALINE	ORAL USE	DOSE: 50 MG	8		Disinhibition, Agitation, Aggression
121	SERTRALINE	ORAL USE	DOSE: 50MG			Emotional distress, Muscular weakness, Agitation, Blood sodium decreased, Confusional state
122	SERTRALINE	ORAL USE	DOSE: 50 MG			Mood swings, Aggression
123	SERTRALINE	ORAL USE	DOSE: 50-100mg	63		Insomnia, Agitation, Anxiety
124	SERTRALINE	ORAL USE	DOSE: 100 MG	30		Restlessness, Agitation
125	SERTRALINE, PROCYCLIDINE, ZYPREXA	ORAL USE, ORAL USE, ORAL USE	DOSE: 10-20 MG, DOSE: 5 MG DAILY, DOSE: 100 MG DAILY			Weight increased, Akathisia, Sudden death, Circulatory collapse
126	LUSTRAL	ORAL USE	DOSE: 100 MG			Akathisia, Dystonia, Hypoaesthesia oral, Dizziness
127	SERTRALINE	ORAL USE	DOSE: 150 - 125 MG			Hallucination, Self-injurious ideation, Violence-related symptom
128	LUSTRAL	ORAL USE				Amnesia, Aggression
129	LUSTRAL	ORAL USE	DOSE: 50 MG	5		Suicide attempt, Agitation, Panic attack
130	SERTRALINE	ORAL USE	DOSE: 50 MG	14		Aggression
131	LUSTRAL	ORAL USE	DOSE: 100 MG	34		Proteinuria, Agitation, White blood cells urine positive, Confusional state, Depression
132	SERTRALINE	ORAL USE	DOSE: 50 MG	4		Hallucinations, mixed, Agitation, Homicidal ideation
133	LUSTRAL	ORAL USE				Aggression
134	SERTRALINE	ORAL USE	DOSE: starting dose	5		Agitation, Aggression, Insomnia, Anorexia, Screaming, Psychotic disorder
135	LUSTRAL	ORAL USE	DOSE: 50 MG	13		Abnormal behaviour
136	SERTRALINE	ORAL USE	DOSE: 50 MG INC 100 MG	37		Aggression
137	SERTRALINE	UNKNOWN	DOSE: 20 mg			Irritability, Nightmare, Agitation
138	LUSTRAL	ORAL USE	DOSE: 50 MG	5		Personality change, Aggression
139	SANDOZ LTD SERTRALINE	ORAL USE	DOSE: 75 MG			Confusional state, Disturbance in attention, Asthenopia, Mood swings, Dry mouth, Headache, Abnormal dreams, Abdominal pain upper, Irritability, Decreased appetite, Anxiety, Disorientation
140	SERTRALINE	ORAL USE	DOSE: 50 MG THEN 100 MG THEN 150 MG ONCE A DAY			Pruritus, Headache, Dizziness, Palpitations, Anorexia, Tremor, Nausea, Anxiety, Agitation, Chest pain
141	SERTRALINE	ORAL USE	DOSE: 75 MG			Agitation, Hallucination
142	LUSTRAL	ORAL USE	DOSE: 50 MG			Feeling abnormal, Sleep disorder, Hyperhidrosis, Pain in extremity, Indifference, Panic attack
143	LUSTRAL	ORAL USE	DOSE: 50 MG	472		Agitation, Aggression, Gait disturbance, Personality disorder, Tremor, Fatigue, Disturbance in attention
144	SERTRALINE	ORAL USE	DOSE: 200 MG			Somnolence, Depression, Dry mouth, Depersonalisation, Suicidal ideation, Anorexia, Suicide attempt, Hostility, Aggression, Anger, Panic attack, Irritability

145	SERTRALINE, SERTRALINE, PAROXETINE		DOSE: 50 MG	Sertraline	Homicide, Aggression, Restlessness, Hallucination, Abnormal behaviour
146	SERTRALINE, SERTRALINE, SEROXAT	ORAL USE,	DOSE: 20 MG	2	Tension, Agitation, Homicide, Suicidal ideation, Depression, Suicide attempt, Restlessness
147	SERTRALINE	UNKNOWN	DOSE: 50 MG		Homicide, Agitation, Suicidal ideation
148	SERTRALINE, SERTRALINE		Gradually increased to max dose 200mg		Decreased appetite, Gastric disorder, Somnolence, Drug hypersensitivity, Fatigue, Amnesia, Nausea, Fluid retention, Paraesthesia, Constipation, Muscle spasms, Musculoskeletal stiffness, Irritability, Muscle spasms, Muscular weakness, Ear pain, Hot flush, Headache
149	LUSTRAL	ORAL USE	DOSE: 50 MG	62	Aggression, Abnormal behaviour, Drug screen positive
150	PAROXETINE, CIPRALEX, FLUOXETINE, PAROXETINE, SERTRALINE	ORAL USE, ORAL USE			Tearfulness, Anxiety, Mood altered, Eye disorder, Irritability, Nausea, Dizziness, Suicidal ideation, Headache, Aggression, Intentional overdose, Nausea, Drug withdrawal syndrome, Self-injurious ideation, Migraine
151	SERTRALINE	ORAL USE	DOSE: 150 MG		Memory impairment, Aggression, Fatigue, Confusional state, Nightmare, Crying, Balance disorder, Drug withdrawal syndrome, Weight increased
152	LUSTRAL	TRANSPLACENTAL	Dose: 50 or 100 mg		Cleft palate, Irritability, Weight decreased, Ventricular septal defect, Dehydration
153	SERTRALINE	ORAL USE	50mg -150mg	63	Drug withdrawal syndrome, Anxiety, Restless legs syndrome, Panic reaction, Hallucination, Dizziness, Nausea
154	SERTRALINE		DOSE: 25 MG		Self injurious behaviour, Headache, Hallucination, auditory, Thinking abnormal, Myoclonus, Migraine, Depression suicidal, Crying, Visual disturbance, Violence-related symptom, Tremor, Suicidal ideation, Agoraphobia, Vertigo, Hallucination, Anxiety, Somnambulism, Amnesia, Nightmare, Mental status changes, Confusional state, Paranoia, Apathy, Mood swings, Restlessness, Anger, Depression
155	LAMOTRIGINE, OLANZAPINE, ZIPRASIDONE, SERTRALINE, LITHIUM				Drug interaction, Agitation, Disorientation
156	SERTRALINE		DOSE: 50 MG		Pruritus, Tremor, Sleep disorder, Aggression, Personality change, Nightmare
157	SERTRALINE				Drug withdrawal syndrome, Epilepsy
158	SERTRALINE, SERTRALINE	ORAL USE	DOSE: 125 MG		Obsessive-compulsive disorder, Drug withdrawal syndrome, Drug dependence, Drug dependence
159	CITALOPRAM, SERTRALINE		DOSE: 30 MG		Libido decreased, Nausea, Suicidal ideation, Violence-related symptom
160	LUSTRAL		DOSE: 50 MG	57	Head injury, Concussion, Joint sprain, Vitreous detachment, Paranoia
161	SERTRALINE, SERTRALINE, SERTRALINE, SERTRALINE, SERTRALINE		DOSE: 25 MG		Anxiety, Suicidal ideation, Paranoia, Drug withdrawal syndrome, Paraesthesia
162	LUSTRAL	ORAL USE	Daily Dose:50MG		Ejaculation failure, Antisocial behaviour

SERTRALINE	
Patient characteristics	
AGE RANGE	Number of reports
<18	13
18-24	16
25-34	25
35-44	29
45-54	21
55-64	14
65-74	13
75-84	15
85+	0
Unspecified	16
Total	162
GENDER	Number of reports
Female	95
Male	61
Unspecified	6
Total	162

No	Drug	Route	Dose	Treatment duration (days)	Reaction
1	EFEXOR	ORAL USE	DOSE: 1 BD	2	Hyperacusis, Aggression
2	VENLAFAXINE	ORAL USE	DOSE: 75 MG	1	Insomnia, Mydriasis, Dysphoria, Paranoia, Rash maculo-papular, Decreased appetite, Agoraphobia
3	VENLAFAXINE	ORAL USE	DOSE: 37.5 MG BD		Anxiety, Fatigue, Drug withdrawal syndrome
4	EFEXOR	ORAL USE	DOSE: 75 MG	17	Nausea, Insomnia, Rectal haemorrhage, Agitation
5	VENLAFAXINE	ORAL USE	DOSE: 75 MG		Chills, Dysarthria, Palpitations, Aphasia, Insomnia, Tinnitus, Crying, Headache, Coordination abnormal, Mania, Vomiting, Agitation, Amnesia, Diarrhoea, Fatigue, Dizziness, Paraesthesia, Gait disturbance, Withdrawal syndrome
6	VENLAFAXINE	ORAL USE	DOSE: 37.5 MG BD	15	Aggression, Intentional self-injury
7	EFEXOR	ORAL USE	DOSE: 75 MG	1	Nausea, Agitation
8	EFEXOR	ORAL USE	DOSE: 75 MG inc to 150 MG	21	Aggression, Dysuria, Insomnia, Pollakiuria
9	VENLAFAXINE	ORAL USE	DOSE: 150 MG	454	Hyperhidrosis, Nausea, Delusion, Agitation, Illusion, Insomnia
10	EFEXOR	ORAL USE	DOSE: 75 MG INC TO 150 MG	25	Agitation, Headache, Renal hypertension, Anorexia, Disturbance in attention, Tachycardia
11	EFEXOR TABLETS 37.5MG	ORAL USE	DOSE: 37.5 MG bd		Abnormal behaviour
12	EFEXOR	ORAL USE	DOSE: 75 MG OD		Anxiety, Decreased appetite, Agitation, Panic reaction
13	EFEXOR XL	ORAL USE	DOSE: 225 MG	16	Hallucination, visual, Confusional state, Agitation
14	EFEXOR	ORAL USE	DOSE: 75-> 150 MG	50	Dry mouth, Nausea, Headache, Agitation, Constipation, Dizziness, Sedation
15	EFEXOR TABLETS 37.5MG	ORAL USE	DOSE: 37.5 MG BD		Crying, Incontinence, Anxiety, Agitation, Weight decreased, Loss of libido, Suicidal ideation, Depression, Restlessness, Dizziness, Headache, Insomnia, Dry mouth
16	EFEXOR	ORAL USE	DOSE: 37.5 MG BD	10	Disturbance in attention, Feeling abnormal, Agitation, Tremor
17	EFEXOR XL	ORAL USE	DOSE: 75 MG	4	Insomnia, Agitation, Anxiety, Muscle twitching, Restlessness
18	EFEXOR XL	ORAL USE	DOSE: 10D	2	Palpitations, Agitation, Dry mouth
19	EFEXOR	ORAL USE	DOSE: 37.5 MG	145	Dizziness, Anxiety, Paraesthesia, Agitation, Hyperhidrosis, Headache
20	EFEXOR	ORAL USE	DOSE: 37.5 MG BD		Agitation
21	EFEXOR	ORAL USE	DOSE: 37.5 MG BD	1	Malaise, Hyperhidrosis, Vomiting, Abnormal behaviour, Lethargy, Syncope
22	EFEXOR	ORAL USE	DOSE: 37.5 MG bd	3	Agitation, Diarrhoea, Nausea, Tremor
23	EFEXOR	ORAL USE	DOSE: 75 MG BD	3	Confusional state, Pyrexia, Abnormal behaviour, Blood sodium decreased, White blood cell count increased
24	EFEXOR TABLETS 37.5MG	ORAL USE	DOSE: 75 MG bd		Paranoia, Hallucination, auditory
25	EFEXOR	ORAL USE	DOSE: 75 MG	18	Agitation
26	EFEXOR	ORAL USE	DOSE: 75 MG	14	Agitation, Poor quality sleep, Tongue disorder
27	EFEXOR	ORAL USE	DOSE: 75 MG	117	Disorientation, Drug withdrawal syndrome, Tunnel vision, Insomnia, Nausea, Balance disorder, Dizziness
28	Efexor XL 75mg	ORAL USE	DOSE: 75 MG X 1/3 DAYS		Dizziness, Drug withdrawal syndrome
29	VENLAFAXINE	ORAL USE	DOSE: 300 MG OD		Agitation, Irritability, Drug dependence
30	EFEXOR XL	ORAL USE	DOSE: 75 MG-150 MG	120	Anxiety, Drug ineffective, Abnormal behaviour
31	EFEXOR	ORAL USE		341	Myalgia, Fatigue, Drug withdrawal syndrome, Headache, Abnormal dreams, Nausea, Dizziness
32	EFEXOR	ORAL USE	DOSE: 37.50 MG BD	5	Aggression, Dizziness postural
33	EFEXOR	ORAL USE	DOSE: 37.50 MG	27	Somnolence, Agitation, Headache, Diarrhoea, Dizziness
34	TEMAZEPAM, EFEXOR XL	UNKNOWN, ORAL USE	DOSE: UNKNOWN, DOSE: 150 MG OD		Convulsion, Drug withdrawal syndrome
35	EFEXOR	ORAL USE	DOSE: 37.5 MG BD	7	Agitation, Mydriasis, Exophthalmos, Hyperhidrosis, Eyelid retraction, Insomnia
36	EFEXOR	ORAL USE	DOSE: 37.5 MG BD	11	Agitation, Feeling jittery, Pruritus, Sleep disorder, Tremor
37	EFEXOR	ORAL USE	DOSE: 75 MG TDS	123	Intentional self-injury, Aggression
38	VENLAFAXINE	ORAL USE			Agitation, Cardiac arrest, Intentional overdose, Hypertension, Bradycardia
39	EFEXOR	ORAL USE	DOSE: 37.5 MG BD		Staring
40	EFEXOR	ORAL USE	DOSE: 37.5 MG BD	13	Agitation, Hallucination, visual
41	EFEXOR TABLETS 37.5MG	ORAL USE	DOSE: 37.5 MG		Confusional state, Agitation, Hallucination, visual, Disorientation, Withdrawal syndrome
42	EFEXOR	ORAL USE	DOSE: 75 MG		Akathisia
43	VENLAFAXINE HYDROCHLORIDE	ORAL USE	DOSE: 225 MG		Abnormal behaviour
44	EFEXOR	ORAL USE	DOSE: 37.5 MG	28	Aggression
45	VENLAFAXINE	ORAL USE	DOSE: 70 MG BD		Aggression
46	EFEXOR	ORAL USE	DOSE: 37.5 MG BD	14	Agitation, Asthenia, Nausea, Flatulence, Dry mouth, Dizziness, Palpitations, Insomnia, Constipation, Hyperhidrosis, Dyspepsia, Tremor
47	EFEXOR	ORAL USE	DOSE: 75 MG		Agitation
48	EFEXOR	ORAL USE	DOSE: 75 MG	2	Agitation
49	VENLAFAXINE	ORAL USE	DOSE: 37.5 MG BD	5	Aggression, Condition aggravated, Suicidal ideation
50	VENLAFAXINE	ORAL USE	DOSE: 75 MG	1	Hallucination, Paranoia, Agitation
51	EFEXOR XL	ORAL USE	DOSE: 150 MG		Nausea, Agitation, Headache, Withdrawal syndrome
52	EFEXOR	ORAL USE	DOSE: 225 MG	282	Agitation, Insomnia, Irritability, Mood swings, Withdrawal syndrome
53	EFEXOR	ORAL USE	DOSE: 37.5 MG BD	2	Agitation, Dizziness, Hyperhidrosis
54	VENLAFAXINE, MOLIPAXIN	ORAL USE, ORAL USE	DOSE: 150 MG, DOSE: 300 MG		Alcohol withdrawal syndrome, Abnormal behaviour, Mood swings, Illusion, Delusion, Hyperhidrosis, Tremor
55	EFEXOR	ORAL USE	DOSE: 75 MG	28	Agitation, Insomnia, Tremor
56	EFEXOR TABLETS 37.5MG	ORAL USE	DOSE: 37.5MGBD-18.75MGBD		Vomiting, Drug withdrawal syndrome, Feeling drunk, Coordination abnormal, Mood altered, Nausea, Gait disturbance
57	EFEXOR	ORAL USE	DOSE: 150 MG	70	Impulsive behaviour, Violence-related symptom
58	EFEXOR	ORAL USE	DOSE: 37.5 MG TDS	140	Decreased appetite, Change of bowel habit, Agitation, Paranoia, Oedema peripheral, Illusion, Headache, Rash, Amnesia, Nausea, Abnormal dreams, Withdrawal syndrome, Claustrophobia
59	EFEXOR	ORAL USE	DOSE: 37.5 MG BD	1	Feeling abnormal, Restlessness, Agitation
60	EFEXOR	ORAL USE	DOSE: 70 MG BD	6	Agitation, Fear
61	EFEXOR	ORAL USE	DOSE: 37.5 MG BD		Agitation, Rash erythematous, Feeling hot, Dizziness, Hallucination, Fear
62	VENLAFAXINE	ORAL USE			Drug withdrawal syndrome
63	EFEXOR	ORAL USE	DOSE: 75 MG	14	Agitation, Myalgia, Dysuria

64	EFEXOR	ORAL USE	DOSE: 75MG BD		Social avoidant behaviour, Diplopia
65	VENLAFAXINE	ORAL USE	DOSE: 37.5MG	Venlafaxine	Anxiety, Dizziness, Agitation, Decreased appetite
66	EFEXOR	UNKNOWN	DOSE: 75 MG		Hyperhidrosis, Confusional state, Drug withdrawal syndrome, Paraesthesia, Muscle twitching, Diarrhoea, Nausea
67	EFEXOR XL	ORAL USE	DOSE: 75 -37.5MG		Drug withdrawal syndrome
68	EFEXOR XL	ORAL USE	DOSE: 75 MG	1	Agitation, Nausea, Serotonin syndrome, Tongue oedema, Speech disorder
69	EFEXOR	UNKNOWN			Violence-related symptom
70	EFEXOR	ORAL USE	DOSE: 75MG 2X	473	Malaise, Drug withdrawal syndrome, Influenza like illness, Dizziness, Drug dependence
71	EFEXOR	ORAL USE	DOSE: 118 X 75 MG		Agitation, Grand mal convulsion, Torsade de pointes, Intentional overdose, Sinus tachycardia, Aspiration, Blood creatine phosphokinase increased, Blood pressure decreased
72	VENLAFAXINE	ORAL USE	DOSE: 37.5 MG		Agitation, Anxiety, Disorientation, Confusional state
73	EFEXOR	ORAL USE	DOSE: 37.5 MG		Agitation, Disorientation
74	EFEXOR	ORAL USE	DOSE: 37.5 MG BD	19	Agitation, Nausea, Dry mouth, Dissociation, Tremor
75	EFEXOR XL	ORAL USE	DOSE: 150-225 MG DAILY		Affect lability, Drug withdrawal syndrome
76	EFEXOR	ORAL USE	DOSE: 37.5 MG		Drug withdrawal syndrome, Palpitations, Anxiety
77	EFEXOR	ORAL USE	DOSE: 37.5MG BD		Aggression
78	EFEXOR	ORAL USE	DOSE: 37.5 MG	4	Agitation, Tremor
79	VENLAFAXINE	ORAL USE	DOSE: 75 MG		Anxiety, Agitation, Hallucination, Tachycardia
80	VENLAFAXINE, QUETIAPINE	ORAL USE, ORAL USE	DOSE: 150MG MANE, DOSE: 600MG/DAY		Abnormal dreams, Agitation, Hyperhidrosis
81	EFEXOR	ORAL USE	DOSE: 37.5MG DAILY		Drug withdrawal syndrome, Feeling abnormal, Dizziness
82	EFEXOR	ORAL USE	DOSE: 100 MG 1x PER 1 DAY		Homicidal ideation, Suicidal ideation, Violence-related symptom
83	VENLAFAXINE	ORAL USE	DOSE: 75 MG BD		Agitation, Aggression, Withdrawal syndrome
84	EFEXOR, TRANSTEC	ORAL USE, TOPICAL	DOSE: 37.5 MG BD, DOSE: 3.5 UG PATCH	2	Hypersensitivity, Agitation, Muscle spasms, Photophobia, Headache
85	EFEXOR	ORAL USE	DOSE: 37.5 MG BD	62	Disinhibition, Hallucination, auditory, Affect lability, Withdrawal syndrome
86	EFEXOR	ORAL USE	DOSE: 112.5 MG BD		Nausea, Drug withdrawal syndrome, Dizziness, Headache, Neck pain
87	VENLAFAXINE	ORAL USE	DOSE: 75 MG BD	213	Aggression, Muscle twitching, Agitation, Withdrawal syndrome
88	EFEXOR	ORAL USE	DOSE: 150-225MG		Restless legs syndrome, Grunting, Akathisia
89	EFEXOR	UNKNOWN	DOSE: 225-37.5MG		Irritability, Drug withdrawal syndrome
90	EFEXOR XL	ORAL USE	DOSE: LA 1		Agitation, Insomnia
91	VENLAFAXINE	ORAL USE	DOSE: 75 MG	7	Anxiety, Agitation
92	VENLAFAXINE	ORAL USE	DOSE: 75 MG	28	Disinhibition
93	Efexor	ORAL USE	DOSE: 75 MG BD	19	Overdose, Grand mal convulsion, Hyperreflexia, Hypertonia, Muscle rigidity, Dysphagia, Dysarthria, Agitation, Ataxia
94	EFEXOR	ORAL USE	DOSE: 37.5 MG BD	8	Agitation, Insomnia, Hyperhidrosis
95	VENLAFAXINE	ORAL USE	DOSE: 75 MG	243	Palpitations, Dizziness, Drug withdrawal syndrome
96	EFEXOR	ORAL USE	DOSE: 150 MG		Insomnia, Drug withdrawal syndrome
97	Efexor XL 75MG	ORAL USE	DOSE: 75 MG	2	Aggression, Hypomania
98	CO-AMOXICLAV, CO-AMOXICLAV, VENLAFAXINE	UNKNOWN, UNKNOWN, UNKNOWN	DOSE: 375 MG TID, DOSE: 375 MG TID, DOSE: 37.5 MG BID		Diarrhoea, Cold sweat, Serotonin syndrome, Drug interaction, Paraesthesia, Abdominal pain, Agitation, Chills, Fear, Tremor
99	EFEXOR XL	ORAL USE	DOSE: 150 MG OD	69	Psychotic disorder, Alcohol interaction, Aggression
100	VENLAFAXINE, CARBAMAZEPINE	ORAL USE, ORAL USE	DOSE: 225 MG OD, DOSE: 100 MG BD		Lethargy, Hyponatraemia, Agitation
101	Efexor XL 75MG	ORAL USE	DOSE: 75 MG	8	Insomnia, Vomiting, Irritability, Convulsion, Loss of consciousness, Agitation, Nausea
102	EFEXOR	ORAL USE	DOSE: 150 MG	377	Agitation, Flushing, Depression, Hallucination, auditory, Chills, Withdrawal syndrome
103	EFEXOR	ORAL USE	DOSE: 75 MG	1	Paranoia, Confusional state
104	EFEXOR XL	UNKNOWN	DOSE: 225 -> 35 MG	850	Motion sickness, Nausea, Drug withdrawal syndrome, Headache
105	EFEXOR	ORAL USE	DOSE: 37.5 MG AND 225 MG		Dizziness, Drug withdrawal syndrome, Nausea, Irritability
106	VENLAFAXINE HYDROCHLORIDE, Seroxat Tablets 20MG	UNKNOWN, ORAL USE	DOSE: 25 MG,		Drug withdrawal syndrome, Abnormal dreams, Aggression
107	Efexor XL 75MG	ORAL USE	DOSE: 75 MG	50	Homicidal ideation
108	EFEXOR	ORAL USE	DOSE: 75 MG	2	Malaise, Vomiting, Staring
109	EFEXOR	ORAL USE	DOSE: 75 MG BD	473	Aggression
110	EFEXOR	ORAL USE	DOSE: 75 MONE 150 NOCTE		Dysphemia, Agitation
111	VENLAFAXINE	ORAL USE	DOSE: 37.5 MG BD	2	Anorexia, Insomnia, Depression, Agitation
112	VENLAFAXINE	ORAL USE	DOSE: 75 MG OD	5	Pollakiuria, Visual disturbance, Restlessness, Agitation, Suicidal ideation, Insomnia
113	EFEXOR	ORAL USE	DOSE: 37.5 MG BD		Agitation, Anxiety, Sleep disorder, Panic reaction
114	EFEXOR	ORAL USE	DOSE: 75 MG/DAY	29	Aggression, Amnesia, Somnambulism
115	VENLAFAXINE	ORAL USE	DOSE: 225 MG	597	Hypomania, Paranoia
116	EFEXOR	ORAL USE	DOSE: 300 MG		Dizziness, Visual disturbance, Chills, Aggression, Abdominal pain, Insomnia, Vomiting, Diarrhoea, Feeling of body temperature change, Withdrawal syndrome
117	Efexor XL 75MG	ORAL USE	DOSE: 75 MG	42	Agitation, Nightmare, Anxiety, Diarrhoea, Withdrawal syndrome
118	VENLAFAXINE	ORAL USE	DOSE: 37.5 MG		Anxiety, Agitation, Withdrawal syndrome
119	Efexor XL 75MG	ORAL USE	DOSE: 75 MG OD	1	Vomiting, Agitation, Palpitations, Hallucination, Sleep disorder, Nightmare
120	EFEXOR XL	ORAL USE	DOSE: 75 MG		Hyperhidrosis, Dizziness, Visual disturbance, Somnolence, Agitation
121	ATENOLOL, EFEXOR XL, SERTRALINE, ACETYLSALICYLIC ACID, ANADIN PARACETAMOL	ORAL USE, ORAL USE, ORAL USE, ORAL USE	DOSE: 14 X 25 MG (OVERDOSE), DOSE: 75 MG X 8 (OVERDOSE), DOSE: 14 x 100 MG (OVERDOSE), DOSE: OVERDOSE, DOSE: OVERDOSE		Disorientation, Cyanosis, Hypotension, Tachycardia, Retching, Nausea, Depressed level of consciousness, Serotonin syndrome, Personality disorder, Agitation, Peripheral coldness, Malaise, Intentional overdose, Grand mal convulsion, Cardiac arrest

122	VENLAFAXINE	ORAL USE	DOSE: 150MG Venlafaxine		Coordination abnormal, Agitation, Hyperhidrosis, Withdrawal syndrome
123	VENLAFAXINE, MIRTAZAPINE	ORAL USE, ORAL USE	DOSE: 75 MG, DOSE: 30 MG	98	Bruxism, Dyskinesia, Akathisia
124	EFEXOR XL	UNKNOWN	DOSE: TITRATED UPTO 300 MG, OVER 4 WEEKS	35	Headache, Drug withdrawal syndrome, Hypertension, Palpitations
125	EFEXOR	UNKNOWN	DOSE: 37.5 MG BD		Homicidal ideation
126	VENLAFAXINE	ORAL USE	DOSE: 37.5 MG		Feeling abnormal, Drug withdrawal syndrome
127	Efexor XL 75MG	ORAL USE	DOSE: 1 DAILY		Depression, Agitation, Anxiety, Withdrawal syndrome
128	EFEXOR	UNKNOWN	DOSE: 75 MG DAILY	98	Dizziness, Hyperhidrosis, Drug withdrawal syndrome, Influenza like illness, Tremor
129	VENLAFAXINE	ORAL USE	DOSE: 75mg	8	Anxiety, Agitation, Mouth ulceration
130	EFEXOR	ORAL USE			Aggression, Aggression, Psychotic disorder
131	EFEXOR	ORAL USE	DOSE: 112.5 MG BD		Aggression, Suicidal ideation
132	VENLAFAXINE	ORAL USE	DOSE: 37.5 MG BD	1	Drug withdrawal syndrome
133	Efexor XL 75mg	ORAL USE	DOSE: 75 MG	135	Paraesthesia, Dizziness, Drug withdrawal syndrome, Tinnitus
134	EFEXOR XL	ORAL USE	DOSE: 75 MG	1	Sleep disorder, Agitation, Tremor
135	Efexor XL 75mg	ORAL USE	DOSE: 75 MG 1 OD	6	Agitation, Palpitations, Disorientation, Dysgeusia, Dry mouth, Anxiety, Lethargy, Sleep disorder
136	VENLAFAXINE	ORAL USE	DOSE: 75 MG		Amnesia, Abnormal behaviour
137	EFEXOR	ORAL USE	DOSE: 300 MG	69	Abnormal behaviour, Aggression, Impulsive behaviour, Irritability
138	EFEXOR	ORAL USE	DOSE: 75 MG	18	Confusional state, Agitation, Aggression
139	EFEXOR	ORAL USE	DOSE: 37.5 MG BD		Disorientation, Loss of consciousness, Disturbance in attention, Anxiety, Deja vu, Nervousness, Agitation, Petit mal epilepsy, Withdrawal syndrome
140	METHADONE, EFEXOR XL	UNKNOWN, ORAL USE	, DOSE: 150 MG PER DAY		Abnormal behaviour, Drug interaction
141	EFEXOR XL	ORAL USE			Vomiting, Agitation
142	EFEXOR	ORAL USE	DOSE: 75 MG BD	212	Nightmare, Aggression, Muscle twitching, Agitation, Diarrhoea, Hypertonia, Withdrawal syndrome
143	EFEXOR XL	ORAL USE	DOSE: 75-150MG		Akathisia
144	VENLAFAXINE	ORAL USE	DOSE: 37.5 MG	130	Paraesthesia, Drug withdrawal syndrome, Dizziness, Gait disturbance
145	Efexor XL 75mg	ORAL USE	DOSE: 75 MG		Agitation, Palpitations, Hyperhidrosis
146	EFEXOR	ORAL USE	DOSE: 37.5 MG BD	2	Paranoia, Hallucination, auditory, Agitation, Verbal abuse
147	EFEXOR	ORAL USE	DOSE: 75-150MG	28	Major depression, Delusion, Inappropriate affect, Suicidal ideation, Agitation
148	ATORVASTATIN, EFEXOR XL	UNKNOWN, UNKNOWN	, DOSE: 75mg		Blood creatine phosphokinase increased, Creutzfeldt-Jakob disease, Intentional self-injury, Confusional state, Agitation, Hallucination
149	EFEXOR	ORAL USE	DOSE: 75 MG		Pallor, Derealisation, Chills, Staring
150	VENLAFAXINE	ORAL USE	DOSE: 75 MG OD		Paranoia, Suicidal ideation, Withdrawal syndrome
151	VENLAFAXINE	ORAL USE	DOSE: 37.5mg bd		Aggression, Aggression
152	VENLAFAXINE	ORAL USE	DOSE: 75 MG		Drug withdrawal syndrome, Intentional self-injury
153	VENLAFAXINE	ORAL USE	DOSE: 300mg		Akathisia
154	EFEXOR	UNKNOWN	DOSE: increased to 150 MG		Social avoidant behaviour, Agitation, Blunted affect, Drug ineffective, Delusion
155	VENLAFAXINE	ORAL USE	DOSE: 37.5MG BD	13	Aggression
156	EFEXOR	ORAL USE	DOSE: 75 MG	4	Agitation, Aggression, Hyperhidrosis, Hallucination, visual, Disorientation, Confusional state, Renal impairment, Tremor
157	EFEXOR	ORAL USE	DOSE: 150 MG BD		Irritability, Tearfulness, Dizziness, Malaise, Nausea, Headache, Insomnia, Drug withdrawal syndrome, Diarrhoea
158	EFEXOR XL	ORAL USE	DOSE: 150 MG		Nausea, Syncope, Headache, Hyperhidrosis, Drug withdrawal syndrome
159	EFEXOR	ORAL USE	DOSE: 75 MG		Agitation, Depression, Anxiety, Withdrawal syndrome
160	EFEXOR XL	ORAL USE	DOSE: 75 MG X 1		Psychotic disorder, Confusional state, Paranoia, Hallucination, Agitation
161	EFEXOR	ORAL USE	DOSE: 225 MG		Lethargy, Nausea, Dizziness, Photopsia, Drug withdrawal syndrome, Intentional overdose, Blood pressure increased
162	EFEXOR	ORAL USE	DOSE: 75 MG BD		Prostatic disorder, Agitation
163	EFEXOR XL	ORAL USE	DOSE: 150 MG	82	Erectile dysfunction, Insomnia, Dizziness, Chest discomfort, Agitation, Nervousness, Dyspnoea, Tremor
164	VENLAFAXINE	ORAL USE			Drug withdrawal syndrome
165	EFEXOR XL	ORAL USE	DOSE: 37.5-75 MG 2x PER 1 DAY		Parent-child problem, Drug withdrawal syndrome, Aggression
166	EFEXOR XL	ORAL USE	DOSE: 75MG		Drug withdrawal syndrome, Paraesthesia
167	EFEXOR	UNKNOWN			Drug withdrawal syndrome, Paraesthesia
168	EFEXOR, CITALOPRAM HYDROBROMIDE	ORAL USE, ORAL USE	DOSE: 37.5mg BD, DOSE: 20mg OD	6	Serotonin syndrome, Chronic fatigue syndrome, Headache, Myoclonus, Tinnitus, Drug withdrawal syndrome, Suicidal ideation
169	EFEXOR	ORAL USE	DOSE: 75 MG OD	41	Drug withdrawal syndrome, Aggression, Hallucination, visual
170	VENLAFAXINE	ORAL USE	DOSE: 75 MG		Anxiety, Agitation
171	VENLAFAXINE, TEICOPLANIN, METHOXAMINE, OMNIPAQUE	ORAL USE, INTRAVENOUS, UNKNOWN, INTRAVENOUS	DOSE: 37.5 MG BD, DOSE: 400 MG, DOSE: 3 MG, DOSE: Contrast		Agitation, Hypertension, Tardive dyskinesia
172	EFEXOR	UNKNOWN	DOSE: 75MG		Rash, Completed suicide, Suicidal ideation, Social avoidant behaviour, Depressed mood, Asphyxia
173	VENLAFAXINE	ORAL USE	DOSE: 75 MG	1	Vomiting, Insomnia, Agitation, Asthenia
174	VENLAFAXINE	ORAL USE	DOSE: 150 mg od		Dizziness, Insomnia, Diarrhoea, Vision blurred, Headache, Palpitations, Agitation, Withdrawal syndrome
175	VENLAFAXINE	ORAL USE	DOSE: M/R 75 MG	1	Insomnia, Hyperhidrosis, Agitation
176	EFEXOR XL	ORAL USE	DOSE: 75MG OD	749	Abnormal dreams, Violence-related symptom
177	EFEXOR	ORAL USE	DOSE: 30 X 75 MG (OVERDOSE)		Suicide attempt, Drug withdrawal syndrome, Intentional overdose
178	EFEXOR	ORAL USE	DOSE: 225 MG		Aggression, Suicidal ideation, Depersonalisation, Intentional self-injury, Hostility
179	EFEXOR	ORAL USE	DOSE: 37.5 MG BD	2	Nausea, Agitation, Hyperhidrosis, Restlessness, Muscle tightness, Depersonalisation
180	VENLAFAXINE	ORAL USE	DOSE: 75-37.5MG		Drug withdrawal syndrome, Fatigue, Nausea, Loss of consciousness, Vomiting
181	EFEXOR XL	UNKNOWN	DOSE: 75 MG		Drug withdrawal syndrome, Depressed mood, Feeling of despair, Agitation
182	VENLAFAXINE	ORAL USE	DOSE: XL 75MG		Anxiety, Condition aggravated, Vomiting, Nausea, Drug withdrawal syndrome, Loss of consciousness

183	EFEXOR	UNKNOWN	DOSE: 200 MG OD OR BD		Respiratory failure, Convulsion, Drug withdrawal syndrome
184	EFEXOR XL	ORAL USE	DOSE: 75 MG	1	Dizziness, Visual disturbance, Agitation
185	VENLAFAXINE	ORAL USE	DOSE: 37.5 MG	6	Dry mouth, Vision blurred, Visual disturbance, Restlessness, Nausea, Agitation
186	VENLAFAXINE	ORAL USE	DOSE: 150 MG BD		Agitation, Suicidal ideation, Mood altered
187	LYRICA, VENLAFAXINE	ORAL USE, ORAL USE	DOSE: 150MG BD, DOSE: XL 75MG OD	32	Hallucination, Agitation, Confusional state, Panic attack
188	VENLAFAXINE	ORAL USE	DOSE: 75mg per day		Aggression, Suicidal ideation, Depression, Personality change, Hostility
189	VENLAFAXINE	ORAL USE	DOSE: 225-187.5MG		Fibromyalgia, Drug withdrawal syndrome
190	EFEXOR XL	ORAL USE			Fibrin D dimer increased, Blood viscosity increased, C-reactive protein increased, Drug withdrawal syndrome, Lower respiratory tract infection
191	EFEXOR	ORAL USE	DOSE: 37.5 MG 2X PER DAY	231	Drug withdrawal syndrome, Depression, Abortion spontaneous
192	VENLAFAXINE	ORAL USE	DOSE: 37.5 MG		Paranoia, Hallucination, auditory, Withdrawal syndrome
193	VENLAFAXINE	ORAL USE	DOSE: 75 MG BD	30	Paranoia, Panic reaction
194	VENLAFAXINE	ORAL USE	DOSE: 150 MG	63	Tachycardia, Myoclonus, Agitation, Palpitations, Tremor
195	EFEXOR XL	UNKNOWN	DOSE: 225 MG - 37.5 MG		Drug withdrawal syndrome, Dizziness, Disorientation, Hyperhidrosis, Palpitations
196	VENLAFAXINE	ORAL USE	DOSE: 37.5 MG		Diarrhoea, Drug withdrawal syndrome, Vomiting, Affect lability, Nausea
197	EFEXOR	ORAL USE			Intentional overdose, Completed suicide, Anger, Abnormal behaviour
198	EFEXOR XL	ORAL USE	DOSE: 375-300mg		Restlessness, Akathisia, Tardive dyskinesia
199	VENLAFAXINE	ORAL USE	DOSE: 37.5 MG		Drug withdrawal syndrome, Dizziness, Nausea, Diarrhoea
200	EFEXOR XL	ORAL USE	DOSE: 150-225mg od		Mood altered, Drug withdrawal syndrome, Blood pressure increased, Bundle branch block right
201	EFEXOR	UNKNOWN	DOSE: 37.5 mg x2		Catatonia, Drug withdrawal syndrome
202	VENLAFAXINE	ORAL USE	DOSE: 75 MG	14	Nightmare, Hallucination, Paranoia
203	VENLAFAXINE	ORAL USE	DOSE: 150 MG	40	Aggression, Violence-related symptom
204	VENLAFAXINE	ORAL USE	DOSE: 75 MG		Drug withdrawal syndrome, Thinking abnormal, Dizziness, Nausea, Paraesthesia
205	EFEXOR	UNKNOWN	DOSE: 37.5MG		Drug withdrawal syndrome, Convulsion, Dystonia, Oculogyric crisis
206	VENLAFAXINE	ORAL USE	DOSE: XL 150 MG		Headache, Agitation, Photophobia, Palpitations, Influenza like illness, Hypoaesthesia, Withdrawal syndrome
207	EFEXOR XL	ORAL USE	DOSE: 300 MG		Hallucination, Arthralgia, Nausea, Weight increased, Nightmare, Paranoia, Hyperhidrosis, Vomiting, Vertigo, Dizziness, Fatigue, Vision blurred, Pyrexia, Derealisation, Illusion, Abasia, Eating disorder, Migraine, Palpitations, Dyskinesia, Tremor
208	VENLAFAXINE	ORAL USE	DOSE: 150 MG		Influenza like illness, Headache, Photophobia, Agitation, Palpitations, Hypoaesthesia, Withdrawal syndrome
209	EFEXOR	ORAL USE	DOSE: 75 MG/DAY, 37.5 MG, 0.5x37.5 MG, 0.25x37.5 MG	303	Dizziness, Nausea, Drug withdrawal syndrome
210	EFEXOR XL	ORAL USE			Abnormal behaviour, Suicide attempt, Nightmare, Paranoia, Sexual dysfunction, Suicidal ideation, Mood altered, Intentional overdose, Alcohol interaction
211	EFEXOR	ORAL USE	DOSE: 225 MG		Suicide attempt, Flat affect, Agitation, Dependence, Akathisia
212	EFEXOR XL	ORAL USE	DOSE: 150 MG X 1		Drug withdrawal syndrome, Epilepsy
213	EFEXOR	UNKNOWN			Joint stiffness, Drug withdrawal syndrome
214	VENLAFAXINE	ORAL USE	DOSE: 75 MG OD	32	Dissociation, Aggression
215	VENLAFAXINE	ORAL USE	DOSE: 20MG		Nausea, Anger, Dizziness, Mood swings, Aggression, Weight increased, Withdrawal syndrome
216	EFEXOR, ANADIN, ANADIN, ANADIN	UNKNOWN, UNKNOWN, UNKNOWN, UNKNOWN.	DOSE: 75mg bd, UNKNOWN, UNKNOWN, UNKNOWN.		Abnormal behaviour, Coronary artery disease, Hepatic necrosis, Death
217	EFEXOR	UNKNOWN	DOSE: 750 MG		Atrial flutter, Mydriasis, Hypokalaemia, International normalised ratio increased, Pneumothorax, Dysarthria, Coma, Overdose, Hypertension, Agitation, Tachycardia, Hyperhidrosis, Pyrexia, Tremor
218	EFEXOR	ORAL USE	DOSE: 225 MG		Malaise, Drug withdrawal syndrome, Insomnia, Tremor
219	VENLAFAXINE	ORAL USE	DOSE: 150 MG		Aggression, Intentional self-injury
220	SIMVASTATIN, VENLAFAXINE	ORAL USE, ORAL USE	DOSE: 20 MG, DOSE: 150 MG		Drug interaction, Drug withdrawal syndrome
221	Efexor XL 75mg	ORAL USE	DOSE: 75 MG		Affect lability, Agitation, Irritability, Insomnia, Withdrawal syndrome
222	VENLAFAXINE	ORAL USE	DOSE: 225 MG OD		Restlessness, Akathisia
223	EFEXOR XL	ORAL USE	DOSE: 1		Drug withdrawal syndrome
224	VENLAFAXINE, CLOZARIL	ORAL USE, ORAL USE	DOSE: 150 MG, DOSE: 500 MG		Overdose, Drug level increased, Pyrexia, Dyspnoea, Pallor, Drug interaction, Emotional distress, Agitation, Malaise, Circulatory collapse
225	EFEXOR	ORAL USE	DOSE: 37.5 MG BD	3	Suicidal ideation, Nausea, Agitation, Insomnia, Completed suicide
226	EFEXOR	UNKNOWN			Aggression, Agitation, Physical assault
227	EFEXOR	ORAL USE	DOSE: 225 MG		Drug withdrawal syndrome
228	EFEXOR	ORAL USE	DOSE: 150 MG	61	Paranoia
229	EFEXOR	UNKNOWN	DOSE: 50 MG/DAY		Dysgeusia, Affect lability, Hyperhidrosis, Dry mouth, Tinnitus, Insomnia, Paraesthesia, Irritability, Drug withdrawal syndrome, Disturbance in attention, Dyskinesia
230	VENLAFAXINE	ORAL USE	DOSE: 375 MG		Agitation, Completed suicide
231	QUETIAPINE, EFEXOR XL	ORAL USE, ORAL USE	DOSE: 150 MG NIGHTLY, DOSE: 150 MG		Akathisia
232	EFEXOR XL, EFEXOR XL	ORAL USE, UNKNOWN			Drug withdrawal syndrome, Intra-uterine death, Abortion spontaneous
233	VENLAFAXINE, CLOZARIL	UNKNOWN, ORAL USE	DOSE: Withdrawing, DOSE: 725mg od	4193	Pallor, Speech disorder, Agitation, Anxiety, Depressed level of consciousness, Apathy, Cardiac arrest
234	EFEXOR	UNKNOWN			Myalgia, Overdose, Convulsion, Drug withdrawal syndrome
235	EFEXOR, EFEXOR XL, EFEXOR XL, EFEXOR XL	ORAL USE, ORAL USE, ORAL USE, ORAL USE	Continues.		Gingival recession, Drug withdrawal syndrome
236	VENLAFAXINE	ORAL USE			Drug withdrawal syndrome

237	EFEEXOR	ORAL USE	DOSE: ORIGINAL VENLAFAXINE 37.5 MG TABLETS TDS NOW POWDER		Sleep disorder, Headache, Myalgia, Fatigue, Constipation, Migraine, Morbid thoughts, Diarrhoea, Self-injurious ideation, Suicidal ideation, Balance disorder, Irritability, Disturbance in attention, Tearfulness, Nausea, Hyperhidrosis, Insomnia, Psychiatric symptom, Paranoia, Feeling cold
238	EFEEXOR XL	ORAL USE	DOSE: 75 MG		Fatigue, Dizziness, Hyperhidrosis, Headache, Insomnia, Drug withdrawal syndrome, Vertigo
239	EFEEXOR XL	ORAL USE			Drug withdrawal syndrome, Blood urine present, Dysarthria, Dizziness, Nausea, Hyperhidrosis, Chills, Balance disorder, Photophobia, Anorexia, Heart rate increased, Blood pressure increased, Vomiting, Abdominal pain
240	VENLAFAXINE	ORAL USE	DOSE: 75 MG	34	Mood altered, Agitation, Hallucination, visual
241	HALOPERIDOL, CIPROFLOXACIN, VENLAFAXINE	UNKNOWN, UNKNOWN, ORAL USE	DOSE: UNKNOWN, DOSE: 400 MG BD, DOSE: 75 MG OD	6	Elevated mood, Disinhibition, Confusional state, Hallucinations, mixed, Disorientation, Thinking abnormal, Hypoaesthesia, Extrapramidal disorder
242	EFEEXOR	ORAL USE	DOSE: 37.5 MG BD	14	Coordination abnormal, Visual disturbance, Agitation, Paraesthesia, Fall, Confusional state, Dysarthria, Gait disturbance
243	VENLAFAXINE	ORAL USE	DOSE: 75 MG	14	Drug withdrawal syndrome
244	EFEEXOR	ORAL USE	DOSE: 37.5 BD	2	Nausea, Flatulence, Diarrhoea, Abdominal pain, Agitation
245	VENLAFAXINE	ORAL USE			Vision blurred, Dizziness, Urinary incontinence, Nausea, Drug withdrawal syndrome, Impaired driving ability
246	EFEEXOR XL	UNKNOWN			Drug withdrawal syndrome, Completed suicide
247	EFEEXOR XL	ORAL USE	DOSE: 75 MG OD	10	Condition aggravated, Emotional distress, Depression, Agitation, Withdrawal syndrome
248	EFEEXOR XL	UNKNOWN	DOSE: HIGH DOSE (UNSPECIFIED)		Aggression, Euphoric mood
249	EFEEXOR	ORAL USE	DOSE: 75 MG X 2 OD		Burning sensation, Paranoia, Nervousness, Tinnitus, Agitation, Thinking abnormal, Hypersensitivity, Asthenia, Nightmare, Hypoglycaemia, Somnolence, Restlessness, Insomnia, Anorexia, Anxiety, Disorientation, Muscle twitching, Urine uric acid increased, Apathy, Personality change, Muscle disorder, Flatulence, Fatigue, Depression, Dizziness, Headache, Abnormal dreams, Mood altered, Mania, Tremor, Panic attack
250	EFEEXOR XL, CYMBALTA	ORAL USE, ORAL USE	DOSE: 75-225 MG, DOSE: UNKNOWN		Paranoia, Suicidal ideation
251	NEFAZODONE HYDROCHLORIDE, ATIVAN, ABILIFY, EFEEXOR XL	UNKNOWN, UNKNOWN, UNKNOWN, ORAL USE	DOSE: 75 mg, DOSE: 1mg 2x per day, DOSE: 15 mg, DOSE: 375 MG 1X PER 1 DAY		Drug withdrawal syndrome, Cardio-respiratory arrest, Fall, Arteriosclerosis coronary artery
252	EFEEXOR XL	ORAL USE	DOSE: 300 MG		Euphoric mood, Drug withdrawal syndrome
253	VENLAFAXINE	ORAL USE		26	Agitation, Depression, Completed suicide, Suicide attempt
254	EFEEXOR XL, EFEEXOR XL	ORAL USE, ORAL USE	dose: 75 mg -150 mg, dose: 75 mg -150 mg		Disturbance in attention, Dizziness, Drug withdrawal syndrome, Hyperhidrosis, Tremor
255	EFEEXOR	ORAL USE			Pancreatitis, Drug withdrawal syndrome, Liver disorder, Depressed mood, Medication error, Hepatic cyst
256	VENLAFAXINE, VENLAFAXINE	ORAL USE, ORAL USE		30	Paraesthesia, Hypervigilance, Drug withdrawal syndrome, Nausea, Psychomotor hyperactivity
257	EFEEXOR	ORAL USE		3	Malaise, Abdominal discomfort, Abnormal dreams, Agitation, Hyperhidrosis, Fatigue, Chills, Muscle spasms, Insomnia, Bruxism, Dyskinesia, Dyskinesia, Clumsiness
258	EFEEXOR	TRANSPLACENTAL	DOSE: 150 MG 1X PER DAY		Premature baby, Irritability, Agitation neonatal, Blood glucose decreased, Feeding disorder of infancy or early childhood, Drug withdrawal syndrome
259	EFEEXOR				Drug withdrawal syndrome, Paraesthesia
260	VENLAFAXINE, VENLAFAXINE, VENLAFAXINE	ORAL USE, ORAL USE, ORAL USE		9	Contusion, Drug ineffective, Dizziness, Liver function test abnormal, Feeling hot, Menorrhagia, Skin lesion, Platelet count decreased, Malaise, Nausea, Drug withdrawal syndrome, Somnolence, Vomiting, Skin exfoliation, Trichorrhexis, Hyperhidrosis
261	EFEEXOR XL		1/2 37.5 mg tablet OD - 2 tablets per day		Abnormal dreams, Fatigue, Anxiety, Drug withdrawal syndrome, Vomiting, Dizziness
262	VENLAFAXINE				Agitation, Anxiety
263	VENLAFAXINE	ORAL USE			Gastroesophageal reflux disease, Drug withdrawal syndrome, Fatigue, Headache, Hypertension, Anaemia, Dizziness
264	EFEEXOR XL, EFEEXOR XL	ORAL USE, ORAL USE		730	Mood altered, Drug withdrawal syndrome, Gastrointestinal haemorrhage, Atrial flutter
265	VENLAFAXINE	ORAL USE			Arthralgia, Irritability, Insomnia, Headache, Drug withdrawal syndrome, Lethargy, Disturbance in attention, Dizziness, Diarrhoea
266	EFEEXOR, EFEEXOR	ORAL USE, ORAL USE			Nausea, Tachycardia, Palpitations, Dizziness, Drug withdrawal syndrome
267	VENLAFAXINE		150/300mg		Drug dependence, Irritability, Anger, Agitation, Withdrawal syndrome
268	VENLAFAXINE, CLOZARIL, CLOZARIL	ORAL USE, ORAL USE, ORAL USE	Overdose, UNKNOWN, ONCE/SINGLE dose. Overdose		Overdose, Hyperthermia malignant, Agitation
269	CIPRAMIL, ZISPIN, VENLAFAXINE	ORAL USE, UNKNOWN, UNKNOWN		17.5	Headache, Insomnia, Personality change, Feeling of body temperature change, Confusional state, Paraesthesia, Hallucination, Anosmia, Diarrhoea, Abnormal dreams, Agitation, Anhidrosis, Back pain, Somnolence, Serotonin syndrome, Affect lability, Dizziness, Feeling abnormal, Anorexia, Emotional disorder, Hypoaesthesia, Visual acuity reduced, Influenza like illness, Muscle spasms, Malaise, Ageusia
270	EFEEXOR	ORAL USE		1	Agitation, Panic attack
271	VENLAFAXINE, VENLAFAXINE	ORAL USE, ORAL USE	Dosage: 225 XL, Dosage: 75	516	Hyperhidrosis, Vomiting, Sleep disorder, Drug withdrawal syndrome, Headache, Nausea, Diarrhoea
272	VENLAFAXINE	ORAL USE	in process of withdrawal		Nausea, Muscle spasms, Crying, Dissociation, Social avoidant behaviour, Nightmare, Communication disorder, Paranoia, Anorexia, Vomiting, Aggression, Abdominal pain upper, Anxiety, Hypoaesthesia, Hypoaesthesia, Withdrawal syndrome, Tremor, Tremor
273	VENLAFAXINE	ORAL USE			Drug withdrawal syndrome, Anger, Panic reaction
274	EFEEXOR XL	ORAL USE			Road traffic accident, Paraesthesia, Drug withdrawal syndrome, Loss of consciousness
275	VENLAFAXINE				Agitation, Sleep disorder, Negative thoughts, Completed suicide

276	VENLAFAXINE			Venlafaxine	Decreased appetite, Agitation, Restlessness, Hyperhidrosis, Weight decreased, Anxiety, Tremor, Panic disorder
277	EFEXOR	ORAL USE			Abnormal behaviour, Suicidal ideation, Hypomania
278	VENLAFAXINE	ORAL USE		1	Restlessness, Tinnitus, Paraesthesia, Agitation, Dyspnoea, Chromaturia
279	EFEXOR	ORAL USE			Headache, Hyperhidrosis, Suicide attempt, Akathisia
280	VENLAFAXINE	ORAL USE		2608	Drug withdrawal syndrome
281	EFEXOR	ORAL USE	OVERDOSE. Prescribed dose: 150mg twice daily. Took 112 tablets		Intentional overdose, Blood creatine phosphokinase increased, Sinus tachycardia, Epistaxis, Multi-organ failure, Oliguria, Mouth haemorrhage, Disseminated intravascular coagulation, Hypoxia, Eye haemorrhage, Renal impairment, Rhabdomyolysis, Pyrexia, Drug toxicity, Agitation, Grand mal convulsion, Hyperhidrosis, Metabolic acidosis, Cardiac arrest, Hypotension, Hepatic failure, Hypertension, Coagulopathy, Completed suicide, Thrombocytopenia, Acute respiratory distress syndrome, Electrocardiogram QRS complex prolonged, Tremor
282	EFEXOR XL	ORAL USE	reduced to unknown dose.		Drug withdrawal syndrome, Hepatomegaly, Oedema peripheral
283	EFEXOR XL	ORAL USE		1187	Drug withdrawal syndrome, Postmenopausal haemorrhage, Arthralgia
284	EFEXOR XL, EFEXOR XL, EFEXOR XL, EFEXOR XL, EFEXOR XL	ORAL USE, ORAL USE, ORAL USE, ORAL USE, ORAL USE	Reinitiated after being temporarily discontinued.		Vision blurred, Nausea, Headache, Paraesthesia, Drug withdrawal syndrome
285	VENLAFAXINE	ORAL USE	gradually increased to 150 mg	365	Agitation, Irritable bowel syndrome, Bruxism, Paraesthesia of genital female, Restlessness, Sexual dysfunction, Headache, Loss of libido, Drug withdrawal syndrome, Dysmenorrhoea, Anxiety, Vulvovaginal dryness, Emotional disorder
286	EFEXOR, EFEXOR	ORAL USE, ORAL USE	Started on 37.5 mg now taking one quarter of this dose. Had tapered down and stopped previously., Started on 37.5 mg now taking one quarter of this dose. Had tapered down and stopped previously.		Visual disturbance, Confusional state, Fatigue, Suicidal ideation, Paraesthesia, Dizziness, Depression, Irritable bowel syndrome, Hyperhidrosis, Anxiety, Nausea, Drug withdrawal syndrome, Nightmare, Nervousness, Aggression, Weight increased, Akathisia, Panic attack
287	EFEXOR XL	ORAL USE	Reducing dose: 150 mg x 1; 75 mg x2; 75 mg; less than 75 mg. Started 9-12 months ago.		Palpitations, Drug withdrawal syndrome, Bruxism, Muscle disorder, Cognitive disorder, Pruritus, Constipation, Nightmare, Anxiety, Insomnia, Weight increased, Abnormal dreams, Night sweats, Diarrhoea, Feeling of despair, Visual disturbance, Lethargy, Amnesia, Tearfulness, Gastrointestinal disorder, Dizziness, Dizziness, Abdominal pain, Headache, Tremor, Panic attack
288	VENLAFAXINE	ORAL USE			Drug withdrawal syndrome
289	PAROXETINE, VENLAFAXINE, PAROXETINE	UNKNOWN, UNKNOWN, UNKNOWN			Physical assault, Agitation, Suicidal ideation, Anxiety
290	EFEXOR XL		Either 150mg od or 225mg od.		Hallucination, Psychotic disorder, Drug withdrawal syndrome
291	EFEXOR				Suicidal ideation, Drug withdrawal syndrome
292	EFEXOR XL, EFEXOR XL	ORAL USE, ORAL USE			Drug withdrawal syndrome, Drug dependence
293	EFEXOR XL		OVERDOSE (usual dose 150mg in morning, 150mg at lunch time and 75mg at night: 375mg/day)		Intentional overdose, Suicide attempt, Agitation, Withdrawal syndrome
294	VALPROATE SODIUM, EFEXOR, OLANZAPINE	UNKNOWN, UNKNOWN, UNKNOWN	Overdosed on 7 days worth of prescribed treatment.		Drug withdrawal syndrome, Intentional overdose, Suicide attempt
295	VENLAFAXINE	ORAL USE		317	Fatigue, Confusional state, Tinnitus, Flatulence, Personality change, Aggression, Dyspepsia, Memory impairment, Electric shock, Irritability, Feeling abnormal, Coordination abnormal, Altered visual depth perception, Nausea, Disturbance in attention, Drug withdrawal syndrome, Insomnia, Diarrhoea, Hypoglycaemia, Somnolence, Abdominal pain upper, Palpitations, Dizziness, Feeling abnormal, Tremor
296	EFEXOR, CARBAMAZEPINE, DULOXETINE HYDROCHLORIDE, EFEXOR	ORAL USE, UNKNOWN, UNKNOWN, ORAL USE	UNKNOWN, Dose: 400mg to 600 mg, UNKNOWN, UNKNOWN		Drug ineffective, Drug interaction, Homicide, Homicidal ideation
297	EFEXOR, EFEXOR XL, EFEXOR XL, EFEXOR XL	ORAL USE, ORAL USE, ORAL USE, ORAL USE	DOSE: 150 MG	66	Gait disturbance, Headache, Paraesthesia, Cerebellar ataxia, Dysarthria, Nausea, Hypoacusis, Tinnitus, Dizziness, Condition aggravated, Balance disorder, Drug withdrawal syndrome, Sensation of pressure, Night sweats, Musculoskeletal chest pain, Contusion, Fall
298	EFEXOR	ORAL USE			White blood cell count decreased, Anxiety, Drug ineffective, Drug withdrawal syndrome, Intentional self-injury, Hyperhidrosis, Dizziness, Nausea, Paraesthesia, Arthralgia, Headache, Memory impairment, Abnormal dreams, Restlessness, Insomnia, Disturbance in attention, Apathy, Depressed mood, Diarrhoea, Pyrexia, Hair growth abnormal, Weight increased, Dependence, Sleep disorder, Anorexia, Dizziness
299	VENLAFAXINE, VENLAFAXINE	UNKNOWN, ORAL USE			Drug withdrawal syndrome, Pain, Hearing impaired
300	EFEXOR XL	ORAL USE	Ongoing		Aggression, Physical assault
301	VENLAFAXINE		150mg reducing to 37.5mg - ongoing		Drug withdrawal syndrome, Nausea, Vomiting

302	EFEXOR, EFEXOR, EFEXOR, EFEXOR, EFEXOR	ORAL USE, ORAL USE, ORAL USE, ORAL USE, ORAL USE	dose: 37.5 mg am and 75 mg pm, dose: 37.5 mg am, 75 mg pm alternate days, dose: 37.5 mg pm, alternate days, dose: 37.5 mg, alternate days, dose: 37.5mg, one every 3 days	Venlafaxine 65	Myalgia, Vomiting, Diarrhoea, Hyperventilation, Insomnia, Job dissatisfaction, Tinnitus, Disturbance in attention, Feeling abnormal, Palpitations, Memory impairment, Hypoglycaemia, Drug withdrawal syndrome, Fatigue, Headache, Nausea, Balance disorder, Dizziness, Appetite disorder, Vision blurred, Depressed mood, Partner stress
303	VENLAFAXINE	ORAL USE		4	Suicidal behaviour, Abdominal pain, Dizziness, Agitation, Depressed mood, Suicidal ideation, Nausea, Stomach discomfort, Palpitations, Insomnia, Panic reaction, Tremor
304	PAROXETINE HYDROCHLORIDE, EFEXOR	UNKNOWN, UNKNOWN			Anxiety, Vision blurred, Confusional state, Dizziness, Nausea, Intentional self-injury, Suicidal ideation, Mental impairment, Influenza like illness, Pain, Aggression, Agitation, Tremor, Withdrawal syndrome, Agitation
305	PAROXETINE, VENLAFAXINE HYDROCHLORIDE	UNKNOWN, UNKNOWN			Anxiety, Self-injurious ideation, Suicidal ideation, Poor quality sleep, Negativism, Personality disorder, Depressed mood, Suicidal ideation, Depression, Intentional overdose, Tearfulness, Early morning awakening, Depressed mood, Social avoidant behaviour, Anxiety, Withdrawal syndrome
306	VENLAFAXINE	ORAL USE		4	Abnormal behaviour, Disinhibition
307	EFEXOR XL, EFEXOR XL	ORAL USE, ORAL USE			Agitation, Confusional state, Muscle contractions involuntary, Vertigo, Drug withdrawal syndrome, Dystonia
308	VENLAFAXINE, LOFEPRAMINE	ORAL USE, ORAL USE	Years ago, UNKNOWN		Suicidal ideation, Homicidal ideation, Paranoia, Joint stiffness, Visual disturbance, Renal failure
309	EFEXOR, EFEXOR, EFEXOR	ORAL USE, ORAL USE, ORAL USE	UNKNOWN, frequency unknown, UNKNOWN	240	Supraventricular tachycardia, Drug dependence, Drug withdrawal syndrome
310	VENLAFAXINE	ORAL USE			Drug withdrawal syndrome, Vertigo
311	VENLAFAXINE				Agitation, Aggression, Homicidal ideation, Aggression
312	VENLAFAXINE			1432	Abnormal dreams, Suicidal behaviour, Mania, Aggression, Agitation, Panic reaction, Hostility, Anxiety, Nightmare, Insomnia
313	EFEXOR XL	ORAL USE	150 mg frequency unknown		Drug withdrawal syndrome, Confusional state, Unevaluable event, Drug exposure during pregnancy, Abortion spontaneous
314	VENLAFAXINE		Dose ranging from 0-225mg		Influenza like illness, Irritability, Drug withdrawal syndrome, Paraesthesia
315	EFEXOR	TRANSPLACENTAL	unknown		Abnormal behaviour, Drug exposure during pregnancy
316	EFEXOR, EFEXOR				Drug withdrawal syndrome, Nausea, Headache, Vertigo
317	VENLAFAXINE, VENLAFAXINE, VENLAFAXINE, VENLAFAXINE	ORAL USE, ORAL USE, ORAL USE, ORAL USE	Increased to 750 mg then to 2100 mg and 3250 mg, increased to 750 mg then to 2100 mg and 3250 mg, increased to 750 mg then to 2100 mg and 3250 mg, increased to 750 mg then to 2100 mg and 3250 mg	365	Asthenia, Personality disorder, Weight decreased, Agitation, Dizziness, Tremor, Drug dependence, Fall
318	EFEXOR XL, EFEXOR XL, EFEXOR XL, EFEXOR XL		75 mg, frequency unknown, 225 mg frequency unknown, 375 mg frequency unknown, 300 mg frequency unknown		Dysarthria, Drug withdrawal syndrome, Drug ineffective, Convulsion

VENLAFAXINE	
Patient characteristics	
AGE RANGE	Number of reports
<18	5
18-24	22
25-34	50
35-44	90
45-54	58
55-64	38
65-74	11
75-84	6
>85	1
Unspecified age	37
TOTAL	318
GENDER	
Male	129
Female	183
Unspecified	6
TOTAL	318

No	Drug	Route	Dose	Treatment duration (days)	Reaction
1	YENTREVE	ORAL USE	DOSE: 40 MG BD		Tremor, Insomnia, Dizziness, Dysarthria, Facial paresis, Agitation
2	YENTREVE	ORAL USE	DOSE: 40 MG BD		Tremor, Nausea, Agitation
3	YENTREVE	ORAL USE	DOSE: 40 MG BD		Anxiety, Balance disorder, Nausea, Drug withdrawal syndrome, Abnormal dreams, Tinnitus, Mood altered
4	YENTREVE	ORAL USE	DOSE: 40 MG BD	43	Withdrawal syndrome, Insomnia, Tearfulness, Agitation, Emotional distress
5	YENTREVE	ORAL USE	DOSE: 40 MG		Agitation, Constipation, Nausea, Disorientation
6	YENTREVE	UNKNOWN	DOSE: 40 mg BD		Homicidal ideation, Sleep terror, Hyperhidrosis
7	YENTREVE	ORAL USE	DOSE: 20 MG BD		6 Feeling abnormal, Fall, Confusional state, Agitation
8	CYMBALTA	ORAL USE	DOSE: 60 MG DAY		Suicidal ideation, Personality disorder, Intentional self-injury, Aggression, Vision blurred
9	CYMBALTA	ORAL USE	DOSE: 60 MG		Headache, Paraesthesia, Drug withdrawal syndrome
10	YENTREVE	ORAL USE	DOSE: 40 MG BD	129	Insomnia, Agitation
11	CYMBALTA	UNKNOWN	DOSE: 60 MG		Agitation, Depression, Restlessness, Insomnia
12	CYMBALTA	ORAL USE	DOSE: 60 MG		2 Tremor, Nausea, Agitation, Vomiting, Hallucination, Mania
13	CYMBALTA	ORAL USE	DOSE: 60 MG		Inappropriate affect, Hallucination, auditory, Mood altered, Agitation, Restlessness
14	DULOXETINE	ORAL USE	DOSE: 20 MG BD	14	Agitation, Erectile dysfunction
15	CYMBALTA	ORAL USE	DOSE: 60 -> 30 MG		Drug withdrawal syndrome
16	CYMBALTA	UNKNOWN	DOSE: 60-120 MG		Akathisia, Tremor, Syncope
17	YENTREVE				Tremor, Social avoidant behaviour, Rash
18	CYMBALTA	ORAL USE	DOSE: 60 MG		Nightmare, Drug withdrawal syndrome, Suicidal ideation
19	CYMBALTA	ORAL USE	DOSE: 60 MG	195	Malaise, Drug withdrawal syndrome, Headache, Dizziness, Hyperhidrosis
20	CYMBALTA	ORAL USE			Drug ineffective, Agitation
21	CYMBALTA, EFEXOR XL	ORAL USE, ORAL USE	, DOSE: 75-225 MG		Suicidal ideation, Paranoia
22	YENTREVE	ORAL USE	DOSE: 40 MG BD	304	Mania, Grandiosity
23	DULOXETINE	ORAL USE			Vomiting, Nausea, Paranoia, Intentional self-injury, Malaise
24	DULOXETINE	ORAL USE			Agitation, Hyponatraemia
25	DULOXETINE				Hyperhidrosis, Agitation, Insomnia
26	DULOXETINE	ORAL USE			Feeling abnormal, Drug withdrawal syndrome, Dizziness
27	DULOXETINE HYDROCHLORIDE, DULOXETINE HYDROCHLORIDE	ORAL USE, ORAL USE			Mood swings, Withdrawal syndrome, Influenza like illness, Diarrhoea, Agitation, Pyrexia, Hyperhidrosis, Vomiting, Dysgeusia
28	DULOXETINE	ORAL USE	Withdrawn then restarted at lower dose.	15	Tremor, Withdrawal syndrome, Obsessive thoughts, Fatigue, Agitation, Headache
29	DULOXETINE	ORAL USE		15	Extrapyramidal disorder, Restlessness, Agitation
30	DULOXETINE	ORAL USE		14	Confusional state, Staring, Decreased appetite, Feeling abnormal, Amnesia, Weight decreased, Coordination abnormal
31	CYMBALTA	ORAL USE		60	Panic reaction, Depressed mood, Lethargy, Nausea, Drug withdrawal syndrome
32	DULOXETINE	ORAL USE			Panic attack, Social avoidant behaviour, Depressed mood
33	RISPERDAL, DULOXETINE	ORAL USE,			Akathisia, Drug interaction
34	CYMBALTA	ORAL USE		65	Violence-related symptom, Aggression
35	DULOXETINE	ORAL USE			Drug withdrawal syndrome, Suicidal ideation, Dizziness, Muscle twitching, Affect lability, Histrionic personality disorder
36	EFEXOR, DULOXETINE HYDROCHLORIDE, CARBAMAZEPINE, EFEXOR	ORAL USE, , , ORAL USE	, , Dose: 400mg to 600 mg,		Homicidal ideation, Homicide, Drug interaction, Drug ineffective
37	DULOXETINE	ORAL USE		41	Anxiety, Agitation
38	CYMBALTA, CO-CODAMOL, CO-CODAMOL	ORAL USE, ORAL USE, ORAL USE	, 2 DF four times a day taken when necessary, 2 DF four times a day taken when necessary		Pain, Agitation, Somnolence, Insomnia, Headache
39	DULOXETINE HYDROCHLORIDE	ORAL USE			Akathisia, Completed suicide
40	DULOXETINE	ORAL USE		60	Suicidal ideation, Agitation
41	CYMBALTA, CYMBALTA	UNKNOWN, UNKNOWN			Anxiety, Tremor, Suicide attempt, Insomnia, Dysuria, Drug ineffective, Nightmare, Muscle twitching, Nausea, Headache, Drug withdrawal syndrome
42	CYMBALTA	ORAL USE			Aggression, Suicidal behaviour
43	CYMBALTA	ORAL USE		3	Suicidal ideation, Completed suicide, Agitation
44	CYMBALTA	ORAL USE	30 mg daily increased to 60mg after 6 days.	6	Clumsiness, Tremor, Dyspepsia, Diarrhoea, Insomnia, Flushing, Feeling of body temperature change, Yawning, Dysarthria, Dyspepsia, Muscle twitching, Neck pain, Eructation, Hearing impaired, Vertigo, Dysgeusia, Suicidal ideation, Restlessness, Headache, Anxiety, Aphasia, Photosensitivity reaction, Dizziness, Facial palsy, Agitation, Somnolence, Mydriasis, Palpitations, Swelling face, Asphyxia, Hypoaesthesia, Dehydration, Chest pain, Hallucination, auditory, Memory impairment, Dysuria, Body temperature fluctuation, Sensory loss, Gait disturbance, Malaise, Paraesthesia, Blister, Nerve injury
45	CYMBALTA				Tremor, Nervousness, Headache, Malaise, Abortion spontaneous, Drug withdrawal syndrome
46	CYMBALTA	UNKNOWN			Akathisia, Suicidal ideation, Agitation
47	CYMBALTA	UNKNOWN	60 mg		Suicidal ideation, Mood swings, Sleep disorder, Agitation, Vomiting
48	CYMBALTA				Mood swings, Agitation, Suicidal ideation, Vomiting, Sleep disorder
49	DULOXETINE	ORAL USE		1	Agitation, Suicidal ideation, Restlessness, Tremor, Nausea, Anxiety

50	CYMBALTA		Duloxetine	Abortion spontaneous, Drug exposure during pregnancy, Drug withdrawal syndrome
51	DULOXETINE HYDROCHLORIDE, DULOXETINE HYDROCHLORIDE	ORAL USE, ORAL USE	60 mg, daily (1/D), 60 mg, daily (1/D)	6 Tension, Dry throat, Headache, Lethargy, Flushing, Agitation, Nausea, Gastrointestinal pain
52	DULOXETINE	ORAL USE		13 Cold sweat, Dry mouth, Pharyngolaryngeal pain, Headache, Social avoidant behaviour, Weight decreased
53	YENTREVE	ORAL USE	40 - 20 mg	Dysarthria, Motion sickness, Drug withdrawal syndrome, Loss of libido, Fatigue, Feeling drunk, Headache, Vertigo, Palpitations, Hypertension, Vision blurred, Tinnitus, Tremor, Gait disturbance, Dizziness
54	DULOXETINE	ORAL USE		4 Hallucination, Tremor, Agitation
55	CYMBALTA	ORAL USE	60 mg	11 Suicidal behaviour, Aggression

DULOXETINE	
Patient characteristics	
AGE RANGE	Number of reports
<18	0
18-24	1
25-34	13
35-44	10
45-54	8
55-64	11
65-74	2
75-84	3
>85	1
Unspecified	6
TOTAL	55
GENDER	
Number of reports	
Male	10
Female	45
Unspecified	0
TOTAL	55